

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| NAME | SYMPTOM COUNTER VIBRATION | | CONTENTS | NOTES |
|----------|----------------------------|-----|----------|---|
| 00 COCO | '00 CONTINUAL COUGH | | VB | 11/00 combination masquerading as the seasonal flu (that isn't a flu). Cough, like post nasal drip, queasy stomach, fatigue, malaise, brain tiring. |
| 99 EP | 99 EPIDEMIC | | VB | Flu-like symptoms in 25% of the population are 4 viruses and 2 bacteria. May ALSO need EDB, ZINC CHLORIDE, ASPERGILLIS FUMIGATUS. |
| ACC | ANTHRACOCXCOB | 1-2 | VBC | Anthrax, Coxsackie, Cobalt 60 - Especially prevalent around areas where there are nuclear reactors. |
| ACD LIV | ACID LIVER | | MVF | Similar to Primary Biliary Cirrhosis. Including Ergot, this very deep disease slowly eats away the liver and its function. |
| ACE SPC | ACES AND SPACES | | MVB | Reactivates small intestine enzyme making to clean out the gooey mucous that binds dead cells. The remedy supports a long-range and permanent bases of the results of GOO CLN so that you activate ace cells with enough space to operate. |
| ACIN CA | ACINIC CELL ADENOCARCINOMA | | MVB | A low-grade carcinoma that develops in the secreting cells of racemose (grape-like) glands, especially salivary glands and pulmonary alveoli. It combines with other pathogens to make infections in different glands that secrete. |
| ACP | ANTHRACOXPLOOT | 1-2 | VBC | Anthrax, Coxsackie, Plutonium - A Denver/Boulder special of people who have lived in the area 5 or more years. |
| ACT ACT | ACTIVATOR ACTIVATION | | MVB | The factor that is used to synthesize proteins and lipids into hormones. The synthesizing factor is made in the spleen and carried by the blood to glands that use it. |
| ACT VIR | ACTINO VIRUS | | V | Crowds the pituitary causing weight gain in pear-shaped bodies. |
| ACT WEB | ACTIVATING WEB | | MVB | Bone/Liver/Lymph condition producing insufficient reticulocytes to maintain neurological brain web multiple concept connection and wakefulness. Subjects appear to have selective apathy for life, irritation with many and disdain for society systems. Because of the lacking they often see others as lacking. |
| ACU NER | ACOUSTIC NEUROMA | | MVB | Growth in ear that diminishes hearing. For tinnitus add one or more of BRC BLK, SWL SFNG, STR FGA, CAN SI. |
| AD BASE | ADRENAL BASE ENERGY | | MVB | Adrenal medulla-based combination at the base of several diseases severely affecting nerve energy. For Addison's, add one of Blastomycosis, Chromomycosis, or (usual) Histoplasmosis. For Von Hippel's, add Rhizamucor. |
| AD MD BD | ADRENAL MEDULLA BUILDER | | MVB | Liver/bone amino acids and enzymes needed to rebuild/regrow adrenal medulla. Take with adrenal trigger and adrenal enzyme alteration remedies. See also AD MD DS as a preliminary. |
| ADARMA | ADENOARENOMA | | MVB | A compound-content lump often found on the adrenals affecting hair growth. Easily combines with a retrovirus plus CMVs. |
| ADC CAR | ADENOCYSTIC CARCINOMA | | MVB | Frequently in salivary glands, breasts, mucous glands of the upper and lower respiratory system and occasionally in the vestibule glands of the vulva. Spreads along nerves causing paralysis in face (often upper lip). |
| ADEN B | ADENOVIRUS GROUP B | | V | Virus known for respiratory, pneumonia and urinary tract issues. Often holds together combinations |
| ADEN C | ADENOVIRUS GROUP C | | V | Virus known for liver and lymphatic issues. Often holds together combinations with liver |
| ADEN D | ADENOVIRUS GROUP D | | V | Virus often known for liver, gall bladder issues. Often holds together combinations with liver |
| ADEN E | ADENOVIRUS GROUP E | | V | Virus often known for liver, gall bladder, respiratory and head issues. Often holds together combinations |
| ADEN F | ADENOVIRUS GROUP F | | V | Virus known for intestinal issues. Often holds together combinations with liver |
| ADEN G | ADENOVIRUS GROUP G | | V | A class of adenovirus not yet recognized in science. |
| ADEN H | ADENOVIRUS GROUP H | | V | Virus not known for any specific areas, other than the flesh of the body. |
| ADENO | ADENOVIRUS | 1-2 | V | This major family of viruses loves to lock into lymph and/or muscle tissue connected to glands |
| ADMDDS | ADRENAL MEDULLA DISEASE | | MVB | Could form the base of many adrenal-related inherited diseases, especially collagen diseases. |
| ADN ADN | ADENO ADENOMA | | MVB | Often the cause of intestinal polyps and usually found with a retrovirus. The frequent propensity to vomit is one of the most recognizable traits. |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|---------|----------------------------------|------|-----|--|
| ADN SCT | ADENO SQUAMOUS CYTOMA | | MVB | A compound lump very similar to a cyst with squamous cells. Found in respiratory control center of brain. |
| ADN SQA | ADENOSQUAMOMA | | MVB | A lump composed of adeno and squamous cells. Most commonly seen in the adrenals, but possible anywhere. |
| ADN STN | ADRENAL STONES | 4-6 | T | Adrenal stones are made of a form of mercury and reside at the nerve endings |
| ADNCAR | ADENO CARCINOMA | | MVB | Group of aberrant cells massing towards a tumor in a layer of the interior or exterior skin that can be anywhere in the body. |
| ADQ REG | ADEQUACY REGAIN | 4-14 | E | INADEQUACY as to the task in life, the calling of God and the ability to stick with a project interfere with success on any level. |
| ADR ADN | ADRENAL ADENOMA | | MVB | A lump on the adrenals often precipitating a hormonal problem. |
| ADR BLD | ADRENAL BUILDER | | MVF | Rebuilds liver's ability to produce a peptide called "Corticotropin Releasing Factor" for stress reduction in adrenals. Restores depletion caused by overwork, emotional & physical stress, child birth. Digestion is blocked by this string of amino acids. |
| ADR CHR | ADRENAL CHARGE | | MV | With PIT CHR reactivates the whole hormonal system for digestion to sexual performance. |
| ADR CMA | ADRENAL CAPSILOMA | | MVB | Like a form of mesothelioma of the intestines or lungs, this is an infection of the capsulizing layer around the outer surface (cortex) of the adrenals. It often precipitates hair loss, hormonal problems and energy loss. Usually seen with a retrovirus. |
| ADR CPC | ADRENAL CAPSULE CARCINOMA | | MVB | An irritated condition of the outer capsule of the adrenals. When a retrovirus is accompanying the condition, we usually see grey hair. A little more serious than ADR CPS. |
| ADR CPS | ADRENAL CAPSULE SARCOMA | | MVB | An irritated condition of the outer capsule of the adrenals. When a retrovirus is accompanying the condition, we usually see grey hair. |
| ADR CRT | ADRENAL CORTISOL DISEASE | | MVB | Corrects an enzyme defect that results in low levels of cortisol and increased levels of ACTH. In varying degrees, it causes low digestion and low emission of sexual hormones. |
| ADR DRN | ADRENAL DRAIN | | MFV | Inhibits calcium use by adrenals. Blocks histamine conversion so that it binds with protein and inhibits protein conversion to amino acids. (Carbon blockage from another source like Carbohydrates Block with blocked calcium leads to fat.) |
| ADR EDM | ADRENAL EDEMA | | MRV | Inherited adrenal deficiency that causes rise in renin and blockage of kidneys with accompanying water weight |
| ADR EZH | ADRENAL ENZOHORMONES | | MVB | Enzohormones are key triggers of activities throughout the body, from digestion to attitude to body shape. They are made from a combination of follicular cells, endocyt cells and are thwarted by bone infections as well as adrenal or kidney infections. |
| ADR FIR | ADRENAL FIRE | | MVB | Aimed at removing the blocks to progesterone production |
| ADR HYP | ADREN-BASED HYPOGLYCEMIA | | MVB | Cholera Miasm-based cause of hypoglycemia that is adrenal-based (5% of the cases). (95% need Uplift/Sassafras oil for pancreas parasite) |
| ADR SHI | ADRENAL SHINE | | F | Several fungi, including the one causing SAD, converge to make a continual tiredness, hormonal imbalance and disruption in ovaries or testicles. |
| ADR SOD | ADRENAL SODIUM MAKER | | MVB | Approximately 85% of the constitution of sodium is formed by the adrenals and derived from cerebral spinal fluid. The adrenal medulla makes sodium for cell respiration while the adrenal cortex makes sodium for carriage of enzymes, hormones, etc. The thyroid needs this sodium to use with iodine to carry metabolites, the nerves need it for muscle function, etc. Sex, childbirth, worry, altitudes pull it from the body. Its spent form clogs the nerves and memory. |
| ADR VIR | ADRENAL VIRUS | 1-2 | V | Virus causes adrenal exhaustion (especially around menopause). Also look at Sleeping Sickness Parasite & ADN STN. |
| ADREMA | ADRENALEMIA | | MVC | Unleashes bone marrow substance for adrenals to synthesize hormones from cholesterol |
| AEA 17A | ADRENAL ENZYME ALTERATION - 17A | | MVB | Enzyme deficiency for stimulation of thyroid that is deactivated by low blood pressure. To reinstate after BP normalization thyroid must be absorbing iodine and oxygen. This enzyme also stimulates the engorgement of genitals and breast with arousal. |
| AEA 18 | ADRENAL ENZYME ACTIVATION 18BASE | | MVB | USE ONE OF THE BELOW LETTERED VERSIONS AND NOT THIS BASE. This series reduces the effects of fear and anxiety thoughts on the adrenals. Thoughts of fear originate in the hippocampus which sends actual thought substances/chemicals that we call "mortacts" (kill-the-action) through different hormonal glands via the golgi apparatus to the adrenals, which shut down hormones, neurons and enzymes |
| AEA 18A | ADRENAL ENZYME ACTIVATION 18 A | | MVB | Reduces the effect of fear thoughts sent from the hippocampus to the hypothalamus resulting in "store, protect and save" messages to the adrenals. The adrenals consequently shut down hormones, neurons and enzymes. See explanation under AEA 18. |
| AEA 18B | ADRENAL ENZYME ACTIVATION 18 B | | MVB | Reduces the effect of fear thoughts sent from the hippocampus to the thalamus resulting in psychic fear messages to the adrenals. The adrenals consequently shut down hormones, neurons and enzymes. See explanation under AEA 18. |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---|-----|------------|--|
| AEA 18C | ADRENAL ENZYME ACTIVATION 18 C | | MVB | <i>Reduces the effect of fear thoughts sent from the hippocampus to the epithalamus resulting in emotional fear memory messages to the adrenals. The adrenals consequently shut down hormones, neurons and enzymes. See explanation under AEA 18.</i> |
| AEA 18D | ADRENAL ENZYME ACTIVATION 18 D | | MVB | <i>Reduces the effect of fear thoughts sent from the hippocampus to the pituitary resulting in control fear messages to the adrenals. The adrenals consequently shut down hormones, neurons and enzymes. See explanation under AEA 18.</i> |
| AEA 18E | ADRENAL ENZYME ACTIVATION 18 E | | MVB | <i>Reduces the effect of fear thoughts sent from the hippocampus to the thyroid resulting in fear of applying yourself fear messages to the adrenals. The adrenals consequently shut down hormones, neurons and enzymes. See explanation under AEA 18.</i> |
| AEA 21A | ADRENAL ENZYME ALTERATION - 21A | | MVB | <i>An imbalance of 21 Hydrolase enzymes. Often earmarked by varying degrees of "salt wasting", dehydration, electrolyte abnormalities and sometimes stunted growth.</i> |
| AEA 21B | ADRENAL ENZYME ALTERATION - 21B | | MVB | <i>A variation of 21A. Causes an androgen excess which sometimes has owner controlled by sexual urges instead of having guidance of it. Remedy does not take away sexual drive, but tempers it to a semblance of sensibility.</i> |
| AEA 21C | ADRENAL ENZYME ALTERATION - 21C | | MVB | <i>A variation of AEA 21A. Causes an androgen insufficiency with less sexual drive than benefits the owner.</i> |
| AEA 21D | ADRENAL ENZYME ALTERATION 21D | | MVB | <i>An imbalance of 21 Hydrolase enzyme. Common manifestations are excess facial and body hair for women (hirsutism), excessive perspiration (especially of hands and feet), menstruation difficulties, sparse sexual drive, stenosis of arteries.</i> |
| AEA 21E | ADRENAL ENZYME ALTERATION 21E | | MVB | <i>An imbalance of 21 Hydrolase enzyme. Often with perspiration of hands and feet (especially with stress), fine hair, usually scant menstruation, feels the other sex lacks enough interest (although usually no interest in same sex), hypometabolism of weight,</i> |
| AEA 3BA | ADRENAL ENZYME ALTERATION - 3BA | | MVB | <i>3 Beta Hydroxysteroid Dehydrogenase Deficiency. A key enzyme for the sustaining of adrenal activity and hormone production. Drink water while taking to avoid back aches.</i> |
| AEA 3BB | ADRENAL ENZYME ALTERATION - 3BB | | MVB | <i>A key e3 Beta Hydroxysteroid Dehydrogenase Deficiency alternative correction (the most commonly used). A key enzyme for the sustaining of adrenal activity and hormone production. Drink water while taking to avoid back aches.</i> |
| AEA PC | ADRENAL ENZYME ALTERATION - PLASMA CELLS | | MVB | <i>Adrenal-based remedy for reenabling an enzyme to break down protein in a way that feeds instead of clogs red blood cells. See also PC MAL and PC EZ UT.</i> |
| AFLGOT | AFLAGOT | 1-4 | F | <i>Combination of the molds Aflatoxin and Ergot. The combination is high in beer and wine and destroys liver.</i> |
| AFLTOX | AFLATOXIN | 1-4 | F | <i>Liver mold that causes cirrhosis, found in hepatitis, cancer. From bread, brown rice, etc.</i> |
| AGPHOB | AGORAPHOBIA | 3-8 | E | <i>Fear of crowds of people, like parties and public places, caused by Syphilis miasm in the pituitary plus bacteria and fungus</i> |
| ALC DSR | ALCOHOL DESIRE | | MR | <i>With alcoholinum, this combination increases the body's desire for alcohol</i> |
| ALC INT | ALCOHOL INTOLERANCE | | MBF | <i>For those who swoon at the slightest taste of alcohol (not former alcoholics). Will not make you a lush. In milk tablets.</i> |
| ALCLFL | ALUMINUM CHLORIDE FLUORIDE | | C | <i>Water infiltrated chemicals often lodging in pancreas</i> |
| ALCNUM | ALCOHOLINUM | | M | <i>Obviously this miasm is a world-wide issue</i> |
| ALCO | ADRENAL LIVER CONNECTION | | MBF | <i>Prepares cholesterol for the adrenal to use in the synthesis of adrenal hormones</i> |
| ALD ADN | ALDOSTERONE BLOCKING ADENOMA | | MVF | <i>In the adrenals this lump blocks the precursor hormone to estrogen, progesterone and testosterone.</i> |
| ALFCF | ALUMINUM FLUORIDE CHLORIDE FORMALDEHYDE | | C | <i>Lethal water byproduct and food combination that can impair brains.</i> |
| ALG BLD | ALLERGY BLOOD | | MV | <i>IgD Immunoglobulin Deficiency relevant to allergic responses to milk, insulin, penicillin and various toxins</i> |
| ALK LUK | ALEUKEMIC LEUKEMIA | | MVB | <i>Causes Pyruvate Kinase Deficiency, an enzyme that helps red blood cells in converting phosphate compounds to cell food.</i> |
| ALM FLR | ALUMINUM FLUORIDE | | C | <i>Newest means of fluoridating city water after sodium fluoride was declared poisonous. Affects brain (memory, dementia) and bones.</i> |
| ALOPEC | ALOPECIA | | MVF | <i>Inherited factors that affect kidneys/adrenal connection to cause patchy hair loss. Other remedies for inherited patterns of hair loss.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|-----------------------------------|-------|------------|--|
| ALS | ALATERAL SCLEROSIS | | RVB | <i>Lou Gehrig's Disease; inherited conditions combine with a little-known form of clostridium and NEV CHM forms a base, often with Neisseria</i> |
| ALT ADR | ALTERED ADRENALIN | | MB | <i>Shock, birth and extreme fatigue can so drain the adrenals that infection turns adrenaline into a selective hormone deactivator causing undermetabolization and weight</i> |
| ALT KID | ALTITUDE KIDNEYS | | MVB | <i>Seems to make kidneys close down in altitudes, which throws blood viscosity and lymph out of kilter. Subclinical at low altitudes</i> |
| ALT SIC | ALTITUDE SICKNESS | | MVF | <i>A tightening of veins in brain causing a low-blood-pressure chain reaction from kidneys to heart to lungs. This lowers O2 in blood which is felt strongly in areas with decreased oxygen. People become weak, sick and, in extreme cases, delirious.</i> |
| AMALG | AMALGAMS | | C | <i>The toxicity of amalgams (silver-looking fillings that are actually mercury) is becoming legendary, especially in MS</i> |
| AMM | ADRENAL MEDULLA MOLD | 2-5 | F | <i>Mold involving the varied reasons for slowed circulation in the adrenals which allows a mold in the medulla</i> |
| ANA VIR | ANESTHESIA VIRUS | | V | <i>Virus in liver created by anesthesia from surgery or dentistry. Weight gain and/or possible hair loss follows.</i> |
| ANC ISU | ANCIENT ISSUES | 8-11 | MV | <i>Leprosy, Plague, Hemorrhagic Fevers, Coxsackie, Anthrax, VPV-Base, deep immune robbers of miasmic level. Primordial issues may arise.</i> |
| ANEM GB | ANEMIC GALL BLADDER | | MRV | <i>An inherited condition involving rickets and polio that suppresses GB. Most possessors LOVE mayonnaise</i> |
| ANG BLS | ANGIOBLASTOMA | | MVB | <i>A lump of newly forming cells on any channel of fluids in body from heart to brain or any other organ.</i> |
| ANK SPN | ANKYLOSING SPONDYLITIS | 10-16 | MVB | <i>Bechtrew's in Scandinavia - Chronic low back pain with deteriorating disks and forward/backward double spine curve</i> |
| AOR SQE | AORTA SQUEEZE | | MVF | <i>Coarctation of Aorta is a congenital cardiac anomaly characterized by a localized narrowing of the aorta which results in increased pressure back into the heart and decreased blood pressure towards the extremities.</i> |
| APH ADN | ACIDOPHILIC ADENOMA | | MVF | <i>Via the pituitary, this lump affects body use of calcium, fibrogen, skin & nails, especially when cytoviruses accumulate. Involved with growth hormones w/acromegaly and giantism.</i> |
| APL ANM | APLASTIC ANEMIA | | MVB | <i>Officially - Lymphocytic Leukopenia. Periodic sore throats, reduced resistance to viral infections, unexplained blood-shot eyes or hemorrhages, flu-like swollen glands, stuffiness.</i> |
| APRAX | APRAXIA | | MVF | <i>Growing forgetfulness of how to do sequential tasks; misuse of objects (picking up a pen instead of a knife or cutting a tablecloth with scissors); occasional forgetting of how to write a letter or a word; periodic academic dementia & growing memory loss.</i> |
| ARBO | ARBO | 1-4 | V | <i>Arbo Virus - Parasite-born viruses and fevers. Often causes disorientation after teeth work. Much worse in low nutrition settings.</i> |
| ARENO | ARENO | 1-3 | V | <i>Areno Virus - Meningitis forms of diseases carried by ticks, fleas and animals.</i> |
| ARG DEF | ARGININE DEFICIENCY | | MVB | <i>Correcting the deficiency of an essential amino acid that can cause seizures, spacity and retardation</i> |
| ARISE #1 | ARISE #1 | | MVB | <i>Inherited nerve blockage in the sexual apparatus of male and female. Take with ARISE 2 and ARISE 3.</i> |
| ARISE #2 | ARISE #2 | | MVB | <i>Inherited issue with the adrenals that blocks testosterone from the reproductive glands. Take with ARISE 1 AND ARISE 3.</i> |
| ARISE #3 | ARISE #3 | | MVB | <i>Inherited issue with the thyroid that blocks thyroxin from reproductive glands. Take with ARISE 2 and ARISE 3.</i> |
| ARNOMA | ARENOMA | | MVB | <i>A miasmic-based propensity for mass or swelling based on the areno virus instead of the usual Papilloma virus</i> |
| ART BLD | ARTERIES BLOOD | | MB | <i>IgM Immunoglobulin Deficiency associated with Pneumonia, meningococcal meningitis and mushy arteries</i> |
| ART LNG | ARTERY LUNG TANGLE | | MVB | <i>Second to blood diseases, this is primarily for windedness. Arteries from the heart to the lung are congenitally tangled and block each other by their expansion when exercising. Shortness of breath w/exertion, insufficient oxygen for the lung and thyroid.</i> |
| ART OPN | ARTERY OPEN | | MV | <i>Inherited condition involving cholera miasm on the adrenals that shrinks arteries and reduces circulation to brain and extremities</i> |
| ART PNC | ARTERIAL PINCH | | MBF | <i>Inherited "rings " on the arteries that constrict occasionally and restrict blood flow. SRG V&A is a ballooning of arteries.</i> |
| ARTERS | ARTERIES INHERITED | | MVB | <i>Granulomatosis and Takayasu's inflamed arteries. Causes myalgia and "headaches like no other". Rheumatoid aches in hips and shoulders</i> |
| ASBL GL | ASTRO BLASTO CYTOMA GLIOMA | | MVB | <i>Combination brain lump of astrocytes, blast cells and glioma mass.</i> |
| ASC ADR | ASCITES ADRENALS | | MVB | <i>One of 3 remedies to dissolve the cause of fluid collection in the abdomen called ascites. It needs accompaniment of Herpes #9 or 13 or 15 and Coxsackie B5 or B9.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|---------|--|------|-----|---|
| ASC LIV | ASCITES LIVER | | MVB | One of 3 remedies to dissolve the cause of fluid collection in the abdomen called ascites. Although it can accompany other kinds of weight, this is distinctive for the lack of puffiness or size accumulated on the limbs. |
| ASC TRD | ASCITES THYROID | | MBF | One of 3 remedies to dissolve the cause of fluid collection in the abdomen called ascites. Although it can accompany other kinds of weight, this is distinctive for the lack of puffiness or size accumulated on the limbs. |
| ASCITS | ASCITES | | MVF | Folliculhitechia -The holding of fluid in abdomen after or during sickness. Places strain on kidneys that also will need draining support. |
| ASCRI | ASCARIS | | P | Common parasite of the round worm family. Includes the vibration of black walnut, picked in green stage. |
| ASD | ATRIAL SEPTAL DEFECT | | MVB | Unclosed hole in upper mid wall of heart which doesn't allow blood from lungs to bring enough oxygen. Shortness of breath, easy sweating. |
| ASPTM | ASPARTAME | 3-10 | C | Headaches and dizziness from artificial sweeteners and all sodas (even decades later) from this because it "fries" your brain slowly. |
| ASSIM | ASSIMILATE NOW | | B | Antidotes a fungus that binds minerals that engender digestive enzymes. Acts quickly, gives energy gain and girth loss |
| AST BLS | ASTRO BLASTO CYTOMA | | MVB | Non-glioma brain lump combination of astrocytes and blast cells |
| AST CYT | ASTROCYTOMA | 9-11 | MBF | Common glioma (brain mass going to tumor) especially with any type of herpes. Also connected to calcium imbalance (KID CAL, TRD CAL) |
| ASTIG i | ASTIGMATISM i | | MVB | Improved version of remedy for well-known eye condition |
| AT MASS | ADRENAL/THYROID MASS | | MVF | Phemochromocytoma -causes night sweats, anxiety, lack of concentration usually around menopause. Other issues also. |
| ATHRMA | ATHEROMA | | MVB | The most common disease of large and medium-sized arteries involving coronary, cerebral and lower-limb arteries. With lower limbs it can produce ulcerations of ankles and legs. Sudden occlusions of legs produces cold, painful, pulseless limbs. |
| ATM TRD | ATOMIC THYROID | 2-6 | MBC | Combination of radon, magnetic influence and light nuclear waste equals thyroid problems. Formerly Atomic Denver. |
| ATR AMY | ADRENAL TRIGGER AMYGDALA | | MVB | Corrects condition in the amygdala that blocks motivation stimulus. Subjects often lack the oomph to move from victim to solution and often stay in bad situations. |
| ATR BC | ADRENAL TRIGGER - BLOOD CLEAN | | MVB | This helps kidneys/adrenals make enzhormones that dissolve dead protein and excess CO2 in the blood. The same process frees the thymus to function better. Symptoms are tiredness, overworking heart and circles under eyes. See also TB KID. |
| ATR CC | ADRENAL TRIGGER - CHOLESTEROL CONVERSION | | MVB | Enzhormones from the adrenal/kidneys and involving the bones. They catalyze cholesterol to form other hormones, combine with calcium to form discs, maintain flexibility of the cornea, maintain heart wall flexibility and feed all cartilage. |
| ATR HAR | ADRENAL TRIGGER - HAIR | | MVB | Because this is adrenal based, it triggers liver for hair growth on the head. See also HAR LIV. |
| ATR LFT | ADRENAL TRIGGER LIPID/FATS | | MVB | Restores the depleted ability of the adrenals to produce metabolizing enzymes which dissolve bound-together lipids and fats. |
| ATR LIP | ADRENAL TRIGGER - LIPID . | | MVB | Restores the depleted ability of the adrenals to produce metabolizing enzymes which dissolve lipids. |
| ATR SG | ADRENAL TRIGGER - STARCH GLUCOSE | | MVB | Releases enzymes which dissolve starch/glucose combinations. |
| AV EXPN | ARTERY/VEIN EXPANSION | | MVB | A break-down of the subtle flexibility and porosity of arteries and veins from that of a cotton cloth to a hardened sweater weave. A non-islets of langerhans pancreatic condition that also shrinks the diameter of veins and arteries. |
| AV RELS | ARTERY/VEIN RELEASE | | MVB | Kidney/adrenal condition that emits norepinephrine (artery constrictor) with any stress in other endocrine glands. When the condition is removed, stress releases epinephrine (artery restoration). |
| AVN NOD | ATRIALVENTRICAL NODE DISEASE | | MVB | Like the Sinoatrial Disease this can cause arrhythmias and low blood pressure. It may play a role in sleep apnea. See also SIN ART, NIT. |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|--|-----|------------|--|
| AXNOMA | AXONOMA | | MVB | <i>A lump in the cylindric extension of a nerve cell that conducts impulses through the neuron body. Could interrupt any form of nerve communication from action to thought.</i> |
| BA HPHS | BLOOD ANEMIA HYPOPHOSPHATE | | MVB | <i>Too little phosphorus in the serum and plasma causes brittle red blood cells destroyed by the regors of circulation. The cells lose ATP (cell energy sugar), O2, 2-3 diphosphoglyceric acid, decreases glucose utilization (red blood cell energy sugar). Worse with diabetes, alcohol withdrawal, respiratory alkalosis, dialysis and use of antacids.</i> |
| BA LDL | BLOOD ANEMIA-LOW DENSITY LIPOPROTEINS | | MVB | <i>Designed to reactivate a group of plasma enzymes to process depleted chylomicrons. Depleted chylomicrons bind to albumin creating ascites and may be depleted of triglycerides through a thyroid malfunction (FRM CTG). The plasma enzymes frees the LDL receptors to allow lipoprotein to feed the rest of the body.</i> |
| BA STM | BLOOD ANEMIA STOMATOCYTOSIS | | MVB | <i>Too many red blood cells are shaped like mouths. Like an open mouth, too much of the electrical charge runs out so that red blood cells become too fragile, die too easily and cause spleen swelling (abdominal swelling). Under these circumstances alcohol makes it increasingly worse, ATP (cell energy sugar) decreases and O2 is lost easily. The condition usually travels with other blood diseases. It stops potassium from holding nutrition in the cells. See also POT SRG.</i> |
| BAC DIS | BACTERIA DISCOMBOBULATION | | MVB | <i>Bone disease- Chronic Granulomatous Disease- making the whole system more susceptible to Staph, Strep and other bacterial infections.</i> |
| BAC FRG | BACTERIA FRAGILIS | 1-4 | B | <i>Frequently found in brain abscesses and brain tumors. Often found with Coxsackie and Wormwood.</i> |
| BAR CNG | BAROMETRIC CHANGE | | VF | <i>Congestion in head makes person decrease in function with altitude. From headaches to kidney backup to lymph coagulation</i> |
| BAROCP | BARORECEPTOR ARTERY DISEASE | | MVB | <i>An inherited malfunctioning of the Marinesco bodies of the substantia nigra and locus ceruleus in the arteries. These cells monitor blood flow and send messages to the brain to raise or lower blood pressure.</i> |
| BAS CEL | BASAL CELL CARCINOMA | | MVB | <i>Skin disease that looks like a scab or festering mole that lingers on. Melanomas sometimes look similar</i> |
| BBT | BUG BITE TOXINS | | T | <i>For those who swell up at the slightest bite of mosquitoes, gnats, chiggers, etc. Spider and bee remedies are separate kinds.</i> |
| BCP | BLOOD CELL PARASITE | 1-3 | P | <i>Kalaazar, also called Leishmania Donovanii, also called Leishmaniasis. Eats blood cells and forms skin lesions. RE Anemia, AIDS, CFS, etc..</i> |
| BD FLK | BILE DUCT FLUKES | 1-5 | P | <i>Inflames and causes to malfunction the connection of Liver/Gall Bladder & Liver/Pancreas. Part of calcium upset</i> |
| BEL BUS | BELLY BUSTER | | MVB | <i>Sclerosing Cholangitis-Secondary Biliary Cirrhosis. Malformed bile that hardens liver, bile ducts and eats both. Poor digestion accompanies the condition.</i> |
| BEN | BENZENE ANTIDOTE | 1-4 | C | <i>Common chemical toxin weakening especially pancreas, liver, and thymus. In most AIDS cases. See Thymus Strong.</i> |
| BER | BLOOD ENZYME REPAIR | | MB | <i>(Hexose Monosulphate Shunt Defect) Blocks the formation of over 100 blood enzymes. Also tests to be an attraction to the Holy Spirit into the body</i> |
| BHK CAN | BRAIN HEART KIDNEY CANDIDA | | F | <i>Highly involved with chemical sensitivity plus clogging of pituitary in weight gain and fogged thinking. May well go to liver and other parts of body</i> |
| BIL BOO | BILIARY BOOST | | MVF | <i>Aimed at Sarcoidosis of the liver. Inherited, chronic infection of the liver tissue that decreases all liver functions and attracts other liver diseases.</i> |
| BLAD CS | BLADDER CYST | | MB | <i>Aimed at interstitial cystitis</i> |
| BLADMA | BLADDEROMA | | MBF | <i>Mass growing on either the urinary bladder or the gall bladder</i> |
| BLASMA | BLASTOMA | | MVF | <i>Lump of new cells that don't fully mature. Loves the medullas (but doesn't do them any good).</i> |
| BLC MEN | BLANCAMENINGITIS | | MVB | <i>A swelling of the white matter of nerves that pressures neighboring nerves.</i> |
| BLD CRD1 | BLOOD CRADLE #1 | | MVB | <i>Similar to leukemia, this could technically be called a phagocytomia. It is a defective formation of the immune protector, phagocyte, which has leukocytes inside. Phagocytes carry (cradle) in the blood needed enzymes.</i> |
| BLD CRD2 | BLOOD CRADLE #2 | | MVB | <i>Similar to leukemia, this could technically be called a phagolysosome. It is a self-destructing formation of the immune protector, phagocyte, which has leukocytes inside. Phagocytes carry (cradle) in the blood needed enzymes.</i> |
| BLD DBR | BLOOD DEBRIS SWEEPER | | MVB | <i>An enzyme that dissolves the debris of dead organic cells that gather excessively when healing blood diseases like leukemia, thalasseмииs, hemoglobin diseases, etc..</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--|-------|-----|---|
| BLD IMP | BLOOD IMPROVEMENT BASE | | MMM | <i>A group of miasms that weaken the blood strength and function. Body health is in direct proportion to blood health. Take with HEM CRB.</i> |
| BLD OXY | BLOOD OXYGEN MIASM | | M | <i>Causes blood to decrease in electro/magnetic power over the years.</i> |
| BLD SCB | BLOOD SCRUBBER | | ENZ | <i>Cleans blood of cholesterol, breaks up lipid, opens follicular glands plus thyroid and adrenal glands with follicular-based lumps, helps eyesight, opens capillaries (stroke folks), increases nitrogen availability.</i> |
| BLN L | BLOOD ENERGY- LIVER | | MVF | <i>For the forms of Glycogen Storage Disease that clog the liver and cause balloon abdomens. Often they regulate themselves to the point of stopping before they exhaust themselves deeply.</i> |
| BLN M | BLOOD ENERGY - MUSCLES | | MVF | <i>A blood disease. For the forms of Glycogen Storage Disease causing deep muscle fatigue after exercise.</i> |
| BLEPH | BLEPHARO SPASM | | MVB | <i>Condition that causes involuntary contraction of eyelids.</i> |
| BLF | BLOOD/LYMPH FLUKES | 1-3 | P | <i>Several forms of Schistosomas. Especially likes kidneys as well as arteries.</i> |
| BLK OUT | BLANK OUT MASS | | MB | <i>Causes a "mismatch" of acetylcholine (neurotransmitter) so that the nerve impulse blanks out and the message is not received in Myesthenia Gravis, etc</i> |
| BLK TRD | BLOCKED THYROID | 3-5 | VB | <i>Two viruses and 2 bacteria with a strange propensity to gang up on thyroids everywhere</i> |
| BLNC NR | BLANCA NERVE DISEASE | | MVB | <i>Most commonly seen as aging, the white matter of the nerves controls the autonomic bodily functions. It seems to shift focus from intellectual thinking to current observations, bodily functions and distant memory. Attention span is shortened.</i> |
| BLS CYT | BLASTOCYTOMA | | MVB | <i>A lump of embryonic tissue developing from the blastema (primordial, undifferentiated cellular material that makes up the foundation) of an organ or tissue.</i> |
| BLST | BLASTOMYCOSIS | 1-4 | F | <i>Bronchial/lung form of pneumonia. Spreads by blood to all other organs and skin. Sometimes warts that change into small abscesses.</i> |
| BLT BLT | BLOAT BLOAT | | MVB | <i>Inherited kidney condition that backs up and distributes uremic poison in way that lands in intestines/gut and causes large waist line.</i> |
| BMM | BRAIN MEDULLA MOLD | 2-4 | F | <i>Common collection of mold/fungus/bacteria that simultaneously clogs and deteriorates the brain.</i> |
| BNB | BRAIN NERVE BLOCK | 3-5 | VB | <i>Virus/Bacteria/Fungus group blocks ability to get words out. Involves Posterior/Anterior pituitary lobes.</i> |
| BNM MAL | BONE NERVE MUSCLE MALADY | | MVB | <i>A wide-spread, bone-based "age-related" disease that dissolves strength and firmness. In Latin this could be called a "myomyelo" disease.</i> |
| BOFG BF | BLOOD ORGAN FUNGUS with BREATH FREE | | F | <i>General fungus killer for intestines and lungs used in Europe successfully since 1996.</i> |
| BOMOTO | BONEMONE TONE | | MVB | <i>Frees bonemone (the substance made in the bones needed to make hormones) to supply all the endocrine glands.</i> |
| BON BMP | BONE BUMPS | | MVB | <i>Aimed at "Osteochondromas" which appears as little nodules forming mostly on the joints, especially fingers. Looks like Rheumatoid Arthritis</i> |
| BON COV | BONE COVER | | MVB | <i>Infections in the periosteum (sheath of the bone) that often affect the sacral area (as well as other bones).</i> |
| BON CRK | BONE CRACK | 3-18 | VB | <i>When a bone is only cracked it invites several forms of Klebsiella different from that of the standard BON INF.</i> |
| BON FLU | BONE FLU | | V | <i>A form of influenza that settles in the bones (and often the brain) causing collection of fluid in body (ascites). Like LYM GUT</i> |
| BON HRD | BONE HARD | 10-14 | MV | <i>The inherited basis for Scleroderma and some other conditions that contract tendons</i> |
| BON INF | BONE INFECTION | 10-25 | BV | <i>A combination of Strep in Bone, Klebsiella Ozaenae, Coxsackie B - seen in so many cases of brewing bone cancer and osteoporosis.</i> |
| BON JCS | BONE JOINT CYSTS | | MV | <i>Osteochondroma-Cartilage tumors loose and painful in joints. If skin discoloration over joints, look for kidney issues. See BON BMP</i> |
| BON LIT | BONE LIGHT | | MBF | <i>Pineal growth giving brow headaches and light mal assimilation of endocrine system</i> |
| BON LMF | BONE LYMPH | | MVB | <i>Reduces excess of Von Willebrand factor in platelets. Designed for a bone condition that distorts lymph function from absorbing toxins and exiting to a pathological condition of depositing its toxins in the body as a form of dropsy weight.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|------------------|-------------------------------------|-------|-----|---|
| BON PAP | BONE PAPILOMA | 10-16 | V | A form of papilloma preferring bones. Included in OST ART. |
| BON PCT | BONE PUNCTURE INFECTION | 3-9 | VB | One of several ways infections start in the bone . . . and spread. |
| BON PNM | BONE PNEUMONIA | 5-8 | B | Often inherited, involving a number of bone swellings that resemble polio, multiple myeloma and neuropathy |
| BON RAD | BONE RADIATION | 10-18 | MVB | A bone cancer precipitated from nuclear or microwave exposure, or over x-raying or over radiation treatments. |
| BON SKN | BONE SKIN INFECTION | | BF | <i>Infection in periosteum (covering of the bone). Can contribute to infection in bone and osteoporosis.</i> |
| BON SLD | BONE SOLID | | MRV | <i>Designed for Albright's Disease, a form of bone dysplasia, endocrine dysfunction, precocious puberty in girls, fast growth in boys, hyperthyroidism, insomnia, fine motor tremors, cafe au lait spots.</i> |
| BOT STF | BOTUSTAPH | 1-6 | B | Botulism and staph. Almost always in spinal cord. |
| BPH | BENIGN PROSTATIC HYPERTROPHY | 1-6 | MVB | An old issue of prostatic swelling usually after 45. Liver controls prostate, so also check liver issues. |
| BPNMV | BOVINE PNEUMOMEGLOVIRUS | | V | <i>Like CMV, this virus locks into the lymph trapping oxygen around cellular fluid</i> |
| BR ANE #1 | BIRTHING ANESTHESIA #1 | | CF | <i>Anesthesia when you gave birth to a child, plus the anesthesia used with your mother and possibly the anesthesia used for your grandmother. The chemical continues to paralyze your nerves, plus attract pathogens that eat your nerves.</i> |
| BR ANE #2 | BIRTHING ANESTHESIA #2 | | CF | <i>Anesthesia when you gave birth to a child, plus the anesthesia used with your mother and possibly the anesthesia used for your grandmother. The chemical continues to paralyze your nerves, plus attract pathogens that eat your nerves.</i> |
| BR ANE #3 | BIRTHING ANESTHESIA #3 | | CF | <i>Anesthesia when you gave birth to a child, plus the anesthesia used with your mother and possibly the anesthesia used for your grandmother. The chemical continues to paralyze your nerves, plus attract pathogens that eat your nerves.</i> |
| BR ANE #4 | BIRTHING ANESTHESIA #4 | | CF | <i>Anesthesia when you gave birth to a child, plus the anesthesia used with your mother and possibly the anesthesia used for your grandmother. The chemical continues to paralyze your nerves, plus attract pathogens that eat your nerves.</i> |
| BR ANE #5 | BIRTHING ANESTHESIA #5 | | CF | <i>Anesthesia when you gave birth to a child, plus the anesthesia used with your mother and possibly the anesthesia used for your grandmother. The chemical continues to paralyze your nerves, plus attract pathogens that eat your nerves.</i> |
| BRC BLK | BRONCHIAL BLOCK | 1-5 | F | Aspergilliosis - A fungus ball in the bronchi liking dry weather. Binders are clostridium & chlamydia pneumonia. |
| BRC STR | BRONCHIAL | 1-4 | RFB | Pneumonia residue + + |
| BRD BEL | BREAD BELLY | | MVB | <i>Mold developed out of yeast used to leaven bread. Usually in liver. Bread making using commercial yeast can put on weight and inches. Leviticus says do not eat leavened bread and this may be why.</i> |
| BRIBRI | BERIBERI | | D | <i>Vitamin B1 deficiency that often causes mental confusion and forgetfulness. Often with other brain issues.</i> |
| BRN BLB | BRAIN BLOB | | MVF | <i>Cerebral Hemangiomas - Not quite tumor status; Causes pressure on brain and some forms of malfunction</i> |
| BRN BLG | BRAIN BULGE | | MVB | <i>Ependymoma, often with GLI CER, crowding pituitary</i> |
| BRN CLR | BRAIN CLEAR | 2-6 | MVF | <i>Combination of brain fungus with the binders of Coxsackie and T. B Miasm in pituitary.</i> |
| BRN DRK | BRAIN DARK | | MBF | <i>A mass that crowds the pineal causing forms of paranoia and a gate of entry for negativity</i> |
| BRN FGS | BRAIN FUNGUS | 2-6 | F | <i>Cryptococcosis instead of Cryptomycosis. Fungus that loves brain, left lung and spine.</i> |
| BRN FLU | BRAIN FLU | | V | <i>A virus lodged in the brain, thought to especially effect the epiglottis and possibly sleep apnea.</i> |
| BRN FLX | BRAIN FLEX | | MVB | <i>Hardening around thalamus and hypothalamus, in a way that squeezes pituitary and its hormones. With BON HRD may stunt growth to some forms of dwarfism</i> |
| BRN MUS | BRAIN MUSCLE | 1-5 | P | <i>Fuzzy thinking that infuriates the possessor is the ear mark of this trichinosis family parasite formula</i> |
| BRN OXY | BRAIN OXYGEN | | MVB | <i>Brain controlled factor of the lungs that allows more oxygen absorption and, thus allows more oxygen for the whole body. See also TRD OXY & OXY BOO)</i> |
| BRN RGN | BRAIN REGAIN | 3-6 | MVB | <i>Miasmically based cause of either ankle restlessness, sleeplessness or headaches and brain fog.</i> |
| BRN SWL | BRAIN SWELLING | 1-5 | MVB | <i>Residue of Whooping Cough and Coxsackie on top of TB in the Brain.</i> |
| BRS BLD | BREAST BUILD | | MVB | <i>Using a combination of hormones and enzymes breast cells are unblocked to grow to the full potential for the person. Other adrenal and pituitary problems may reduce results. First reports are favorable.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|--------------------|--|------|------------|--|
| BRS PUG | BREAST PUDGE | | MVB | <i>Liver/adrenal remedy mostly for males to flatten unwanted breasts stemming from clogged liver. For women, it helps to better shape and firm the breasts.</i> |
| BRUS | BRUSILLOSIX | 1-5 | B | <i>Brucellosis (Undulant Fever) from bad milk. Often like a residue it hangs in the body, especially around bone and intestinal issues.</i> |
| BSG BOB | BLOOD SUGAR BOBBLES | | MVB | <i>A blood disease of the bones called acanthocytosis that affects the liver and the pancreas making blood sugar highly unstable. Lipids (A BETALIPO-PROTEINEMIA) are not assimilated and there is a feeling of always "starving". The subject has a sense of never getting better, gaining weight and seemingly random food sensitivities are common. Retinitis Pigmentosa, ataxia and impaired thinking are also common. Growing tearfulness is a major symptom.</i> |
| BTK | BACCILUS THURINGIENSIS KURSTAKI | | B | <i>Dusty bacteria sprayed from planes to destroy respiratory systems of caterpillars</i> |
| BTR ANT | BETRAYAL ANTIDOTE | | E | <i>For those who carry deep thoughts, usually buried, of BETRAYAL - usually by God and/or someone who represents God to them.</i> |
| BTUL | BOTUBAN | 1-6 | B | <i>Botulism often from punctures. Heads quickly to spine. Many cases of incontinence respond. It is a nerve paralysis bacteria.</i> |
| BUC MUC | BUCCOSAL MUCOSA | | MVB | <i>A loosely hardened specialized mass in the lip/cheek area (usually) with the same characteristics as a hardened lump elsewhere.</i> |
| BUG SPR | BUG SPRAY | | C | <i>Off the shelf sprays used for bugs that may affect your brain, lungs, skin, liver, gall bladder, intestines, kidneys, sinus, etc.</i> |
| BUNYUN | BUNIONS | 8-10 | MVB | <i>A derivative of Tuberculosis miasm plus a few bacteria may be why the miasm manifests in the toe</i> |
| BURN OT | BURN OUT FUNGUS | | F | <i>A form of Pitayriasis that is found in exhausted adrenal cortex causing hardening and lesions. Caused by over worry and over exertion. Leads out to "burn out", decreases stamina. Causes white skin spots and white extrusions like soft corns.</i> |
| C & MP | COXSACKIE & MONKEYPOX | | RV | <i>Pancreas-based issue of sweet desire (such as sweet liquor at night), deteriorating digestion with age.</i> |
| C & VAC | COXSACKIE & VACCINA | | RVB | <i>(Vaccina = Cow Pox) Another possible pancreas block that precipitates Diabetes (and, in this case, lots of extra weight).</i> |
| C TOBO A | CHILD'S TOOTH/BONE INF A | | BV | <i>Retrovirus, with teeth/gums/bone/pancreas blocks from mother's same infection. Basis of lowering immune system to allow miasm manifestation</i> |
| C TOBO B | CHILD'S TOOTH/BONE INF B | | BV | <i>Retrovirus Radiation, with teeth/gums/bone/pancreas blocks from mother's same infection. Basis of lowering immune system to allow miasm manifestation</i> |
| CABAMA | CARBAMATES | | C | <i>Pesticide, like organophosphates, that kills insects by inhibiting the formation of cholinesterase enzyme in the nervous system. Chemicals also store in the liver.</i> |
| CAL FRE | CALCIUM FREE | | MVB | <i>Dissolves calcium compounds attached to histamine and some hormones. Process of freeing reactivates hormones and lets go of some blockages that contribute to unwanted weight.</i> |
| CAL MJK | CALCIUM MAJIK | | MVB | <i>Converts into beneficial use calcium blocking brain, arteries, GB, Kidneys & O2/N2 absorption. Take w/500 mg cal/mag, per evening.</i> |
| CAL PEP | CALCIUM PEP | | MV | <i>Relieves blockage of calcium transformation by parathyroid and kidney. The disease decreases electrolyte production leading to diarrhea, etc. Causes pseudo-Graves disease leading to hyperactive thyroid and thyroid dysfunction.</i> |
| CAL PRL | CALCIUM PARALYSIS | | MVF | <i>Pancreas condition that binds calcium instead of distributing it. Take with C&D.</i> |
| CAN ELM | CANDIDA ELIMINATE | | MVF | <i>Candida is called a yeast common to the body and all 12 forms are thought to be natural to the body. Perhaps candida in all of its forms is another, long-accepted illness. The body seems to have used it to finish digestion and maybe there is a better way.</i> |
| CAN PAN | CAN PAN | 1-3 | F | <i>Candida in the pancreas. The trigger for diabetes and lupus. Other steps are needed for full picture.</i> |
| CAN SI | CAN SI | 1-7 | F | <i>Candida in the Small Intestines (Sporotrichosis). "Skinny person's candida" No diet needed.</i> |
| CAND X | CANDIDIASIS | | F | <i>An approach that has worked well for relieving the overgrowth of candidiasis. It is still important to heal liver and pancreas as the more substantial cure.</i> |
| CAP JAM | CAPILLARY JAM | | MVB | <i>Capillaries miasmically shut down for lack of an enzyme that dissolves materials that clog them. The result is a fertile ground for moles, warts, skin tags, etc.. This condition is usually connected to low blood volume/dehydration and kidney problems.</i> |
| CAR ADR | CARCINOMA ADRENALS | | MVB | <i>A deterioration of the adrenals that a surprisingly high number of people live with for years. It is a baseline remedy for many issues. Especially valuable for general tiredness, loss of energy after child birth, loss of life interest.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--------------------------------------|-----|------------|--|
| CAR LIV | CARCINOMA LIVER | | MVB | <i>A gradual deterioration of the liver, inherited as a potential and activated by long-term problems with the liver or harsh chemicals or an acute infection.</i> |
| CAR MT | CARCINOMA MEDULLARY THYROID | | MVB | <i>Carcinoma of the thyroid core, usually involved in weight gain/low metabolism, poor oxygen absorption, liver malfunction. Direct hormonal support for the heart is attributed to the medullary thyroid.</i> |
| CAR NRV | CARCINOMA NERVES | | MVB | <i>A rawness of the nerve from long-term trouble. It leads to a form of cancer and usually needs a retrovirus remedy with it.</i> |
| CAR ORG | CARCINOMA ORGAN LUMP | | MVB | <i>A carcinoma of any organ or cavity (like thoracic, peritoneum, pericardium) that especially includes the shell. Effectively the whole organ or cavity becomes a lump, usually as a result of long-term infection in the area. It may accompany carcinoma just of the inner tissue (e.g. CAR LIV, CAR ADR). Always with RV FOAMY. Sometimes the infection is in several organs simultaneously.</i> |
| CAR PAN | CARCINOMA PANCREAS | | MVB | <i>A gradual deterioration of the pancreas that may accompany diabetes or any sugar/carbohydrate digestion problems.</i> |
| CAR PTD | CARCINOMA PARATHYROID | | MVB | <i>Usually needs a retrovirus remedy with it. The parathyroid controls such diverse issues as the calcium in teeth, joints, edema in the ankles and knees, the gall bladder</i> |
| CAR TRD | CARCINOMA THYROID | | MVB | <i>A gradual deterioration of the thyroid for many, especially with hypothyroidism. Affects parathyroid as well and usually seen relative to weight gain and low energy.</i> |
| CAT ALG | CAT ALLERGY | 2-5 | VP | <i>The effect of long-term Toxoplasmosis leaves a residue in the kidneys</i> |
| CAT RAK | CATARACTS i | | MVF | <i>Improved version of remedy for drying out of lens of eyes (includes Vitamin A Deficiency Miasm)</i> |
| CAT SCN | CAT SCAN | | C | <i>Liquids swallowed before the cat scan for better results and sometimes strange after effects, especially w/bone infections.</i> |
| CBN INF | COCCYX BONE INFECTION | 2-8 | BV | <i>When the coccyx is broken or cracked its position often invites a different form of strep and/or Klebsiella than other bone injuries.</i> |
| CCC | COCCOGEAL CHONDRO CONTRACTUS | | MVB | <i>An infection of the cartilage surrounding the tail bone causes it to draw in and tighten up, which impairs marrow flow and red blood cell development.</i> |
| CCP | C&CP | 2-5 | R | <i>Chicken Pox combined with Coxsackie. Residues. The basis of childhood diabetes and adult pancreatic weaknesses.</i> |
| CD | C&D | 2-5 | R | <i>Coxsackie and Diphtheria - More likely to be used in conjunction with other remedies for long term swelling.</i> |
| CDC | CELL DIVISION CORRECTION | | MVB | <i>Stops the bacteria tuberculosis in many of its forms that contribute to the interruption of cell division.</i> |
| CDC #2 | CELL DIVISION CORRECTION #2 | | MVB | <i>Spleen remedy that corrects farnesyl transferase into a lipid-dissolving enzyme. Farnesyl transferase converts lipids to a form that feeds cancer.</i> |
| CEL BRE | CELL BREATH | | MB | <i>Unblocks calcium from cells allowing greater sodium/potassium exchange, which allows more oxygen carriage at cellular level.</i> |
| CEL CLN | CELL CLEAN | 1-4 | MVB | <i>Cell level weaknesses from flus, viruses with miasmatic overtones. Also good with BPH.</i> |
| CEL KLG | CELL KLOG | | MBF | <i>Primarily aimed at kidney cells, but seems more broadly applicable</i> |
| CEL LIT | CELLULITES | | MVB | <i>A pancreas condition that allows a thousand and one bacteria to block skin health. Probably behind greater weight issues.</i> |
| CEL MAN | CELL MANNA | | MVB | <i>Activates a mitochondria key nutrient made in the bones and distributed by the pituitary via the blood stream. It feeds the "powerhouse" of the cells. In science, the closest comparison is the human growth hormone, which is a portion of cell manna.</i> |
| CEL PNM | CELL PNEUMONIA | | B | <i>A systemic, inner cell bacteria that affects blood, spleen, liver, and pituitary. Weight and blood weakening are results.</i> |
| CEL POT | CELLULAR POTASSIUM ABSORPTION | | MVB | <i>Bone/thalamus miasm group causing blood cell breakdown (especially at high altitudes). Causes alkalinity, weight gain, kidney insufficiency, diarrhea, etc. Common companion to leukemia.</i> |
| CEL SOD | CELLULAR SODIUM ABSORPTION | | MVB | <i>The disease is called "osmotic fragility" in science. A bone-based blood cell breakdown (especially at higher altitudes) causing acidity, weight gain, kidney insufficiencies, calcium loss, dry skin, diarrhea, etc. The major symptom is bubbles from urine.</i> |
| CEM ALG | CHEMICAL ALLERGIES | | VBF | <i>A group of pathogens in the liver that seems to hold instead of process chemicals. The chemicals can range from chemo to industrial derivatives of chemical processes.</i> |
| CEM CMP | CHEMICAL COMPOUNDS | | C | <i>Wide-spread applicability to chemicals on skin and in intestines.</i> |
| CER PAL | CEREBRAL PALSY | | MBF | <i>A well-known shaking disease that starts in the head. Often seems to require SHK FRE to accompany it.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|--------------------|-------------------------------------|-----|-----|---|
| CER REG | CEREBELLUM REGENERATION | | MVB | <i>For deterioration of cerebellum involving white (seminovale) portion of the cerebellum and cells of fibro, glio, meninges, polio and tuberculosis. The condition will affect the central nervous system in ways looking like MS and ALS.</i> |
| CER SPN | CERVICAL SPONDYLITIS | | MVF | <i>Curvature of the neck that is exaggerated, putting pressure on ears that causes tinnitus. Often good w/Strep Pneumonia for ringing in ears</i> |
| CGTS | CAN'T GET TO SLEEP | | VB | <i>Difficult getting to sleep, but can sleep long afterwards. Usually accompanied by a "nervous stomach" and sometimes racing mind. See INSOM</i> |
| CHC MOD | CHOCOLATE MODERATION | 5-8 | V | <i>If you will eat chocolate when it's around, then you have it. Chocolate is a nerve irritant and this craving deteriorates the nerves.</i> |
| CHLRGN | CHLOROGENESIS | | MVB | <i>Insufficiency of the liver to make chloride salt, which holds water (hydrochloric acid for digestion). Decreases poisonous albuminuria (bubbles in urine) and activates lymph system (toxin removal).</i> |
| CHOL | CHOLEROUT | 1-8 | B | <i>Cholera - In full clinical condition or subclinical intestinal problems.</i> |
| CHRG UP | CHARGE UP | | MBF | <i>A deep remedy aimed at restoring the electrical charge of the cells so that they do not allow pathogens. Goes well with GOD BLT</i> |
| CIEV | CANADA INNER EAR VIRUS | 3-7 | V | <i>A form of stomach flu starts and leads to dizziness, imbalance and mild-to-strong forms of immobility and/or vomiting</i> |
| CLC ADR | CALCIFICATION ADRENALS | | MVB | <i>Calcification of organ, based on flexible infiltration that blocks the function of the organ. Best taken with Magnesium Malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLC BRN | CALCIFICATION BRAIN | | MVB | <i>Calcification of organ, based on flexible infiltration that blocks the function of the organ. Best taken with Magnesium Malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLC BRS | CALCIFICATION BREASTS | | MVB | <i>Calcification of organ, based on flexible infiltration that blocks the function of the organ. Best taken with magnesium Malate (appx 500 mg). When calcium is released the alkalining affect is tiredness.</i> |
| CLC CRB | CALCIFICATION/CARBONIZATION | | MVB | <i>Unconverted calcium plus inert carbon bound to the tissue constitutes both weight and impediment to circulation of all kinds of necessary fluids.</i> |
| CLC EYE | CALCIFICATION EYES | | MVB | <i>Calcification of organ, based on flexible infiltration that blocks the function of the organ. Best taken with Magnesium Malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLC LIV | CALCIFICATION LIVER | | MVB | <i>Calcification of organ, based on flexible infiltration that blocks the function of the organ. Best taken with Magnesium Malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLC LNG | CALCIFICATION LUNGS | | MVB | <i>Calcification of organ, based on flexible infiltration that blocks the function of the organ. Best taken with Magnesium Malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLC NRV | CALCIFICATION NERVES | | MVB | <i>Calcification of nerves, based on flexible infiltration that blocks the function of the organ. Best taken with Magnesium Malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLC PAN | CALCIFICATION PANCREAS | | MVB | <i>Calcification of organ, based on flexible infiltration that blocks the function of the organ. Best taken with Magnesium Malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLC RST | CALCIFICATION RECEPTOR SITES | | MVB | <i>The receptor sites for neurohormones release. Usually taken with Escherichia-Coli-Enteroaggregative. Best taken with Magnesium malate (appx 500mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLC ST | CALCIFICATION SPONGY TISSUE | | MVB | <i>Calcification of various areas with spongy tissue, based on flexible infiltration that blocks the function of the area. Best taken with magnesium malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLC SWT | CALCIFICATION SWEAT GLANDS | | MVB | <i>Calcification of organ, based on flexible infiltration that blocks the function of the organ. Best taken with Magnesium Malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLC TIS | CALCIFICATION TISSUE | | MVB | <i>By releasing magnesium the body starts to dissolve the paste-like calcium out of the organs so that all works well. This remedy is best taken with decalcification remedies of specific organs.</i> |
| CLC TRD | CALCIFICATION THYROID | | MVB | <i>Calcification of organ, based on flexible infiltration that blocks the function of the organ. Best taken with Magnesium Malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.</i> |
| CLD CLP | COLD CLIPPER | 1 | VB | <i>First signs of colds as well as ongoing colds. Fast Flu Fighter and Strep may also be involved.</i> |
| CLD H&F | COLD HANDS AND | 1-4 | VB | <i>Brain fungus/virus condition that blocks the thyroid function. Thyroid is temperature controller. Often works astonishingly swiftly.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---|-------|------------|---|
| CLL | CHRONIC LYMPHATIC LEUKEMIA | | MVB | <i>One of the most common leukemias. Symptoms include the typical leukemic swelling of liver and spleen, pain at the top of the leg bone before the hip joint and shin pains. May be taken with regular Lymphatic Leukemia (LOC LUK).</i> |
| CLM GRD | CHLAMYDIA GARDNERELLA | 1-4 | B | Tough combination complicating vaginal or testicular difficulties -all genitals are candidates,as well as gb,kid, bld |
| CLM LEP | CHLAMYDINUM/LEPRINUM | | M | <i>Miasm combination that shuts down the whole metabolic process to about 1/2 or 3/4 speed.</i> |
| CLM TRA | CHLAMYDIA TRACHOMATIS | 1-4 | B | <i>Often known for its affect on eyes, it also seems to bind Lymph Weight (LMF WHT). Both together are dynamite weight loss. The cause of endometriosis.</i> |
| CLMGRN | CALYM GRAN | 2-5 | B | A form of Chlamydia involved in chronic vaginal yeast infections (when candida is absent), manic depression. |
| CLMNUM | CHLAMYDINUM | 10-12 | M | Chlamydial Miasm can be found at the base of highly resistant herpes,in the liver with Crohn's or IBD, or in the nose with persistent sinus infections |
| CLMPNM | CHLAMYDIAL PNEUMONIA | 1-4 | B | Often adjuncts to oral herpes and asthma (especially childhood asthma), complicates other lung/bronchial problems. |
| CLOSTFB | CLAUSTROPHOBIA | 3-9 | E | Fear of closed spaces caused by Syphilis miasm in the pituitary and several bacteria |
| CLOST | CLOSTRIDIUM | 1-3 | B | A family of nerve bacteria mistaken for cold or flu. Causes deep cough in middle of Bronchi. Binds Aspergillosis. |
| CLP BUS | CLUMP BUSTER | | MVB | <i>When red cells agglutinate (clump) causing circulation and immune problems. May also affect lymphomas.</i> |
| CLRN | CHLORINE | 1-4 | C | Arteries are hardened by this plus it combines with other chemicals and metals as a binder |
| CLS CER | CLOSTRIDIAL CEREBELLUM | 2-9 | B | Clostridium is a family of nerve bacteria with special locations that stop or deteriorate activity. Behind some cases of cerebral MS. |
| CLS DIF | CLOSTRIDIUM DIFFICILE | 3-8 | B | Common strong-binding nerve bacteria in intestines and liver, often spreading to spine. Can be found in brain, etc. See also CLS PER |
| CLS MEN | CLOSTRIDIAL MENINGITIS | 3-9 | B | A nerve bacteria in the spinal cord that is often diagnosed as MS (which is one of the worst diagnosed illnesses in the medical field) |
| CLS NER | CLOSTRIDIUM NEUROTOXIN | 3-7 | B | Most common cause of incontinence, frequent trips to bathroom with urgency. Most common complication of prostate cases. |
| CLS NOV | CLOSTRIDIUM NOVYI | | B | <i>Bacteria involved in deep-seated issues directly related to materializations of long-held thought</i> |
| CLS PER | CLOSTRIDIUM PERFRINGENS | 3-8 | B | Strong-binding nerve bacteria that loves liver, intestines, heart and places in between. See also CLS DIF |
| CLS SPL | CHOLESTEROL SPOILERS | | MVB | <i>A group of fungi in the liver which make cholesterol unusable for hormone making, causing waste cholesterol (the "bad" cholesterol) to elevate and stick to arteries. Take with ATR CC.</i> |
| CLS TET | CLOSTRIDIUM TETANUS | | B | <i>A nerve bacteria most know for "Lock Jaw" where the nerves of the jaw muscles paralyze from this bacteria. The same bacteria is a common complication of surgery and can be obtained from a number of sources other than stepping on a rusty nail.</i> |
| CMN TRU | COMING THROUGH | | MVF | <i>A deterioration of the ganglia that allows nerve impulses to the thyroid, including a penicillin complication. This is a strong remedy for those with thyroid problems and penicillin histories.</i> |
| CMPBAC | CAMPYLOBACTER | 3-6 | B | Family that includes HEL ATR. With CAN SI, causes "panic" attacks. Found in large & small intestines. |
| CMV | CMV | 2-5 | V | Cytomegalovirus, often associated with mononucleosis, is a herpes that affects nerves as well as organs and blood. |
| CMV CAL | CYTOMEGALOVIRUS CALCIUM | | V | <i>Mononucleosis type of attack on parathyroid/adrenals that binds with calcium to make person feel tired and to slow calcium movement in body.</i> |
| CMV NRV | CYTOMEGALOVIRUS NERVES | | V | <i>Makes nerves achy all over and makes person simultaneously tired (like mononucleosis)</i> |
| CN CNS | CONNECTOR - CENTRAL NERVOUS SYSTEM | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalistic proteins for central nervous system.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|---|------|------------|--|
| CN CRNV | CONNECTOR CRANIAL NERVES | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins in the blood for carriage to appropriate sites. Cranial nerves are known for many issues including smell, taste, vision and speech.</i> |
| CN EAR N | CONNECTOR EAR NERVES | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins for fine nerves of the ear , in order to improve hearing and reduce tinnitus.</i> |
| CN GENI | CONNECTOR GENITAL NERVES | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins for genital nerves to excitatory organs of both genders.</i> |
| CN HOBL | CONNECTOR - HORMONES TO BLOOD | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins in the blood for carriage to appropriate sites.</i> |
| CN HORM | CONNECTOR HORMONES | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins for making hormones.</i> |
| CN INTS | CONNECTOR INTESTINAL NERVES | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins in the blood for carriage to nerves for intestinal activity.</i> |
| CN MEMR | CONNECTOR MEMORY NERVES | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins for nerves in the brain that affect memory. In cases of forgetfulness and /or dementia, be sure to clear the appropriate amyloid complications ("Thick" series).</i> |
| CN PLSM | CONNECTOR PLASMA | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins in the blood for carriage to appropriate sites. In addition to proteins, plasma carries other nutrients, maintains the acid-base balance of the body and transports wastes from the body. It affects the fluids in the eyes and the kidneys as well as the osmotic pressure with interstitial fluid.</i> |
| CN PSMP | CONNECTOR PARASYMPATHETIC NERVES | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins for parasympathetic nerves which control occumotor, facial, glossopharyngeal, vagus and pelvic nerves.</i> |
| CN RETN | CONNECTOR RETINAL NERVES | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins for retinal nerves.</i> |
| CN SNPS | CONNECTOR SYNAPSE | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins for nerves controlling muscles.</i> |
| CN SYMP | CONNECTOR SYMPATHETIC NERVES | | MVB | <i>Liver-based remedy that reconstructs effector/receptor/catalytic proteins for sympathetic nerves which control heart rate, constriction of blood vessels and raising of blood pressure.</i> |
| CN TRD | CONNECTOR THYROID | | MVB | <i>A liver remedy that creates plasma receptor sites for thyroxin (T4) and thyroxin (T3). These thyroid hormones are responsible for (1) carriage of 90% of iodide in the blood and regulate metabolism of fats, protein and carbohydrates in cells (2) cardiac rate, force and output (3) promote central nervous system development (4) are necessary for muscle tone and vigor (5) and stimulate the synthesis of many enzymes. The thyroid as a gland must be in good shape also. Often seen with TBR FLD.</i> |
| CNC M | CANCER MIASM | 8-10 | M | <i>A new Miasm - especially needed when grandparents died of cancer.</i> |
| CNDRMA | CHONDROMA | | MBV | <i>In short, this is a lump on the bone and cartilage, usually on top of other bone problems. This could have a retrovirus complication. Symptoms include soreness to pressure and soreness running from the center.</i> |
| CO | CARBON MONOXIDE | 1-3 | C | <i>Lung and liver conditions arising from leaking home heating systems, cars and bad air areas.</i> |
| COL BLD | COLLAGEN BLOOD | | MVF | <i>IgG Immunoglobulin Deficiency associated with Rheumatoid Arthritis, other collagen diseases and endocarditis. Susceptible to many bacterial infections.</i> |
| COL SCL | COLLAGEN SCLEROSIS | | MVB | <i>Bone-centered hardening of staples of the ear causing tinnitus, hardening of collagen. Breaks down carbon causing loss of fullness/firmness of the skin. Involved with impaired joint connection and some collagen vascular diseases.</i> |
| COM SPR | COMMERCIAL SPRAY | | C | <i>Government and corporate insecticides that interfere with your brain, lungs, nervous system, intestines, liver, gall bladder, kidneys. Often sprayed from planes and wind up on vegetables of supermarkets.</i> |
| CON ANG | CONTRAIL ANGER | | VB | <i>Combination that "eats" the liver and white blood cells simultaneously so that anger often accompanies both digestive difficulties and immune loss.</i> |
| CON ATX | CONTRAIL ANTHRAX | | BC | <i>A new strain of anthrax dumped via the mysterious jets flying purposeful patterns over the population</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|---------------------------------|-----|-----|---|
| CON COF | CONTRAIL BASE COUGH | | CB | <i>For people often infected by contrails, the residual of the base material forms a constant cough that simply doesn't want to go away. This remedy is designed to nullify the deepest carriers of the former infections.</i> |
| CON DES | CONTRAIL DESPONDENCY | | CVB | <i>Makes person tired, apathetic and very irritated. Uncharacteristic thoughts of suicide often arise.</i> |
| CON KID | CONTRAIL KIDNEYS | | B | <i>Further dross of contrails - Pseudomonas Aeruginosa #3 bound by Fusiform Fungus in the kidneys. Sore mid back, dull pain over kidneys</i> |
| CON NRV | CONTRAIL NERVE VIRUS | | V | <i>Another dump from airplanes. Especially affects lung nerves, but also central nervous system to all the organs so that there is weakness in organ function.</i> |
| CON PAN | CONTRAIL PANCREAS | | BC | <i>Further dross from the contents of contrails - Pseudomonas Aeruginosa #3 with Zinc Chlorate. Mimics a hiatal hernia.</i> |
| CON PNM | CONTRAIL PNEUMONIA | | B | <i>For those repeatedly infected by contrail/chemtrails</i> |
| CON VIR | CONTRAIL VIRUS | | BV | <i>Actually Mycoplasma Incognitus. The same culprit found in the Desert Storm sickness is suddenly showing up in the contrails of US planes over the world</i> |
| COP SRP | COPPER SURPLUS | | MF | <i>Inherited condition leading to schizophrenia, kidney necrosis, central nervous system deficiency, zinc deficiency, skin problems, etc..</i> |
| COR ADN | CHORIO ADENOMA | | MVB | <i>A lump in the choroid tissue, usually seen in the brain. See also Chorio Epithelioma.</i> |
| COR CAR | CHORIO CARCINOMA | | MVB | <i>Usually starting with fetal tissue and usually starting in the uterus, it may deteriorate the uterine wall and predispose the fetus to infection of the choroid tissue. This may later affect the growing child or adult with problems in the lymph, lymph nodes, blood vessels, lungs, liver and brain. See also COR SRC.</i> |
| COR RETi | CHORIORETINITIS i | | RVP | <i>(Improved) Condition of eyes that stems from toxoplasmosis in mothers womb. May appear immediately or later in life.</i> |
| COR SRC | CHORIO SARCOMA | | MVB | <i>Usually starting with fetal tissue and usually starting in the uterus, it may deteriorate the uterine wall and predispose the fetus to infection of the choroid tissue. This may later affect the growing child or adult with problems in the lymph, lymph nodes, blood vessels, lungs, liver and brain. See also COR CAR.</i> |
| CORECT | CORRECT | | E | <i>SHAME usually comes from feeling wrong in the eyes of God and unacceptable to self and others. Often buried</i> |
| CORNS | CORNS | | VB | <i>A viral skin eruption with a seed-like appearance in the center. Although the "seed" can often be cut off the viral condition that causes it is best solved from the inside out (with this remedy).</i> |
| COROMA | CHORIOEPITHELIOMA | | MVB | <i>Skin tumor mostly recognized in uterus of pregnant women. Subclinical in other area from pineal to testes</i> |
| CP C SP | CHK PX-COXSACKIE-SML POX | 2-7 | RV | <i>Another key tie-up of the pancreas that bridges to long-term diseases, like cellulite and other weight issues.</i> |
| CPCD | CP C D | 2-6 | RVB | <i>Chicken Pox, Coxsackie and Diphtheria - Involved in all cases of adult diabetes and many cases of Lupus.</i> |
| CPS | CHICKEN POX IN SPINE | 3-7 | RV | <i>Residue and location that causes shingles.</i> |
| CR BDMA | CAROTID BODYOMA | | MVB | <i>A carotid body tumor impedes the regulation of oxygen causing great tiredness, faintness, and dizziness. It could physically impede the flow of blood and cause pressure in the vascular system - a different kind of high blood pressure.</i> |
| CRB BLK | CARBOHYDRATE BLOCK | | MVB | <i>Similar to AlhA, Antitrypsin (ATT) Deficiency. The liver side of carbohydrate digestion. See SUG BUG</i> |
| CRB CLP | CARBON CLUMPER | | MVB | <i>Hypothalamus disease causing large amounts of weight by enveloping carbon in a way that clings to calcium, histamine and lipid. Call it fat.</i> |
| CRB MET | CARBON METABOLIZATION | | MVB | <i>Carbon is metabolized through the hypothalamus. Unmetabolized carbon attracts tuberculosis which interrupts cell division and attracts calcium and histamine. It's a setup for fat.</i> |
| CRB REL | CARBON RELEASE | | MV | <i>Aimed at processing carbon into life force in more than the digestive tract. (See CRB BLK for digestion)</i> |
| CRB TET | CARBON TETRACHLORIDE | | C | <i>Chemical used in some food processing, grease cleaning in industry and dry cleaning. Slowly makes a "fatty" liver.</i> |
| CRM | CHROMOMYCOSIS | 1-5 | F | <i>Little-known fungus that clogs tissues. Runaway cases turns into wide-spread, growing warts that eventually develop skin ulcers.</i> |
| CRM ADN | CHROMOPHOBE ADENOMA | | MVB | <i>Most commonly in the pituitary. When in the pituitary it is the most common cause of endocrine problems. Usually with coxsackie A4 & B10 and frequently other coxsackies.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--|-------|------------|--|
| CRNOMA | CRANIAL NERVOMA | | MVF | <i>Affects cranial nerves, which differ from other nerves. Makes most senses better - hearing, taste, seeing.</i> |
| CRON | CROHN'S | | MVF | <i>Improved formula of Crohn's based on liver inadequacy. Use with SYF/CLM & SML POX. Attracts CRP SPO, HEL ATR, CAN SI, CMP BAC</i> |
| CRP SPO | CRYPTOSPORIDIUM | 2-6 | P | <i>Involved with Helicopter Pylori in ulcers, common in arthritis and general intestinal problems.</i> |
| CRPT FA | CRYPTOGENIC FIBROS AVEOLITIS | | MV | <i>Inherited probable basis of many lung issues</i> |
| CRS NOS | CRUSTY NOSE | | B | <i>When nose dross hardens, it obstructs breathing and the bacteria can cause some adhesion to the nostril</i> |
| CRT FNG | CAROTENE FUNGUS | | F | <i>On carrots, sweet potatoes, leafy vegetables, milk fat, spinach and broccoli. Causes Vit A, D deficiencies, blocks enzymes & contracts mucous muscles</i> |
| CRT SAV | CARTILAGE SAVE | | MVB | <i>Infection that causes deterioration in the cartilage, like knees and elbows. May help for pain that follows joint replacements</i> |
| CRV FRE | CRAVE FREE | | MBV | <i>A bacteria/virus combination forms an intensifying factor of desires that overcomes good judgment</i> |
| CSMV #1 | CEREBROSPINAL MULTIPLE VIRUS #1 | | MVB | <i>Multiple Sclerosis look-alike sometimes with actual MS. Attracts TB Nerves, TB Meninges, TB Spine. Attracts lumps on the mesencephalon and cerebellum.</i> |
| CST FNG | CYST FUNGUS | | F | <i>Fungus that feeds cysts, especially found w/PNM CAR.</i> |
| CSTITIS | CYSTITIS | | MB | <i>Urinary tract infection</i> |
| CTCHSN | CYTOCHALASIN B | | F | <i>Fungus/mold that stops cell division. Most known in liver for keeping dead liver cells from regenerating</i> |
| CTY WAT | CITY WATER | | C | <i>What a variety of toxins combines can mean to an unprotected tap water.</i> |
| CYCLO | CYCLOSPORA | | P | <i>Parasite sometimes associated with, but not limited to, strawberries. Sometimes found in testicles and ovaries</i> |
| CYL FEV | COW YELLOW FEVER | 6-9 | R | <i>Pancreas-based issue that affects digestion. People usually have an unusual intelligence.</i> |
| CYLOMA | CYLINDROMA | | MBF | <i>Specific type of mass most known in the neck, pharynx, and sinus area.</i> |
| CYS MYX | CYSTIC MYXOMA | | MVB | <i>Cysts looking like lipomas (squishy skin lumps), growing on muscles, making lumps under the skin.</i> |
| CYS NER | CYSTIC NEUROMA | | MVB | <i>Cyst growing on nerves anywhere in the body.</i> |
| CYT LUK | CYTOPENIC LEUKEMIA | | MVB | <i>A blood cell breakdown based on interlocking weaknesses of the bone, liver and lymph.. lymph is affected more than blood . Isolated lymph edema is most common symptom (i.e. big belly, swollen ankles or legs). Take with Myelocytic Leukemia.</i> |
| DAC | D.A.C. | 1-3 | VB | <i>Diphtheria/ Anthrax/ Coxsackie - Hits the lungs and comes from stratospheric bombing.</i> |
| DCC | DIVIDED CELL CLEANSER . | | MVB | <i>Enzyme creation that cleans the factors around cell division that turn them into cancer.</i> |
| DEN ABC | DENTAL ABCESS | | MVB | <i>The major elements of an abcess that may be deeply hidden in the jaw bone</i> |
| DEN CAR | DENTAL CARRIES | 10-25 | B | <i>Good, old fashion tooth decay (strep), that often goes into the bone. See also BON INF, STR BON.</i> |
| DEN DEN | DENDRITE DENSITY | | MVB | <i>Condition inside dendrites that densifies nerves and causes depolarization of dendrite/nerve signal (stopping signals).</i> |
| DEN DYN | DENTAL DYNAMITE | 10-25 | B | <i>A combination of strep and fusarium bacteria that often attack teeth/gums/bones together.</i> |
| DEP ENG | DEEP ENERGY | | MVB | <i>Pineal remedy that releases an oxyenzyme which allows ATP to feed the mitochondria and help reverse aging.</i> |
| DEP SIN | DEEP SINUS | | VB | <i>Where sinus and gums meet the throat, the shared infection makes sinus and teeth problems perpetuate each other</i> |
| DEV SEP | DEVIATED SEPTUM | | MVB | <i>Bent nostril separator which makes it difficult to breath through at least 1/2 of the nose.</i> |
| DI SHEP | DIGESTION INTOLERANCE - SHEEP | | MVB | <i>Liver-based remedy based on ancestors eating diseased sheep. Seems allergic to almost any food in a way that directly affects mind to anxiety, hyperactivity and negative behavior.</i> |
| DIA SIP | DIABETES INSIPIDUS | | MVB | <i>An inherited form of diabetes insipidus. See also POO PAN.</i> |
| DIBON | DIABETIC BONE | 10-14 | MVB | <i>An exploration into a bone-based form of diabetes - perhaps all diabetes.</i> |
| DIG BLD | DIGESTING BLOOD | | MVB | <i>Releases carbon, calcium and histamine back into the blood so that they can go to their respective needed locations instead of storing in the flesh.</i> |
| DIG HRP | DIGESTION & HERPES | | MVB | <i>Vienna Adams found the a connection between these and it seems to be based on a chlamydial miasm. Look for this in the liver when both present</i> |
| DIG ROB | DIGESTION ROBBER | | VF | <i>Stunts nerves to muscles of digestive organs plus virus lodges in liver. Sleep problems often accompany.</i> |
| DIP DRS | DIPHTHYDROSE | 1-3 | B | <i>Diphtheria and Drosera (Solution to Whooping Cough) - Causes forms of dizziness. Often used with Brain Clear.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|---------------------------------------|-----|------------|---|
| DIP M | DIPHTHERIA MIASM | | <i>M</i> | <i>Often in the head or arteries. May partially explain brain damage from shots including diphtheria</i> |
| DNG | DENGUE | 2-5 | <i>V</i> | <i>A hemorrhagic fever known as Break Bone in the Caribbean, India, Tahiti and warm weather climates.</i> |
| DNRITE | DENDRITEOMA | | <i>MVB</i> | <i>Lump on the nerve dendrite. Condition may well be part of the answer to narcolepsy and Long Q-T Syndrome (Q wave and T wave for EKG of heart). Some can't get thoughts or language right.</i> |
| DOG HRT | DOG HEARTWORM | 4-5 | <i>P</i> | <i>Can stay in the heart for decades and impede the valves as well as the muscles.</i> |
| DOG LTW | DOG LIVER TAPE | 3-4 | <i>P</i> | <i>Can live in the liver for many decades without major difficulties except liver and sinus.</i> |
| DOUBT | DOUBT | | <i>E</i> | <i>Doubt about who we are and our ability to find and do what we came to do.</i> |
| DRAC | DRACUNCULIASIS | 3-5 | <i>P</i> | <i>Eats blood often causing chalky complexion. Possessors lose sense of security.</i> |
| DRG RES | DRUG RESIDUE | | <i>C</i> | <i>For the residue of drugs, especially all the "caine" drugs, legal or illegal including cocaine. Often used with mercurius arsenic MRC ARS).</i> |
| DRG VIR | DRAGON VIRUS | 2-5 | <i>V</i> | <i>Herpes # 6 which makes blood cells swell. One of the 2 herpes remedies taken to shorten miasm remedy time. SEE SWT VIR.</i> |
| DRY LIV | DRY LIVER | | <i>MVB</i> | <i>ERGOTULINUM/ROTINUM based for condition that retains dead bile salts, suffocating gall bladder, drying skin, builds liver stones</i> |
| DSFC | D - SF - C | 1-4 | <i>R</i> | <i>Diphtheria/ Scarlet Fever/ Coxsackie - Residue. Inherited hearing loss, skin problems and some teeth problems.</i> |
| DUP CON | DUPUYTREN'S CONTRACTURE | | <i>MV</i> | <i>Tendon in the palm contract, pulling finger into curl. Tendon looks like a rope under the skin. Operations are temporarily successful.</i> |
| DWN1f2 | DOWN'S 1 OF 2 | | <i>MB</i> | <i>Part 1 of 2 parts-Down's Syndrome in cerebellum. Based on Celiac Miasm ++</i> |
| DWN2f2 | DOWN'S 2 OF 2 | | <i>MBV</i> | <i>Part 2 of 2 parts- Down's Syndrome in brain from placenta toxins and bacteria.</i> |
| DYSLEX | DYSLEXIA | | <i>VF</i> | <i>Transposing of numbers, letters, names and general confusion in reading or thinking where thoughts get turned around</i> |
| E. COLI | E. COLI | 3-9 | <i>B</i> | <i>Escherichia Coli is most known for urethral tract infections, but also appears in kidneys, intestines, wounds, etc.. Related to strep and staph.</i> |
| EAR RNG | EAR RINGING | | <i>BF</i> | <i>A combination of pathogens that deteriorates the hair follicles on the ear nerve mechanism causing a ringing in the ear and decreased hearing.</i> |
| EAR SHT | EAR SHUT | | <i>RB</i> | <i>Combination of Scarlet Fever residue with Bacteria Fragilis plus a clostridium to lock the brain from hearing</i> |
| EBOLA | EBOLA | 2-5 | <i>V</i> | <i>The infamous virus that has made it from Africa to the Dominican Republic by mid 1997</i> |
| ECHO | ECHO | 2-6 | <i>V</i> | <i>Sometimes like a viroid in the spinal cord. Most often with entero bacteria. Affects liver considerably.</i> |
| ECZEMA | ECZEMA | | <i>MVB</i> | <i>Syphilinum-based remedy for well-known eruptive skin disease. See CPS for shingles.</i> |
| EDB | ETHYLENE DIBROMIDE | 2-6 | <i>C</i> | <i>Pesticide affecting respiratory area and breaking down immune system. Known for eye & skin irritation, liver clogging. Part of 99 contrail spraying.</i> |
| EDB ENT | EDB ENTERIDITIS | | <i>B</i> | <i>Bacterial infection caused by the major ingredient of contrail (chemtrail) pollution.</i> |
| ELC BAL | ELECTROLYTE BALANCE | | <i>V</i> | <i>Pancreas-based residue causing kidney to discharge potassium, sodium and chlorides (electrolytes). Tiredness, muscle aches, memory interference.</i> |
| ELC FNG | ELECTRIC FUNGUS | 2-6 | <i>RF</i> | <i>Primarily for people who spend lots of time with the computer. Affects the whole system through the head (usually).</i> |
| ELC RES | ELECTRIC RESIDUE | | <i>C</i> | <i>Probable miasmatic condition in the liver causing sensitivity to electricity. Shows up after collection of electricity in system.</i> |
| EMT SCR | EMOTIONAL SCARS | | <i>E</i> | <i>The memories that hurt and distort our perception of the world</i> |
| EN HOR B | ENVIRONMENTAL HORMONE BLOCKAGE | | <i>C</i> | <i>A conglomeration of nine common vegetable-bourne preservatives/cleansers that lodge as a single toxin in the liver. The resulting blockage of estradiol pushes estrogen to breasts and adulterates testosterone in the prostate.</i> |
| END EXP | ENDOCRINE EXPAND | | <i>MVB</i> | <i>Expands contracted endocrine glands so that there are hormones to genuinely "feel" with. CAUTION: If pancreas, prostate or ovaries are blocked, this will cause pains in right thumb. Clear the blocked gland first.</i> |
| END UP | ENDOCRINE UPLIFT | | <i>MB</i> | <i>Nine miasm based relief of whole endocrine system beyond any medical model. Especially good with PIN PRM & BER.</i> |
| ENDCAT | ENDOCAT MALADY | | <i>MVB</i> | <i>Sometimes called Polyendocrine Disease. The remedy for a bone failure to make endocrine catalyzing cells for hormones in the endocrine glands.</i> |
| ENT BAC | ENTERO | 3-5 | <i>B</i> | <i>Bacteria family well-known to eat at the intestines. Often mistaken for cancer when in gall bladder and liver.</i> |
| ENTRC | ENTERIC FEVER | 2-7 | <i>B</i> | <i>Common lingering infection of the liver, upsetting digestion and all other liver functions</i> |
| ENZ GEN | ENZYME GENERATE | | <i>VB</i> | <i>Fanconi's Syndrome-Inherited in Parathyroid. Helps unblock many organs by correcting calcium balance.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|--|------|------------|---|
| ENZ GEN2 | ENZYME GENERATE #2 | | MVB | <i>Adrenal production of peptides to convert minerals to enzymes for digestion. Best to use after adrenals are clear of other issues such as sleeping sickness, CMV, Epstein Barr, etc.</i> |
| EP THAL | EPITHALOMA | | MVB | <i>Tumor of the epithalamus of the diencephalon</i> |
| ERGNUM | ERGOTULINUM | 9-12 | M | <i>The miasmatic form of an old, well-known liver-eating fungus. May combine with other liver issues.</i> |
| ERGOT | ERGOT | 1-9 | F | <i>Liver mold that precedes inability to detox chemicals and alcohol and is often a component of liver cirrhosis. Mental problems plus allergies.</i> |
| ERLIC | EHRlichiosis | 2-6 | PB | <i>Lymes or Rocky Mountain Spotted Fever form without a rash. Carried by brown dog tick. Tick, not dog is brown.</i> |
| ERW A | ERWINA A | 3-5 | B | <i>Bacteria from vegetables that swirls into ball causing stones and clots. Also eats veins & thickens blood.</i> |
| ERW C | ERWINA C | 3-5 | B | <i>Bacteria from meat that swirls into ball causing stones and clots. Also eats veins & thickens blood.</i> |
| ERY LUK | ERYTHRO LEUKEMIA | | MB | <i>Weakens red blood cells, reduces blood iron's oxygen carrying ability, clogs liver. Worse at altitudes 5,000 ft+ and cold weather.</i> |
| ESN LUK | EOSINOPHILIC LEUKEMIA | | MVB | <i>A leukemia of the blood-forming tissues in which the eosinophils are the predominant cells. The disease resembles chronic myelocytic leukemia, but may have an acute course even though no blast forms are present in the peripheral blood.</i> |
| ESO RFX | ESOPHAGEAL REFLUX | | MVB | <i>The propensity for food to come back up after sticking for awhile in the diaphragm area. Miasmatic</i> |
| ESR #1 | ENDOCRINE SYSTEM REPAIR #1 | | MVB | <i>Primarily for DiGeorge Syndrome involving low T Cell count of the thymus and underdevelopment of the parathyroid, thyroid and heart (especially valves). This blood platelet disease of the red bone marrow is similar to immunoglobulin disease and may be accompanied by any of ALF BLD, COL BLD, PRT BLD, SKIN BLD. In the formula is the aim of repairing proacta A cells. See also END CAT.</i> |
| ESR #2 | ENDOCRINE SYSTEM REPAIR #2 | | MVB | <i>For the proacta B cells of the adrenals, kidneys, pancreas, prostate, testicles, ovaries, uterus, T cells, B cells, Thymus enzymes, hormones, neurons and neural tube cells. This platelet disease of the red blood cells of the bone marrow is behind multiple neurological diseases and reproductive gland diseases.</i> |
| EST BLK | ESTRADIOL BLOCK | | RVB | <i>The precursor to estrogen and progesterone is estradiol. Adrenal-aimed remedy</i> |
| EST MAL | ESTRADIOL MALADY | | MVB | <i>Unleashes the hormone catalyst (along with BOMOTO) to activate oxygen as a food to the primary proteins (spark-of-life proteins) for metabolism in the body via the endocrine system.</i> |
| ETHELI | EPITHELIOMA | | MVB | <i>Tumor of the epithelium tissue which is the main tissue of the diencephalon (where the hypothalamus, thalamus and epithalamus is located).</i> |
| EXR WND | EXERCISE WIND | | RV | <i>Pulmonary Artery Meningo Encephalitis. Constriction of artery from heart to lung that makes coughs. Subjects hold hand over chest in wind</i> |
| EYCLMD | EYE CHLAMYDIA | 2-5 | B | <i>Involved in several eye diseases. Causes granule like feeling on inside of eye lids called conjunctivitis. Take orally.</i> |
| EYE SRK | EYE SPARKLE | | MVB | <i>Brings light infections out and life into the eyes. For many people this may be a base remedy for throwing away glasses.</i> |
| FAL BAL | FALLOPIAN BALANCE | 3-5 | RVB | <i>Birth control pill residue and inherited imbalances join forces to cause crampy periods. Widespread</i> |
| FAM LMF | FAMILY LYMPH | | MV | <i>Inherited conditions that cause lymph not to move out. The issue is aimed at the adrenal/kidney connection.</i> |
| FET WA | FLUID ENZYME TRIGGER WEIGHT AND ASCITES | | MVB | <i>The brain's choroid plexus makes cerebral spinal fluid. When diseased blood runs through the plexus it triggers a change of enzymes which causes a waste fluid to be leaked through the veins into the body fluids. The fluid becomes a binder for weight.</i> |
| FFF | FAST FLU FIGHTER | 1 | V | <i>Starts to work in 20 seconds and completes in 30 minutes. So far, if it doesn't work, there's no or only partial flu.</i> |
| FIB CAD | FIBRO CYTO ADENOMA | | MVB | <i>A fibroadenoma lump with a cyto virus thrown in.</i> |
| FIBRO | FIBROADENOMA | 2-7 | V | <i>Another common cause of lumps in the breasts and uterus.</i> |
| FING FS | FINGER FISSURES | | V | <i>A virus that causes splits in the skin near the tips of the fingers especially in cold weather with repeated wetting of hands.</i> |
| FIRE UP | FIRE UP | | F | <i>Fungus on an amino acid that may be cause of erection problems</i> |
| FIS PIC | PFIESTERIA PISCICIDA | | PB | <i>New microorganism from hogs (to fish) to humans attacking the brain mylar sheath, causing anything from abhorrent behavior to craziness</i> |
| FLE WEK | FLEA WEAK | | VB | <i>A tick-like disease inflicted by a flea bite. Extreme weakness, usually with mental confusion, myalgia and arthritis like pains. Great tiredness interspersed with occasional good days.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---|-----|------------|---|
| FLO CLR | FLOW CLEAR | | RB | <i>Parkinsons (along with Park),Ataxia,Down's Syndrome,Brain/Spinal lesions. W/SHKFRE third eye development, deviated septum.</i> |
| FLRQLN | FLUORO-QUINOLONES | | C | <i>Chemical family in prescription drugs including Avelox, Cipro, Floxin, Levaquin, Mazaquin, Noroxin, Tequin and Zagam. So far Cipro, Florin and Noroxin have been linked to severe tendon inflammation because of the presence of this ingredient.</i> |
| FLU M | FLU MIASM | | V | <i>A miasm that may combine with issues from the lungs to the kidneys</i> |
| FLX BLA | FLEX BLADDER | | MVB | <i>Hardening and shrinking of gall bladder and urinary bladder. With FLX KAD there is easy formation of gall bladder stones and great difficulty digesting some fats and cream. Urinary bladder produces stones and frequent urination, which increases with time.</i> |
| FLX BLD | FLEX BLOOD | | MVB | <i>Liver/bone condition that adjusts blood by thickening for different altitudes, brings up hemoglobin and iron that would otherwise be deficient and adjusts carbon dioxide and oxygen exchange for cell function.</i> |
| FLX CAR | FLEX CAROTID ARTERY | | MVB | <i>For inherited condition of hardening of the carotid artery</i> |
| FLX KAD | FLEX KIDNEY ADRENALS | | MVB | <i>Hardening and shrinking of kidneys/adrenals which is astonishingly wide-spread. Subject is acidic, low in electrolytes, progressively anemic, has backed-up proteins, nitrogen waste in blood, low blood pressure, shallow breathing.</i> |
| FLX NRV | FLEX NERVES | | MVB | <i>A hardening of the nerves that causes muscle contraction. Very noticeable in eyes where micro nerves tighten, making vision function more difficult. Taken often with FLX OPT as a base for better vision.</i> |
| FLX OPT | FLEX OPTICAL | | MVB | <i>Hardening and shrinking of the optic chiasm leading to squeezed optical nerves and vision difficulties.</i> |
| FLX PAN | FLEX PANCREAS | | MVB | <i>Hardening and shrinking of pancreas. Causes desires for sweets in unusual forms as well as standard fruits and sugars. May complicate various forms of diabetes.</i> |
| FLX TRD | FLEX THYROID | | MVB | <i>Hardening and shrinking of thyroid. Decreases oxygen absorption, calcium processing, metabolism and body warmth.</i> |
| FLY HRT | FLYERS HEART | 1-4 | CB | <i>Combination of EDB, Jet Fuel fumes, radiation, cadmium and nitrate - all of which cause constriction/cramping in heart</i> |
| FNG SYS | FUNGUS SYSTEM BASE | | FB | <i>For those allergic to everything, especially alcohol-based materials. May need other bacteria, fungi or parasite remedies with it.</i> |
| FOD BLK | FOOD BLOCK | | MB | <i>Liver based condition when food simply doesn't process/digest. Drowsiness often follows within 2 hours.</i> |
| FOL ACT | FOLLICULAR ADENO CYTOMA | | MVB | <i>A compound lump lead by follicular cells with adenoma virus and cyto virus. commonly found as thyroid nodules.</i> |
| FOL BCR | FOLLICULAR BASAL CARCINOMA | | MVB | <i>A gradual deterioration of the skin area of organs that involve hormones.</i> |
| FOL MAL | FOLLICULAR MALADY | | MVB | <i>Mal formation in the bones of follicular cells. Follicular cells hold many important proteins (including hair) necessary for digestion. Take with follicular-based lumps.</i> |
| FOL PPO | FOLLICULAR PICORNA POLIO OSTEOMA | | MVB | <i>Follicular cell-based lump with picorna virus, polio virus and bone/cartilage material. Take with or after follicular cell malady.</i> |
| FOR FRM | FOREVER FIRM | | MVF | <i>Aimed at inherited factors that cause loss of firmness in all parts of body, from skin and beyond</i> |
| FOR POL | FOUR POLES | 3-8 | MB | <i>Two possible forms of Bipolar in the same bottle. See also Two Poles</i> |
| FOS FEV | FOSSIL FEVER | | VB | <i>A form of hanta virus most associated with the dust conditions of North and South Dakota. Strongly affects respiratory area with lingering tiredness and occasional fever.</i> |
| FRAZ FX | FRAZZLE FIX | | MVB | <i>Disease of bone/adrenal cortex from worry that "defects" all-important sodium in a way that binds it to sugars, which block countless internal sacks (glomerular, follicular), which gathers weight and tumors.</i> |
| FRC INT | FRUCTOSE INTOLERANCE | | MVB | <i>Usually there is anywhere from a dislike of fruit to mild avoidance. However, fructose or sucrose in foods (there's more than you think) can cause varying degrees of hypoglycemia, tremors, confusion or coma. The condition causes renal tube acidosis with urinary loss of phosphate and glucose, cirrhosis and mental deterioration.</i> |
| FRM | FORMALDEHYDE | 2-5 | C | <i>Formaldehyde suffocates the system by itself and binds many chemicals and metals, especially aluminum</i> |
| FRM CHL | FORMALDEHYDE CHLORIDE | | C | <i>Two of the most readily binding chemicals in our environment. They will harden veins and arteries, clog thyroids, livers, gall bladders, lymph and brains. plus plus plus</i> |
| FSH TOX | FISH TOXINS | 1-3 | T | <i>Especially shell fish that make people swell up with heat or when eating some form of shell fish</i> |
| FSH WRM | FISH TAPEWORM | | P | <i>Common parasite (diphyllobothrium latum) found in fish across the world.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|-------------------------------------|------|------------|---|
| FT STMP | FAT STUMPER | | <i>MVF</i> | <i>EXPERIMENTAL. The propensity to hold fat because of a condition in the frontal lobe which decreases oxygen absorption. Probably this will be taken in concert with other remedies.</i> |
| FUS FES | FUSARIUM FESTER | 3-9 | B | Fusarium is a pus-producing bacteria liking to eat at cartilage and bone. Found in teeth, knees, etc. |
| G. MEN | GONOCOCCAL MENINGITIS | | <i>B</i> | <i>Inflammation of nerves coverings of the brain and spine. tiredness, tight neck, headaches, irritability, changing pulse rates, changing temperatures, nausea, vomiting delirium are common in some combination of the preceding.</i> |
| GALL D | GALL D | | <i>MV</i> | <i>Replenish the ability to convert vitamin D into usable form for bones and reproductive areas.</i> |
| GAN VIR | GANGLION VIRUS | | <i>V</i> | <i>Essentially this is the HIV virus that hides in the ganglion, like the culprit retrovirus, so for the sake of AIDS tests, we should eliminate it.</i> |
| GB FLUK | GALL BLADDER FLUKES | | <i>P</i> | <i>Dicrocoelium Dendriticum- thought to be primarily passed via snail trails on vegetables. Also found in occipital lobe and cerebellum.</i> |
| GB SALM | GB SALMONELLA | | <i>VB</i> | <i>Chicken/egg based salmonella bound by same type of virus as found in diverticulitis. Either love or hate eggs.</i> |
| GB SKIN | GALL BLADDER SKIN | | <i>VB</i> | <i>Bacterial infection in gall bladder preventing the absorption of Vit D and oils into dry skin</i> |
| GB SWEL | GB SWELL | | <i>VB</i> | <i>Common combination of pathogens led by paramyxovirus that makes the gall bladder inflamed and problematic.</i> |
| GB THAL | GALL BLADDER THALAMUS | | <i>MB</i> | <i>Brain-based blockage that makes gall bladder under function</i> |
| GB VIR | GB VIRUS | 3-5 | <i>V</i> | Papilloma and chlamydia love to congregate in the gall bladder with other viruses and thwart evacuation of stones. See also TYFD M. |
| GBI | GB INFECTION | 3-5 | B | Unknown bacteria often blocking gall bladders. |
| GEN BRN | GENITAL/BRAIN | 7-9 | <i>RVB</i> | A form of herpes that affects simultaneously both ends of the spinal column. Includes NRV CHM. |
| GL CL LK | GLAND CELL LEUKEMIA | | <i>MVB</i> | <i>Alters the making of epithelial gland tissue causing many glands to crowd out their own function by swelling. Epithelial cells bond with calcium, carbon and histamine causing enzyme-proof masses that dissolve best with basil and L-Taurine. Best w/ERY LUK</i> |
| GLAUC | GLAUCOMA | 3-5 | RF | A polio residue with a fungus that is the actual cause of the disease. Take orally. |
| GLI BLS | GLIOBLASTOMA | | <i>MVB</i> | <i>Lumps, usually in brain, formed with blast cells and mucous gli cells.</i> |
| GLI CER | GLIOMATOSIS CEREBRI | 9-12 | <i>MBF</i> | A form of brain tumor based on miasms with multiple possible problems in head and nervous system |
| GLM MAL | GLOMERULAR CELL MALADY | | <i>MVB</i> | <i>The mal formation of glomerular cells which cause their malfunction. Related to the pineal, glomerular cells are associated with the kidneys, the brain, inner ear, sinus, lungs, breasts, stomach, adrenals, thyroid, clitoris and penis.</i> |
| GLMONA | GLOMONOMA | | <i>MRV</i> | Brain blockage that allows cells to glom on to other cells and create weight. |
| GLOOB | GLOOB | | <i>VB</i> | <i>Tuberculosis-based group turning all effluences (sweat, lymph, etc.) of body into glue-like mixture that doesn't metabolize out and collects in body weight.</i> |
| GLT ANT | GUILT ANTIDOTE | 4-15 | E | Buried GUILT produces subconscious self assessment of deserving punishment and failure. |
| GLU DEF | GLUTATHIONE DEFICIENCY MIASM | | <i>M</i> | <i>Miasm - decrease in primary brain food that encourages aging, senility and leads to Alzheimers</i> |
| GLUCMA | GLUCAGONOMA | | <i>MVF</i> | <i>Pancreas tumor creating hyperglycemia so sugar causes redness or eruptions of extremities</i> |
| GM RGRW | GUM REGROW | | <i>P</i> | <i>For the amoeba that causes gums to recede. See also PAR PAR.</i> |
| GNG GLB | GANGLION GLOB | 6-12 | <i>MV</i> | Ganglion Neuromatosis - Tumor on the nerve ganglion that doesn't allow full impulse to go through the crossroads of nerve pathways |
| GNT CEL | GIANT CELL MYEOLITIS | | <i>MVB</i> | <i>Form of leukemia</i> |
| GOD BLT | GOLDEN BULLET | | | <i>Designed to help increase immune system and support all other remedies. May decrease number of bottles needed for non-miasmatic based remedies</i> |
| GOITER | GOITER | 6-10 | <i>VB</i> | Swelling of thyroid, sometimes prominent. Often mixed with other thyroid and parathyroid problems |
| GON | GONORRHEA | | <i>B</i> | <i>Well-known venereal disease causing painful swelling of genitals, lower abdomen, liver, heart, joints, conjunctiva. Some have nausea, vomiting, fever, racing heart beat. Usually there is a tell-tale discharge from genital openings.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---|------|-----|--|
| GOO CLN | GOO CLEAN | | ENZ | <i>A group of enzymes that cleans the gooey mucous that holds dead calcium, carbohydrates, lipids, follicles, etc. that are bound in a cell-clogging quagmire. Take with PRM AZN, PRM CRB, PRM CLC, PRM FOL, PRM LIP, PRM PLP.</i> |
| GOUT | GOUT | | MV | <i>Familiar swelling of big toe involving kidneys and inherited weakness. Usually needs Kidstone (plus Shigella and Blood Lymph Flukes) to complete.</i> |
| GRAV#2 | GRAVES BASE #2 | | MVF | <i>Thyroid bases combination that reveals itself only with a concurrent brain mass</i> |
| GRDN | GARDNERELLA | 2-5 | B | <i>Commonly known bacterial infection of the vagina . . . which commonly wind up in prostates.</i> |
| GRMOMA | GERMINOMA | | MVB | <i>Lump of the germinal tissue of the gonads, the mediastinum (chest tissue) or the pineal region. Commonly with pineal disorders. Even more commonly on adrenals with 2 retroviruses affecting central nervous system.</i> |
| GROUND | GROUNDING | | E | <i>A sense of feeling comfortable to live in the earth plane instead of trying to escape</i> |
| GRV TRD | GRAVE THYROID | | MRB | <i>A Trench-fever based residue with miasm that seems involved with Grave's Disease issues</i> |
| GRW SPR | GROWTH SPURT | | MB | <i>Corrects curvature of the back that stunts growth. See also BON HRD w/BRN FLX</i> |
| GRY HAR | GRAY HAIR upgraded | | MVF | <i>EXPERIMENTAL Hair regain formula w/added remedy for hair-eating bacteria, plus. Works best w/other adrenal formulas</i> |
| GUILL | CANDIDA GUILLIERMONDI | | F | <i>A poorly identified form of candida.</i> |
| HAE | HIGH ALTITUDE EASE | 2-4 | B | <i>Bacteria that cause swelling in high altitudes and cases of hay fever</i> |
| HALLUX | HALLUX | | MV | <i>When the big toe crosses over or under the smaller toes beside it.</i> |
| HANTA | HANTA VIRUS | | V | <i>In clinical form a deadly hemoragic Virus. In subclinical form it also attacks respiratory, sinus, and thyroid areas. Occasional nose bleeds are common. It is serious when you start coughing up blood.</i> |
| HAP PAN | HAPPY PANCREAS | | V | <i>Infection of the pancreas causing sugar desires, blood sugar imbalance and attitude that happiness is hard to find</i> |
| HAR HOR | HARMONIOUS HORMONES | | M | <i>Cholera Miasm-based adrenal insufficiency that may affect hormones in many ways, including baldness over the crown. . .</i> |
| HAR LIV | HAIR-LIVER | | MVB | <i>Corrects liver condition for some people in order that liver can be stimulated to grow hair. No, it does not grow hair on the liver.</i> |
| HAR LOS | HAIR LOSS | | CF | <i>Female hair loss, based on the small intestines and relationship to anesthetics. Not tested yet for males.</i> |
| HASHIM | HASHIMOTO'S | 6-10 | VFP | <i>This supposed thyroid disease is actually a disease of the parathyroid.</i> |
| HBP | HIGH BLOOD PRESSURE | | MVF | <i>Improved version of remedy that now includes the adrenal as well as the kidney portion of the problem</i> |
| HCK SMO | HACK SMOOTH | | BVC | <i>Another contrail special for a hacking cough that hangs on from deep down.</i> |
| HEA 70A | HYPOTHALAMUS ENZYME ALTERATION 70A | | MVB | <i>Mismade enzyme causing an underactive thyroid and shrinking jaw (crowded jaw).</i> |
| HEA 70B | HYPOTHALAMUS ENZYME ALTERATION 70B | | MVB | <i>Mismade enzyme causing an overactive (hyper) thyroid and shrinking jaw (crowded jaw).</i> |
| HEAR MO | HEAR MORE | 3-6 | RV | <i>Inherited cause of hearing loss</i> |
| HED LMF | HED LYMPH | | MR | <i>Adrenal/Kidney based issue that blocks sodium and lymph generally and sodium specifically in head. (Sodium imbalance is basis of stroke).</i> |
| HEL ATR | HELICOPTER ATROPHY | 1-2 | B | <i>A rememberable name for helicobacter pylori. With cryptosporidium = ulcers. Binds with other parasites.</i> |
| HEM CAR | HEMOLOGICAL CARCINOMA | | MVB | <i>Usually when there's one form of cancer, there are others brewing. This cleans the blood of carcinogenic elements and buys time to find the whole solution. Read label instructions carefully.</i> |
| HEM CRB | HEMOGLOBIN CARBON | | MVB | <i>Designed to only be taken with BLD IMP, this bone/livercondition doesn't release enough oxygen from hemoglobin. The oxygen binds carbon (dioxide) into a bicarbonate which alkalines protein to the point of non digestion and contributes to weight retention.</i> |
| HEM EX | HEME EXPIRE | | MVB | <i>A bone condition in which the heme that carries iron for oxygen transport expires just after it is made. See also HEM LIF.</i> |
| HEM HEM | HEMORRHAGIC HEMOPHILIA | | MV | <i>A breakdown of the blood based on an Asian (India) form of hanta hemorrhagic fever. More destructive than the standard form of hemophilia.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|--------------------|---|-----|--------------------------|--|
| HEM LIF | HEMOLYTIC LONG LIFE | | MBF | <i>Bone/Liver Methoglobin Disease of blood causing early death of hemoglobin which carries oxygen deprivation to body and organs.</i> |
| HEM MAL | HEMOBLASTIC MALADY | | MVB | <i>Bone-based insufficiency to make new heme cells. Heme of hemoglobin is responsible for carrying the iron that carries oxygen. The condition incapacitates the thyroid from converting oxygen for metabolization.</i> |
| HEM MYE | HEMOLOGICAL MYELOMA | | MVB | <i>Blood disorder starting in the bone marrow that produces stem and progenitor cells for so many of the constituents of what we loosely call blood. This disorder is the grandfather of blood diseases.</i> |
| HEMFL B | HEMOPHILIA B | | MVB | <i>A deficiency of coagulation factor 9, the plasma thromboplastin.</i> |
| HEMOFL | HEMOPHILIA | | MR | <i>All too easily bleeds with great difficulty in stopping. There are subclinical cases as well as the much-talked of clinical cases.</i> |
| HEMOG C | HEMOGLOBIN C | | MBV | <i>Physical science unclassified form of hemoglobin disease.</i> |
| HEMOG D | HEMOGLOBIN D | | MVB | <i>A form of blood disease akin to, but different from, Thalassemias. The base is in the liver.</i> |
| HEMOG E | HEMOGLOBIN E | | MV | <i>A form of blood disease akin to, but different from, Thalassemias. The base is in the liver. This one more common.</i> |
| HEMOG F | HEMOGLOBIN F | | MVB MVB | <i>A blood disease that weakens a person over time. Iron anemia and hypochondria. Kidney issues. Could be more important with bone infections.</i> |
| HEMOG G | HEMOGLOBIN G | | MVB | <i>Blood disease that tires person and blocks kidneys mildly, while adding to other diseases.</i> |
| HEMOG H | HEMOGLOBIN H | | MVB | <i>A blood disease of the hemoglobin not yet classified by science.</i> |
| HEMOG M | HEMOGLOBIN M | | MVB | <i>A spleen disease caused by insufficient creation of an enzyme Nicotinamide reductase dinucleotide glycohydrolase (NADH methemoglobin reductase system present in normal red cells). It puts iron in a condition that cannot carry oxygen to the rest of the body.</i> |
| HEMOG SC | HEMOGLOBIN SC | | MVF | <i>Blood disease like sickle cell usually for non-black people. Often connected to numerous kidney diseases.</i> |
| HEMR | HEMORRHOIDS | | CB | <i>Pesky condition often caused by the molding factor in cheese. Often compounded by parasites.</i> |
| HEP C | HEPATITIS C | 3-7 | VB | <i>A retrovirus bound by a fusarium bacteria. Often seen with Aflagot.</i> |
| HEP C1 | HEPATITIS C1 | | VB | <i>Recently the regular Hepatitis C formula hasn't been enough because of fairly new complications. Check both, especially after vaccinations</i> |
| HEP D | HEPATITIS D | 1-4 | B | <i>Seemingly rare form of Hepatitis</i> |
| HEP F | HEPATITIS F | | B | <i>One of many forms of liver swelling from infection.</i> |
| HEP G | HEPATITIS G | | VB | <i>This form combines the retrovirus with Calymmomato Granuloma, giving the person occasional thoughts (perhaps actions) of a nasty behavior.</i> |
| HEP I | HEPATITIS I | | B | <i>Variation of Hepatitis from mutations</i> |
| HEP J | HEPATITIS J | | B | <i>Variation of Hepatitis from mutations. Part of Pulmonary Aveolar Proteinosis.</i> |
| HEP L | HEPATITIS L | | B | <i>Liver and adrenal condition involving common bacteria. Blocks hormones to heart, related to Amyloidosis</i> |
| HEP O | HEPATITIS O | | B | <i>A special condition of the liver that, when combined with CLS DIF or CLS PER, causes a crab, pincer-like movement of the hand. It looks like Parkinson, except the thumb moves independently towards the fingers.</i> |
| HEP PNM | HEPAPNEUMONIA | | B | <i>A form of pneumonia (brought in through the lungs) which gets inside the cells of the liver and reacts to air conditions.</i> |
| HEP RVE | HEPATITIS RVE | 1-3 | VB | <i>A newly discovered form of hepatitis that binds retro virus in liver.</i> |
| HEP X-1 | HEPATITIS X-PART 1 | | MVB | <i>A lump of wide variety of components common to the liver that makes the liver swell. Tubercifibrocytosarcobasiloma.</i> |
| HEP X-2 | HEPATITIS X-PART 2 | | VB | <i>A group of pathogens that gather around HEP X and make the liver swell and dysfunction.</i> |
| HERPO | HERPORAL | 3-6 | RV | <i>Can also require Strep, CPS, Small Pox, Chlamydia Pneumonia. Coxsackie and Anthrax are mistaken for Oral Herpes.</i> |
| HEV CEM | HEAVY CHEMSMOKE | | CBV | <i>Summer 2001 chemtrail combination with an unusual pervading respiratory and sinus infection that travels to the brain and clogs it. Heavy feeling in chest, cold like feeling in sinus and thick feeling in head.</i> |
| HG TOO | HG TOO | | V | <i>The non-herpes part of Herpes Genital. Best taken with HG</i> |
| HH LA&T | HEAD HORMONES LOW ADRENALS & THYROID | | MRV | <i>A form of pituitary adenoma. Subjects are always tired, short memories, low comprehension of new material and lack energy to attempt new endeavors. Sometimes itching is involved if thyroid is removed or very under functioning.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|-------------------------------|-----|------------|--|
| HIRSUT | HIRSUTISM | | MVF | <i>Adrenal condition of growing excess hair. Especially disagreeable to women with lip, chin, etc hair. Also adversely affects hormonal balance</i> |
| HIST | HISTOPLASMOSIS | 2-7 | F | Lung condition mostly associated with birds or bird droppings |
| HIVES | HIVES | | MVB | <i>Syphilinum-based remedy for painful skin disease that can also be in interior, mucous membrane. If seen on the outside, can be on inside.</i> |
| HM CNCT | HEART-MIND CONNECTION | | MF | <i>Seems to bring the two lead systems together. With Copper Surplus, it tests to make a person ,more "heart felt". Don't inflict it upon spouses !</i> |
| HND | HUMAN NERVE DISEASE | | MVF | <i>So common of a disease in humans that it has no name because this weakness in the nerves is considered normal. Behind many other nerve diseases.</i> |
| HONOR | HONOR | | E | <i>HATE is the product of not understanding or honoring a lesson that was tough (negative on surface) because previous opportunities were ignored.</i> |
| HOOK A | HOOKWORM AMERICANA | | P | <i>Necator Americana (actually brought to America from Africa with slave trade) has a "cousin" in Europe, Asia and elsewhere (HOOK I). The vibrations are different.</i> |
| HOOK I | HOOKWORM INTERNATIONAL | | P | <i>Ancylostoma Duadenale, the so-called old world version of hookworm which seems prevalent everywhere, is now seen more often in North America with international travel. It differs from Nector Americana (HOOK A).</i> |
| HOR BND | HORMONE BINDER | | MVB | <i>Liver condition that produces hormone derivatives that bind hormones instead of producing hormones with releasing factors. Involved in excess weight and insufficient reproductive gland function.</i> |
| HP THAL | HYPOTHALOMA | | MVB | <i>Major gland of diencephalon, which controls pituitary and many homone functions.</i> |
| HPNMV | HUMAN PNEUMOMEGLOVIRUS | | V | <i>Like CMV, this virus locks into the lymph trapping oxygen around cellular fluid</i> |
| HPO FNC | HYPOFUNCTION DISEASE | | MVB | <i>A disease in the Chronic Fatigue Syndrome group. People chronically feel tired and wasted. First check Epstein Barr, CMV, Bone INFS and SSP</i> |
| HPTROP | HYPOTROPIA | | VF | <i>A vertical tendency of one eye, caused by unequal ocular tone. That eye will track differently than the other eye.</i> |
| HRLVLN | HEART LIVER LUNG | | MVB | <i>Protein Losing Enteropathy-Dehydration of heart, thickening of heart wall, hypoxia of lung,weakens sodium retention in kidney,weakens muscle of intestines, weakens prostate</i> |
| HRM REG | HORMONE REGENERATION | | VB | <i>A bacteria /virus combination may block the body's ability to produce estrogen, progesterone and testosterone.</i> |
| HRP BRF | HAARP BARF | | CB | <i>Contrail dropping composed of elements of tuberculosis, meningitis and bubonic plague. Lovely !</i> |
| HRP ENC | HERPES ENCEPHALITIS | 4-9 | RFB | <i>The poxes in the spine with fungus and nerve bacteria cause a slow deterioration of central nervous system</i> |
| HRT FIB | HEART FIBROMATOSIS | | MVB | <i>Inherited fibrosing of heart, weakening function, causing hypertension of lungs, and back pressure on kidneys</i> |
| HRT FLX | HEART FLEX | | MVB | <i>Hardening of the heart walls and heart septum (as well as the nose septum)</i> |
| HRT JN | HEART JOIN | | MVB | <i>A heart weakness in an estimated 30% to 40% of the population causing a "nitrogen narcosis" (like a general anesthesia) causing unexplained tiredness. Worse with altitude, cold, and stress.</i> |
| HRT RAC | HEART RACE | | MVB | <i>Brain/kidney/heart disease that causes the heart to race uncontrollably. It stems from the brain signaling the kidneys to release a material that pushes the heart to race.</i> |
| HRT VLV | HEART VALVE DISEASE | | MVB | <i>For both kinds of inherited heart valve diseases. May attract STAPH AUREUS #1&2, IEV and DOG HRT</i> |
| HRTCAN | HEART CANDIDA | 2-5 | F | <i>Candida forms around the valves of the heart with the help of a rare clostridium bacteria.</i> |
| HRTOMA | HEART ADENOMA | | MV | <i>Lump in heart eschewing circulation, causing arrhythmias, inviting chemical contamination, cramping and making blood pressure irregular</i> |
| HST BIN | HISTAMINE BINDER | | MVB | <i>Liver-based affliction that causes histamine to bind to calcium and carbon producing excess weight.</i> |
| HTA | HANTA | 1-2 | V | <i>Alone and full-blown, this is a killer virus. Sub-clinically it binds with a bacteria or other virus to mimic Chronic Fatigue Syndrome.</i> |
| HV STEN | HEART VALVE STENOSIS | | MVB | <i>Congenitally narrowed or constricted heart valves. One of the most common causes of heart failure over the age of 50. Symptoms include heart cramps, irregular pulse, edema, fluid in lungs, enlargement of liver and spleen and "rattle " with breath.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------|--|------|-----|---|
| HW SUPP | HORMONE W SUPPRESSOR | | MVB | <i>A miasmatic formula aims at the adrenals to unsuppress a hormone that helps dissolve fat/weight.</i> |
| HYDR TX | HYDROCARBON TOXINS | | C | <i>Epecially good for exhaust fumes for people who work around such. More applications to be tested</i> |
| HYDRAT | HYDRATION | | MVB | <i>For interruption of H5O1 that dries up all parts of the body and decreases coordination of inner processes. It is in all forms of withering, decreased capacity and aging. Therefore it is a huge factor in looking older.</i> |
| HYP GLY | HYPERTHYROIDISM | | MVB | <i>An excess of sugar in the blood based on a problem in the Medulla Oblongata.</i> |
| HYP MET | HYPOTHALAMUS METABOLITES | | MVB | <i>A precursor hormone, like thyroid stimulating hormone, stimulates the cascade of signals that activates metabolites throughout the body. If there are no serious infections in the pituitary, thyroid and liver, this will strongly help reduce weight, digest food and improve the health of all cells.</i> |
| I E L | INFECT ENCARD- | 3-8 | FB | <i>Infectious endocarditis residing as the effect of long-term, Strep Pneumonia. Usually is behind Aspergillosis.</i> |
| I E V | INFECT ENCARD- | 3-6 | FB | <i>Infectious endocarditis residing in the heart valves. Insidious, slow, long-term problem that kills.</i> |
| IFC ADN | INFLUENZA C ADENOMA | | MVB | <i>An unusual compound-content lump that may be diffuse throughout the body instead of localized (can also localize). Look for it with mast cell leukemia and weight issues.</i> |
| IG | INDUSTRIAL GASES | 2-7 | C | <i>Lead, Arsenic, Chlorine and Mercury. Check on the T-1 (below where neck meets shoulder) plexus of nerves.</i> |
| IMG MAL | IMMUNOGLOBULIN MALADY | | MVB | <i>A bone/liver disease of the blood that affect all Ig types. Each variation blocks or distorts the release of other cell functions, which affects weight storage, hormone blockage and endocrine function.</i> |
| INF FIT | INFECTION FIGHTER | | MVB | <i>Designed to restore full function to mononuclear phagocytes, including histiocytes in the blood, monocytes in the bone marrow, macrophages in the liver, Kupffer cells in the liver sinusoids and alveolar macrophages in the lungs. Mononuclear phagocytes are critical components in the inflammatory and immune response. In distorted form they cause swelling without infection. See also T CELL MALADY, JMP STR.</i> |
| INS FOL | INSULIN FOWLER | | VB | <i>A group of pathogens that prevent insulin from converting blood sugar. Usually they are a complication of INSLOM or TBR INS.</i> |
| INSLOM | INSULINOMA | | MVB | <i>A lump in the pancreas that interrupts the flow of insulin. Most people with this lump have an intolerance to sugar & milk at the same time. See LAC INT, LAC SEN.</i> |
| INSOM | INSOMNIA | 2-4 | VB | <i>Rota virus, along with several other constituents sticks in the liver. Check also RAD ENT.</i> |
| INV NIP | INVERTED NIPPLE | | MVB | <i>Ductile contraction caused by missing enzyme from the adrenals.</i> |
| IOD ABS | IODINE ABSORPTION | | F | <i>Fungus in the thyroid caused by pancreas. When calcium is infected it coagulates in pancreas which inhibits calcium conversion by parathyroid which binds iron in the thyroid which creates fungus that inhibits thyroid from absorbing iodine.</i> |
| IODULS | IODULSE | | | <i>Iodine in dulse is the best food for thyroids after removal of blocks and with Low Thyroid remedy.</i> |
| IRN CRY | IRON CARRY | | MVB | <i>Liver condition which blocks the making of a protein transferrin used by the blood to carry iron to the normoblasts in the bone. People are often winded, light sleepers, have blood-based tiredness, trouble in high altitudes, pale with very dry skin. See IRN SRP.</i> |
| IRN LTL | IRON LITTLE | | MV | <i>When the body makes too little iron the condition is called Chloroasis, in the scientific world.</i> |
| IRN SRP | IRON SURPLUS | 9-11 | M | <i>Hemochromatosis is an inherited production of too much iron that is wide-spread = PSRTUB + ERGOT</i> |
| ISO ALO | ISOPROPYL ALCOHOL | 2-4 | C | <i>Strong catalyst in turning fungus to cancer.</i> |
| JITRS | JITTERS | 1-5 | B | <i>Bacteria on adrenals that instigates other diseases and causes nervous tension</i> |
| JMP STR | JUMP START | | V | <i>When the immune system is very low and a quick rejevination of the infection-killing T-Cells is needed, this may jump start the battery of healing.</i> |
| JP8 ANT | JET FUEL #8 ANTIDOTE | | C | <i>Chemtrail remedy that antidotes the superheated/ burned form of ethylene dibromide and benzene in Jet Fuel #8.</i> |
| JUMPY | JUMPY | | MF | <i>Based on Syphilis Miasm in the brain, a combination of fungi like bipolar makes the person anxiety-ridden</i> |
| KA A OCC | KIDNEY/ADRENAL ARTERY OCCLUSION | | MVB | <i>Cuts off blood circulation to both kidneys and adrenals causing both to malfunction.</i> |
| KADOMA | KIDNEY/ADRENAL OMA | | MVB | <i>In the connection of the organs in a way that pressures both organs into aberrant function.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|-----------------------------------|------|-----|--|
| KAL PHS | KAL PHOS | 1-3 | | Cell salt brain tissue and nerve builder |
| K-B FILT | KIDNEY BLOOD FILTER | | MB | <i>Miasmatic impairment of kidneys in their ability to cleanse the blood as it becomes urine</i> |
| KDEYER | KIDNEYS/EYES/EARS | | MB | <i>Aimed at a kidney disease called "Alports Syndrome" which can include kidney deterioration, high note deafness, some eye lesions and cataracts</i> |
| KDS | KIDSTONE | 3-6 | | When kidney stones form, Blood/Lymph Flukes and/or Shigella are attracted. Drink lots of water. |
| KID ADR | KIDNEYS-ADRENALS | | MVF | <i>Inherited imbalance of coordination of kidneys and adrenals that decreases desire to love as well as physical conditions</i> |
| KID ART | KIDNEY ARTERIES | | MRF | <i>Aimed at inherited deterioration of the kidney arteries called "Renal Cortical Necrosis". "Rare?" form of acute kidney failure.</i> |
| KID CAL | KIDNEY CALCIUM | | MV | <i>Condition that does not allow proper conversion of calcitron so that calcium can be assimilated. Related also to brain hardening and astrocytoma</i> |
| KID CMP | KIDNEY COMPLETION | | MVB | <i>A hippocampus-based remedy that helps complete the full formation of the kidney/adrenals that was not finished at birth. This is not for rebuilding (see AD MD BD), but for formation. Symptoms are hormonal insufficiency, kidney and adrenal infection.</i> |
| KID COR | KIDNEY CORE | | MF | <i>Blockage in the kidney medulla that festers and gathers fungus to block kidney function.</i> |
| KID FLD | KIDNEY FLUID RELEASE | | MVB | <i>The cause of Goodpasture's Syndrome. A constriction in the kidney (and lungs) from storing too much iron (FE-) that holds fluids like ascites and edema. Worse with HEMOG M and other blood diseases. Releases iron through blood to intestines and may cause temporary constipation.</i> |
| KID FRE | KIDNEY FREE | | MVF | <i>Releases calcium, carbon and histamine that especially affect the kidney and cause edemic weight</i> |
| KID HOR | KIDNEY HORMONES | | MVB | <i>Pituitary/Liver coordination for what blocks renin in kidney, causing weight, aches from backed-up uric acid and lymph blockages</i> |
| KID PRO | KIDNEYS AND PROTEIN | | MV | <i>Inherited mal-processing of proteins and aimed at "Berger's Disease". Kidneys block with poor digestion of meats.</i> |
| KID REL | KIDNEY RELEASE | 3-5 | VF | Penicillin and aflagot, among others, combine to impair kidney function. |
| KID RUM | KIDNEY RHEUMATICUS | 9-12 | MB | Inherited condition that slowly deteriorates kidneys while wasting Potassium, Sodium and Chlorides. Aimed at "Bartter's Syndrome" |
| KID SCR | KIDNEY SCRUNCH | | MVB | <i>Inherited form of glomerulonephritis which causes various forms of blood pollution, sodium depletion, dehydration, intermittent to constant diarrhea, paralytic ileus, fistulae and dry skin.</i> |
| KID SOF | KIDNEY SOFTEN | | MVF | <i>Aimed at hardening of the kidneys, especially felt when weather turns cold, and "Chronic Glomerulonephritis"</i> |
| KIDD SK | KIDNEY DRY SKIN | | MV | <i>Blockage of the kidney that backs uremic poisoning into the skin causung various degrees of eruptions during cold weather</i> |
| KLB CAR | KLEBSIELLA CARCINOMA | | MVB | <i>Usually felt as an ache inside bones and joints. May spread to digestive issues. Triggers blood diseases along with BONE INFECTION.</i> |
| KLB OZ | KLEBSIELLA OZAENAE | 3-6 | B | Bone-eating bacteria in many types of bone loss. See also BON INF, Alumina. |
| KLB PNM | KLEBSIELLA | 1-4 | B | A bone bacteria involved in several inherited bone degenerations |
| KLM | KIDNEY LUNGS MUSCLES | | MVB | <i>An inherited kidney hormone and enzyme insufficiency unable to process magnesium which causes frequent urination, shallow breathing, leg cramps, inability to release ascites and heart congestion. Releases electrolytes in intestines which relieves dry skin. Worse with blood diseases and alcohol.</i> |
| KMM | KIDNEY MEDULLA MOLD | 2-5 | B | Frequent kidney blockages; perhaps relationship to high blood pressure and alopecia. |
| LAC INT | LACTOSE | 8-9 | MB | Reactions to milk, cheese or other milk products. |
| LAC SEN | LACTOSE SENSITIVE | | MB | <i>A mild disagreement with milk products, upsetting digestion. Itching in center of back. See also LAC INT and gall bladder issues</i> |
| LAZ EYE | LAZY EYE | 3-6 | MRB | Some people have an eye that doesn't quite focus in line with the other eye. Involves inherited issues. |
| LBC TRD | LOW BLOOD PRESSURE-THYROID | | MVF | <i>One of the causes of low blood pressure</i> |
| LBP | LOW BLOOD | 3-7 | MF | This fungus in the adrenals should not always be fixed, yet in extreme cases and high altitudes and impotence and ... |
| LBP2 | LOW BLOOD PRESSURE #2 | | MB | <i>Another form of low blood pressure based on adrenals</i> |
| LBR PNM | LOBAR PNEUMONIA | | MVB | <i>A form of fused lung tissue resulting from long-term lung infection, such as asthma, emphysema, primary amyloidosis, etc.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|------------------------------------|-----|------------|--|
| LEA 63B | LIVER ENZYME ALTERATION 63B | | MVB | <i>Liver enzymes that no longer support adrenal activating enzohormones are reactivated by this formula. Used especially with SEN.</i> |
| LEC LEC | ELEC COLEC | | C | <i>The collection of and sensitivity to electricity, usually based on ELC COL. Headaches, sleeplessness and fuzzy thinking are symptoms. Like radiation symptoms</i> |
| LEIOMA | LEIOMYOMA | | MVB | <i>One of the most common masses found in the throat/esophagus. Also found on fallopian tubes and in uterus..</i> |
| LEP | LEPROSY | | B | <i>Officially called Hansen's Disease this involves multiple systems of the body, with wide-spread skin nodules, destruction of the nose cartilage and bone, testicular atrophy, peripheral edema and eye problems often involving blindness.</i> |
| LEP LEP | LEPROMATOUS LEPROSY | | B | <i>Not very contagious form of tuberculoid leprosy to be taken with TB skin (usually there is TB in other parts of the body as well). Thickens cutaneous nerves and has saucer-shaped flat skin lesions.</i> |
| LESQAM | LEIOMYOSQUAMOMA | | MVB | <i>A lump composed of leio and squamous cells, commonly found in reproductive glands or breast.</i> |
| LF NV ML | LYMPH NODE VALVE MALADY | | MVB | <i>Bone-based paralysis of afferent and efferent valves of lymph nodes, leaving them always open or always closed. The effect is to shut down the lymph system and leave toxins in the blood. The toxins interfere with the immune function and transportation of nutrients and hormones</i> |
| LIF FRC | LIFE FORCE | | MVB | <i>A bacteria /virus combination may block the body's ability to produce DHEA</i> |
| LIG SCL | LIGAMENT SCLERA | | MVF | <i>The Gall Bladder can form inherited conditions with current fungi and viruses to strangle assimilation of what it takes to feed a ligament</i> |
| LIHT A | LIGHTFUNGUS ADRENAL | | F | <i>A special fungus on the pineal affecting the adrenals and their function.</i> |
| LIHT P | LIGHTFUNGUS PITUITARY | | F | <i>Pineal fungus affecting Pituitary and prohibiting light conversion of vitamin D for bones, gall bladder, prostate and kidneys/adrenals.</i> |
| LIHT TL | LIGHTFUNGUS THALAMUS | | F | <i>A special Pineal fungus affecting the thalamus and inhibiting its Lymbic system and governing role on the master gland, the pituitary</i> |
| LIM ZIM | LIMBIC ZIMBIC | | MVF | <i>Unblocks the lymbic system where pleasure is processed and helps the release of healing endorphins.</i> |
| LIP LOS | LIPID LOSS | | MV | <i>Part of combination used for holding excess lipid and water. Often w/WHT LOS,FOD BLK, SLP WEL & CRB BLK</i> |
| LIPID | LIPDEMA | | MVB | <i>Miasmatic combination that disallows pancreas to digest lipid fat (gelatous fat). Check parathyroid function along with this remedy)</i> |
| LIPN LM | LIVER PANCREAS BUMPS | | MVB | <i>Aimed at a mal-digestion of proteins and lipids which bind together by inherited deficiencies of the liver and pancreas. Internal lumps/klogs</i> |
| LIPOMA | LIPOMA | | MVF | <i>Internal or subcutaneous tumor that is malleable. May be with a retrovirus.</i> |
| LIST | LISTERIOSIS | 3-8 | B | <i>Toxin found in babies whose mother had toxins in blood. Found in 50-year olds sometimes.</i> |
| LIV ACT | LIVER ACTION | | MVB | <i>For Glucose 6 Phosphate Dehydrogenase Deficiency, a liver disease. A form of mild to severe anemia in activities that involve all muscles simultaneously, like swimming. Inability to break down glycogen to glucose. See SPRUE for gluten intolerance.</i> |
| LIV CLN | LIVER CLEANSE | | MVB | <i>Activation of enzymes that clean the liver of undigested, coagulated material.</i> |
| LIV DRL | LIVER DRILLERS | 2-5 | P | <i>Schistosoma Mansoni, one of the most common forms of liver flukes drills holes in the liver and impairs protein digestion</i> |
| LIV DTX | LIVER DETOX | 3-5 | VB | <i>Complex chemicals including wood alcohol, kojic acid, drugs, etc. collect in the liver. See also CHEMX.</i> |
| LIV ENZ | LIVER ENZYME REGENERATION | | MVB | <i>Reconstructs the liver's ability to create enzymes correctly for digestion and collagen (anti-wrinkle) making.</i> |
| LIV FIB | LIVER FIBROMATOSIS | | MV | <i>Inherited fibrosing of liver causing weakness, contributing to liver spots and neural degeneration</i> |
| LIV HOR | LIVER HORMONES | | MVB | <i>Pituitary-based remedy (take gradually). Affects the liver function that stores excess weight. Originally- Store Not</i> |
| LIV MET | LIVER METABOLITES | | MVB | <i>Activates the metabolites (Anabolites and Catabolites) riding on the sodium of the body. Spawns supporting enzymes for the metabolites to work with from the liver. (Other enzymes will often be needed). Take with ADR SOD.</i> |
| LIVOMA | LIVER ADENOMA | | MVB | <i>Lump in the liver that may crowd the function of the liver and gall bladder</i> |
| LK SHRP | LOOK SHARP | | MVB | <i>Tones teeth, eyes and thyroid so that eyes see more sharply and thyroid metabolizes body to look sharper.</i> |
| LLL | LIVID LIPID LIVER | | MVF | <i>A miasmatic condition that prevents the liver from breaking down lipids (along with adrenals). Take with LPD COL</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--|-----|------------|--|
| LM BASE | LYMPHOMA BASE | | MV | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM BRN | LYMPHOMA BRAIN | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM CHST | LYMPHOMA CHEST | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM CNS | LYMPHOMA CENTRAL NERVOUS SYSTEM | | MVB | <i>Causes a cerebral edema with symptoms of any of headaches, seizures, cranial nerve palsies, eye/vision problems and mental perception changes. Most commonly this is seen as the result of a deeper, chronic infection from herpes to syphilis to AIDS. Sometimes the mass blocks the chorioid plexus and causes ascites.</i> |
| LM GUT | LYMPHOMA GUT | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM HRT | LYMPHOMA HEART | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM IMBD | LYMPHOMA INTRA-ABDOMINAL | | MVB | <i>Often w/leukemias, TB ASCT, TB MCLN</i> |
| LM LI | LYMPHOMA LRG INTEST | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM LIP | LYMPHOMA LIPOMA | | MVF | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM LIV | LYMPHOMA LIVER | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with leukemia.</i> |
| LM LUNG | LYMPHOMA LUNG | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM OVAR | LYMPHOMA OVARIES | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM SI | LYMPHOMA SML INTEST | | NVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM SPLN | LYMPHOMA SPLEEN | | MVB | <i>Part of a series of lymphomas that accompanies different leukemias</i> |
| LM STOM | LYMPHOMA STOMACH | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM TEST | LYMPHOMA TESTES | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LM TROT | LYMPHOMA THROAT | | MVB | <i>Lymphocytes gathering in this location either in protrusion or in complication of another swelling. With retrovirus when cancerous. Often with a leukemia</i> |
| LMF ACD | LYMPH ACID | | MVF | <i>Lymphatoid Granulomatosis - Relentless necrotizing and destruction of the lymph system. Attacks respiratory, skin, CNS.</i> |
| LMF CAR | LYMPHOCARCINOMA | | MVB | <i>A carcinoma of the lymph</i> |
| LMF CYS | LYMPHO CYSTOMA | | MVB | <i>Lymph cyst filled with pus or other dead material in a lump with lymph. Substantially different from a Lymphocytoma which is a lump complicated by a cyto virus.</i> |
| LMF DCG | LYMPH DECOAGULATION | | VF | <i>Frees a protein (yet to be identified by science) that normally keeps lymph loose and flowing. Coagulated lymph store and solidifies toxins, creating a body environment for infection.</i> |
| LMF FRE | LYMPH FREE | | MVF | <i>Releases carbon, calcium and histamine trapped into the lymph (causing weight)</i> |
| LMF GRN | LYMPHOGRANULOMA INQUINALE | 3-6 | B | <i>A form of yeast converting to fungus behind vaginal yeast infections not especially related to candida. Check also CLM GRN.</i> |
| LMF LUK | LYMPHATIC LEUKEMIA | 5-9 | MVB | <i>Toxin result of (emotional) tail bone dislodging over years which takes subject in and out of leukemia.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|------------------|---|------|-----|---|
| LMF PLQ | LYMPH PLAQUE | | MVB | <i>Just as plaque forms on the inside of arteries and on nerves, another kind forms on the inside of lymph channels. Often involved in weight issues and lymphatic leukemias.</i> |
| LMF PMP | LYMPH PUMP | | MVF | <i>Based on the kidneys/adrenals, this miasm stops the pumping of lymph fluid (toxin removal). Subjects don't perspire much, toxins gather around the endocrine glands to fix hormones and causes collection pouches from chin to belly to legs. Use with PAR MYX.</i> |
| LMF SLT | LYMPH SALT | | MVB | <i>An adrenal/kidney conversion of lymph into salt for digestion instead of cell clogging.</i> |
| LMF STR | LYMPH STRENGTH | | M | <i>Four miasms that form a weakness to lymphomas and other lymph issues.</i> |
| LMF WHT | LYMPH WEIGHT | 7-9 | VF | <i>After candida as a cause of weight, this may be worth the use of 5-9 bottles. With CLM TRA it forms dynamite weight loss.</i> |
| LMFB LK | LYMPHOBLASTIC LEUKEMIA | | MVB | <i>aka Myeloblastic Leukemia. The most common malignancy in children 5-7 which has a 95% initial remission. Relapse comes with strong bone marrow infection and invasion of lymph-based growths in the thyroid. Low thyroids and big bellies may develop.</i> |
| LMP SMP | LUMP STUMPER | | MVF | <i>Remedy for condition in the frontal lobe of the brain that gives propensity of body to form lumps and bumps.</i> |
| LMPH IP | LYMPHOCYTIC INTERSTITIAL PNEUMONIA | | B | <i>A form of inflammation of the layers of skin in between the organs and tissue of the body.</i> |
| LND | LINDANE | 1-4 | C | <i>Common farm pesticide in intestines.</i> |
| LNG ABC | LUNG ABCESS | | MVB | <i>Well-identified bacteria involved plus miasmatic weaknesses that allowed the abcess</i> |
| LNG POL | LUNG POLLUTE | | C | <i>Mild disturbances of lung from dust to fumes that lodge in the mucous tissue of the lungs.</i> |
| LNG TRD | LUNGTHYROID TOXICOSIS | | MVB | <i>Condition of the lung that blocks transport of oxygen to thyroid for metabolism.</i> |
| LNG WEZ | LUNG WHEEZE | 9-12 | MB | <i>For emphysema add either CLM PNM, KLB PNM, or HIST. Often accompanied by miasms in liver.</i> |
| LNGOMA | LUNG ADENOMA | | MVB | <i>Lump in the wall of lungs impairing breathing and heart, kidney coordination and assimilation of oxygen</i> |
| LOA LOA | LOA LOA | 3-5 | P | <i>Transient swelling in subcutaneous tissue. Often in intestines, as well as the normal heart location.</i> |
| LOC LUK | LYMPHOCYTIC LEUKEMIA | | MVB | <i>Bone-Blood disease spreading to lymph nodes. Slowly decreases immune system. Usual swelling of spleen/liver.</i> |
| LOS MUS | LOOSE MUSCLE VIRUS | | V | <i>Lymphotropic virus behind sagging muscles. Use with PSR MED for prolapsed uterus and other muscles.</i> |
| LOV BLK | LOVE BLOCK | 4-9 | F | <i>A fungus on the pons of the brain affects coordination and speech response PLUS deters the person's ability to accept love</i> |
| LOV LIV | LOVING LIVER | | BF | <i>Led by fungus that stops liver from regenerating itself, the bacteria eat at liver in physical way that reduces the ability to love life and express love</i> |
| LP CL LK | LIPID CELL LEUKEMIA | | MVB | <i>Causes lipids to be insoluble by enzymes and bond with calcium. The bond alters pancreatic calcium distribution function to attract sugars to envelope the lipid/calcium bond, causing weight, cellulitis, lymph channel blockages. Best w/ ERY LUK.</i> |
| LPD COL | LIPID COLLECT | | MVF | <i>The kidneys do not pass lipids and instead, collect them. Simultaneously the adrenals do not convert lipids to hormones. Often taken with LLL.</i> |
| LRBC | L/R BRAIN | 3-6 | VB | <i>Perceptual and thinking blocks caused by drugs (legal or not) in Corpus Callosum and Temporal Lobe.</i> |
| LRN SPK | LEARNING SPARK | | VF | <i>The most common complications to set into a vaccination-injured child. Often taken with VAC BRN and PIT CLK. Subjects usually have great apathy to school work and little interest in using their intellect, except in areas where they have emotional interest.</i> |
| LVS | LEAKY VEIN SYNDROME | | MVB | <i>A function of the thyroid controls the porosity of the veins. When the thyroid is blocked in this way, lymph leaks into the system causing lymph weight, mostly in the abdomen.</i> |
| LW TRD | LOW THYROID | 3-6 | VB | <i>Used after Fluoride and/or Thyroid virus. Accompany with 1-3 dulse pills per morning.</i> |
| LW TRD #2 | LOW THYROID #2 | | MVB | <i>Another, deep cause of thyroid hypofunction</i> |
| LYM BEP | LYMPHO BLASTO EPITHELIOMA | | MVB | <i>A compound lump lead by lymph cells bound to new cells in the epithelial areas (skin inside and out).</i> |
| LYM CYT | LYMPHOCYTOMA | | MVB | <i>A lump lead by lymph with cyto cells joined in. Very common in thyroid, liver, pancreas.</i> |
| LYM DYS | LYMPHODYSPLASTIC LEUKEMIA | | MVB | <i>Similar to Myelodysplastic Leukemia, this corrects a lifelong tiredness resulting in low energy or willful pushing of self.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---|-------|-----|---|
| LYM EPI | LYMPH EPITHELIOMA | | MV | <i>Blockage in lymph tissue by too large a cells. Essentially a lymph condition caused by a condition of the bones.</i> |
| LYM ESQ | LYMPHO EPITHELI SQUAMOMA | | MVB | <i>A lump lead by lymph in epithelial cells and squamous cells. Very common in thyroid, liver, pancreas. Epithelial cells are everywhere.</i> |
| LYM MAL | LYMPH CELL MALADY | | MVB | <i>A malformation of lymph cells in the bones that may cause lymph malfunction and lymph-based lumps in the body.</i> |
| LYM MCT | LYMPHO MASTO CYTOMA | | MVB | <i>A lump led by lymph cells combined with mast cells that has partially developed into a cyst. This is a prime candidate for breast lumps.</i> |
| LYM SRC | LYMPHOSARCOMA | | MB | <i>An outgrowth of a bone condition causing a subsidiary condition to leukemia of a form of lymph blockage by too large a cells.</i> |
| LYM VIR | LYMPHOTROPIC VIRUS | 1-3 | V | <i>Very much like the European form of Chronic Fatigue Syndrome.</i> |
| LYMFAN | LYMPHANGIOMA | | MVF | <i>A yellowish tan tumor usually on the skin composed of dilated lymph vessels. Located in lymph areas -underarm, breast, groin and sometimes on tongue and lips.</i> |
| MAAD | MASTER ADENOMYOSIS | | MVB | <i>The miasmatic group in the brain that induce the body to invite tumors from the Adeno virus.</i> |
| MAC DGN | MACULAR DEGENERATION | 10-11 | MF | <i>Psora and Tuberculinum together may spell a more effective cancellation of this issue</i> |
| MAG BRN | MAGNESIUM DEFIC BRAIN | | MVF | <i>A miasmatic brain proclivity to not absorb magnesium, bringing muscle contractions and malabsorption of calcium</i> |
| MAG GB | MAGNESIUM DEFIC GALL BLADDER | | MVB | <i>A miasmatic gall bladder condition to not absorb magnesium, throwing off digestion and vitamin D absorption of calcium into bones.</i> |
| MAG PHS | MAG PHOS | 1-3 | | <i>Cell salt spinal cord tissue and nerve rebuilder</i> |
| MAG PRD | MAGNESIUM DEFICIENCY PARATHYROID | | MVB | <i>A miasmatic parathyroid condition to not absorb magnesium especially relevant to the collection of calcium for kidney stones and for muscle contractions.</i> |
| MAL M | MALARIA MIASM | 10-12 | M | <i>Liver problem often shown by chronic dark circles under the eyes. Subjects usually have liver difficulties history.</i> |
| MALSYF | MALARIALSYPHYLINUM | 7-10 | M | <i>A miasm splice of malaria and syphilis found as base of Graves Disease or those with thyroid/liver/eyes problems.</i> |
| MAMCLR | MAM CLEAR | 2-6 | P | <i>Protozoa parasite involved in all cases of breast lump cancer. RDC usually involved as the inherited breast propensity.</i> |
| MARFAN | MARFANS | | MVB | <i>Inherited bone disease where limbs are disproportionately long, to trunk of body. Aortic valves regurgitation and mitrovalve problems, iris of the eye problems.</i> |
| MBN | MIASMIC BONE NECROSIS | | MVB | <i>Starts with "pointed finger pressure" on the sacrum. The back weakens and slowly increases with pain. The gradual erosion invites a deep cancer that eventually spreads systemically.</i> |
| MC LUK | MAST CELL LEUKEMIA | | MVB | <i>A form of leukemia with connective tissue mast cells compromised and profuse.</i> |
| MDC | MDC | 2-5 | M | <i>Mumps/ Diphtheria/ Coxsackie - Swellings of Parotid, Ovaries or Testicles. Check also TORO.</i> |
| MED CST | MEDULLARY CYST DISEASE | | MVF | <i>Uremia and other wastes toxify blood which attracts other diseases. Hard to find in medical tests. Similar to Polycystic Kidney Disease</i> |
| MED TOX | MEDICINE TOXINS | | C | <i>Most medicines have similar bases- prescribed or over-the-counter - and an excess can clog the liver, etc.</i> |
| MEFBSQ | MENINGO FIBRO SQUAMOMA | | MVB | <i>A compound-content lump on the nerves usually high in the brain stem or cerebellum. May affect the function of organs as well as the central nervous system.</i> |
| MEFIBL | MENINGO FIBRO BLASTOMA | | MVB | <i>A lump in the meninges of the nerves that is of connective tissue and bone nature. Could cause many kinds of nerve problems in the spinal column and/or elsewhere.</i> |
| MEG ANM | MEGALOBlastic MACROCYTIC ANEMIA | | MVB | <i>A malformation of cell nucleus while there is full formation of most other cell parts mimicking dozens of adrenal diseases. The cells are insufficient to rebuild the body well. Often causes spleen infection and invites tuberculosis in multiple locations.</i> |
| MEL | MELIOIDOSIS | 2-5 | F | <i>From Southeast Asia, Australia, New Zealand. Can be dormant for decades. Flesh eating in intestines and/or lungs.</i> |
| MELOMA | MELANOMA | | MV | <i>Skin issue starting as dark spot or mole that expands and deteriorates. Inherited</i> |
| MELT 1 | MELT AWAY I | | MVB | <i>Histiocytosis Weight dissolving of dead cells clogging tissues.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---|-----|-----|--|
| MELT 2 | MELT AWAY 2 | | MVB | <i>Phospholipid histiocytosis (like Neiman-Pick Disease) Symptoms of cholesterol storage, slow lung depletion and slow nerve deterioration.</i> |
| MELT 3 | MELT AWAY 3 | | MVB | <i>Glucocerebroside histiocytosis (like Gaucher Disease) Symptoms of hepatosplenomegaly, yellowing of white covering of eye, skin pigmentation</i> |
| MELT 4 | MELT AWAY 4 | | MVB | <i>Langerhan's Cell Histiocytosis Dead cell clogging of bone, lymph, spleen and sometimes around cartilage</i> |
| MELT 5 | MELT AWAY 5 | | MVB | <i>Non-lipid histiocytosis Dead cell clogging around bone, lymph, spleen lumps</i> |
| MELT 6 | MELT AWAY 6 | | MVB | <i>Sinus histiocytosis Dead cell clogging around sinus and/or neck swelling. Sometimes should be accompanied with Adeno carcinoma.</i> |
| MELT 7 | MELT AWAY 7 | | MVB | <i>Histiocytoma Dead cell clogging of tissue developing into a lump and then dead mass within the lump</i> |
| MELT 8 | MELT AWAY 8 | | MVB | <i>Histiocytic Medullary Reticulosis - Malignant histiocytosis - Includes the most common retrovirus</i> |
| MELT 9 | MELT AWAY 9 | | MVB | <i>Regressing atypical histiocytosis - supposedly rare. Multiple ulcerating, cutaneous papillae and nodules.</i> |
| MELT 10 | MELT AWAY 10 | | MVB | <i>Verrucous (Warts) histiocytosis. Warty eruptions</i> |
| MEM | MIDDLE EAR MASS | | MVF | <i>Aimed at a cholesteatoma, which is a cystic mass of epithelial cells and cholesterol in the middle ear. Symptoms = ear headaches, moderate to large amounts of ear wax, tinnitus and hearing loss.</i> |
| MEM NRV | MEMORY NERVE VIRUS | | V | <i>Scientifically unidentified virus that paralyzes nerve path of memories in Epithalamus. Also weakens pineal, which attracts to the brain aluminum and fluoride. Frequently used with NRV FUL.</i> |
| MEM SCR | MEMORY SCAR | | MVB | <i>The combination of factors that make and increase scar tissue in the brain formed by physical or emotional traumas in a person's life. We all have them. According to the German Dr Hammer, these scars start the body towards disease.</i> |
| MEMDRB | MSLS/MEDORRHINUM/RUB | 5-9 | MR | <i>Inherited bone swellings usually have this trio of Measles/Medorrhinum/Rubella along with TUBMED.</i> |
| MEN I | MEN TYPE I | | MVB | <i>Multiple Endocrine Neoplasia Type 1- Causes tiredness, heart palpitations, sweating, anxiety, tremors, nausea. Often w/AT MASS</i> |
| MEN II | MEN TYPE II | | MVB | <i>Multiple Endocrine Neoplasia Type 2a -Causes tiredness, heart palpitations, sweating, anxiety, tremors, nausea. Often w/AT MASS</i> |
| MEN III | MEN TYPE III | | MVB | <i>Multiple Endocrine Neoplasia Type 2b- Causes tiredness, heart palpitations, sweating, anxiety, tremors, nausea. Often w/AT MASS</i> |
| MEN IV | MEN TYPE IV | | MVB | <i>Multiple Endocrine Neoplasia Type 4- Causes tiredness, heart palpitations, sweating, anxiety, tremors, nausea. Often w/AT MASS</i> |
| MEN V | MEN TYPE V | | MVB | <i>Multiple Endocrine Neoplasia Type 5-Causes tiredness, heart palpitations, sweating, anxiety, tremors, nausea. Often w/AT MASS. First found as the base of Myasthenia Gravis</i> |
| MENOMA | MENINGIOMA | | MVB | <i>Lump often in the deeper sinus area causing apnea or clogged sinus or elsewhere causing nerve problems</i> |
| MENRS | MENIERE'S DISEASE | 3-7 | RVF | <i>A ringing in the ears (tinnitus) that comes up slowly, often with short bouts of vertigo.</i> |
| MET MKR | METALLOTHIONEIN MAKER | | MVB | <i>Liver remedy for making the protein that is the primary carrier of mineral/vitamin/fatty acid combinations that feed endocrine glands.</i> |
| MET PAR | METABOLIZATION PARALYSIS DISEASE | | VB | <i>Mosquito-carried disease that paralyzes the nerves to the liver and endocrine glands. Not yet identified by science, this can be transferred by birth in active or dormant stage.</i> |
| MET SHR | METABOLISM SHARPEN | | MVB | <i>Parathyroid block that affects adrenal hormones that activates liver.</i> |
| METOX | METAL DETOX | | C | <i>Heavy metals can come from the water, air, vegetables, etc. and lodge in a variety of body parts</i> |
| METUNC | METABOLISM UNCHAINED | | MVF | <i>Unlocks part of the brain that is involved in metabolism</i> |
| MF BONE | MYCOSIS FUNGOIDES - BONE | | MVB | <i>A blood disease resembling Hodgkin's Lymphoma. Characterized by swelling of lymph nodes, skin lesions, white chalk-like extrusion from skin. Inflames serous membrane of thoracic coat cavity, periosteum, pericardium, and dura of brain. Take with MF HELP. Often with ADN CAR plus a retrovirus.</i> |
| MF HELP | MYCOSIS FUNGOIDES HELPER | | VBF | <i>The most common add-on infections stemming from Mycosal Fungoides. Usually adeno carcinoma with a retrovirus accompanies.</i> |
| MF SPLN | MYCOSIS FUNGOIDES - SPLEEN | | MVB | <i>A blood disease resembling Hodgkin's Lymphoma. Characterized by swelling of lymph nodes, skin lesions, white chalk-like extrusion from skin. Inflames serous membrane of thoracic coat cavity, periosteum, pericardium, and dura of brain. Take with MF HELP. Often with ADN CAR plus a retrovirus.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|--|--|------------|--|
| MF THSP | MYCOSIS FUNGOIDES - THYMUS SPLEEN | | MVB | <i>A blood disease resembling Hodgkin's Lymphoma. Characterized by swelling of lymph nodes, skin lesions, white chalk-like extrusion from skin. Inflames serous membrane of thoracic coat cavity, periosteum, pericardium, and dura of brain. Take with MF HELP. Often with ADN CAR plus a retrovirus.</i> |
| MF THYM | MYCOSIS FUNGOIDES - THYMUS | | MVB | <i>A blood disease resembling Hodgkin's Lymphoma. Characterized by swelling of lymph nodes, skin lesions, white chalk-like extrusion from skin.</i> |
| MIC SPO | MICROSPORIDIA | | P | <i>Parasite known to go into eyes and parathyroid</i> |
| MIL AID | MILLENNIUM AID | | VBC | <i>Chemtrail bombings on the US. Causes great tiredness and highly decreased immune system. Does not go away by itself.</i> |
| MIL BUG | MILLENNIUM BUG | | VBC | <i>This year's combination that looks like the flu, but isn't specifically a flu (actually no flu in it). Pneumonia, chemicals bacteria.</i> |
| MIL COF | MILLENNIUM COUGH | | VF | <i>Combination of nerve virus and fungus that keeps you coughing and coughing and coughing. Same fungus that causes Valley Fever.</i> |
| MIL FAL | MILLENNIUM FALLOUT | | VB | <i>Headaches, cough, nausea, intermittent fevers/chills that makes you want to stay in bed and forget the world. Flu "look-alike"</i> |
| MIL MAL | MILLENNIUM MALAISE | | VB | <i>Flu like nausea that makes you feel generally sick, but not immobile.</i> |
| MIL TIR | MILLENNIUM TIRED | | CVB | <i>First seen on July 4, 2000 when the US was bombed on Independence Day. Although tiredness is common to most bombings, people are described as almost falling asleep while standing. A mild cough, lymph blockage and fuzziness also present.</i> |
| MIL TUB | MILIARY TUBERCULOSIS | | MB | <i>Different bacteria causing subtle, nagging under functioning of specific organs, graduating into failure. TB tests miss it.</i> |
| MILTB E | MILIARY TB ENDOCRINE | | MB | <i>Different bacteria causing subtle, nagging under functioning of specific organs, graduating into failure. TB tests miss it. Esp adr/thy</i> |
| MILTB L | MILIARY TB LUNGS | | MB | <i>Different bacteria causing subtle, nagging under functioning of specific organs, graduating into failure. TB tests miss it. Weaknesses</i> |
| MILTB M | MILIARY TB MENNING | | MB | <i>Different bacteria causing subtle, nagging under functioning of specific organs, graduating into failure. TB tests miss it. Also TB SPIN</i> |
| MILTB N | MILIARY TB NERVES | | MB | <i>Different bacteria causing subtle, nagging under functioning of specific organs, graduating into failure. TB tests miss it. CNS</i> |
| MIN CS B | MINIATURE CYST - BEEF | | P | <i>Cysticercosis of Taenia Saginata (Beef Tapeworm) loves the area under the jaw that we call the jowls or double chin as well as lower abdomen.</i> |
| MIN CS C | MINIATURE CYST - COENURUS | | P | <i>Multiceps Multiceps larvae stage which cause the disease Coenurus, an "unstable gait" because of the cyst in the brain or spinal cord. It can cause other neurological symptoms.</i> |
| MIN CS P | MINIATURE CYST - PORK | | P | <i>Cysticercosis stage of Taenia Solium (Pork Tapeworm). Most known to be in the central nervous system (60% found in brain), eyes, muscles and intestinal walls (causing intermittent diarrhea, especially in colder weather and higher altitudes).</i> |
| MIN TP B | MINIATURE TAPEWORM - BEEF | | P | <i>Taenia Saginata, commonly called Beef Tapeworm. Loves the pituitary stalk where it causes great tiredness, sleepiness and under function of pineal produced hormones.</i> |
| MIN TP G | MINIATURE TAPEWORM - GRANULOSUS | | P | <i>Loves livers and lungs, but can create blockages anywhere. Widespread source of animals from dogs, horses, camel lungs, sheep, moose, reindeer, wallaby, dingo, goats, swine, etc.</i> |
| MIN TP M | MINIATURE TAPEWORM - MULTILOCULARIS | | P | <i>Echinococcus Multilocularis, a tapeworm most known for liver, although it goes to many parts of the body. Common in brains with forgetfulness of what the subject already told you.</i> |
| MIN TP P | MINIATURE TAPEWORM - PORK | | P | <i>Taenia Solium, commonly called Pork Tapeworm, although it can come from other sources. Loves the pituitary stalk where it causes great tiredness, sleepiness and under function of pineal produced hormones. Science knows it more for intestinal difficulties</i> |
| MIN TP V | MINIATURE TAPEWORM - VOGEL | | P | <i>Echinococcus Vogeli, a tapeworm known for causing hydatid cysts. Although most known for liver cysts it likes the spleen, especially with leukemia. Other organs are possible targets, especially lungs, stomach, diaphragm and muscles.</i> |
| MKUP HR | MAKE UP AND HAIR | | C | <i>For the chemicals found in hair and beauty supplies. Especially possible in hair salon workers</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|----------------------------------|-------|-----|--|
| MLDM HR | MULTIDIMENSIONAL HEARING | | VB | <i>Unblocks the thalamus to allow inner hearing on many levels. You may need to relearn the distinction of what and who you hear so that you use what you hear correctly. This is not aimed at physical hearing.</i> |
| MMM | MUSCLE MERGER MIX-UP | | MVB | <i>A bone condition that spawns muscle tissue that merges with organ tissue and fat. Primarily the diaphragm merges with the adrenals, colon and heart giving symptoms of belching, muscle tenderness and hormonal difficulties. The compromised tissue tends to mix up fat instead of burning it causing weight accumulation.</i> |
| MMR | MMR | 1-2 | MR | <i>Measles/ Mumps/ Rubella vaccine antidote.</i> |
| MND FRM | MIND FORM | | MV | <i>Bone-based breakdown of epithelial cells forming the diencephalon of the brain and other tissues. Often paired with a RESTORE remedy.</i> |
| MNK HAR | MONK HAIR IMPROVED | | MVF | <i>EXPERIMENTAL Hair regain formula w/added remedy for hair-eating bacteria. For crown of head hair loss</i> |
| MOL BGN | MOLE BE GONE | | MV | <i>Another formula for moles</i> |
| MOL NO | MOLE NO | 3-8 | RVF | <i>Contains the constituents of a good number of moles.</i> |
| MOLY AB | MOLYBDENUM ABSORPTION | | MV | <i>The malabsorption of Molybdenum causes intestinal underfunction and is seen in post-polio (shot) syndrome, plus God knows what else</i> |
| MON GAM | MONOCLONAL GAMMOPATHY | | MRV | <i>Inherited, liver-based blood disease. Retinal hemorrhages, headaches, variety of skin and mucous bleeding, bleeds easily, heart circulation difficulties</i> |
| MOR HRT | MORE HEART | | MVF | <i>Inherited cause of left ventricular atrophy which weakens the ability of the heart to pump blood. Heart Failure.</i> |
| MOR OXY | MORE OXYGEN | | MVF | <i>A carotid body (arteries) hypofunction that doesn't allow sufficient oxygen The carotid body monitors blood oxygen content and sends messages to the medulla for regulation of respiration and the hypoxic ventilatory response (HVR).</i> |
| MPS CEF | MUMPS ENCEPHALITIS | | R | <i>Childhood disease can inflame the nerves in the endocrine glands and spine</i> |
| MPS END | MUMPS ENDOCRINE | | R | <i>Childhood disease can especially settle in thyroid and adrenals</i> |
| MRC ARS | MERCURIAL ARSENIC | | C | <i>Compound found in drugs, legal or illegal. Stores in the adrenals and keeps them weak. . . until removed</i> |
| MRCBRN | MERCURY IN BRAIN | 2-5 | C | <i>Amalgam Mercury</i> |
| MRCBRT | MERCURY IN BRAIN STEM | 2-5 | C | <i>Amalgam Mercury</i> |
| MRCSPN | MERCURY IN SPINE | 2-5 | C | <i>Amalgam Mercury</i> |
| MS BASE | MS BASE | | RVB | <i>The basis of Multiple Sclerosis. Measles Encephalitis, Pseudomonas Pyocyaneas and RV Nervy</i> |
| MS FB SQ | MASTO FIBRO SQUAMOMA | | MVB | <i>A lump lead by mast cells with fibro and squamous cells joined in.</i> |
| MSLS SP | MEASLES SPINE | | R | <i>Causes great itching of unexplained nature. Paramyxovirus is also associated with premature ejaculation and prostate problems.</i> |
| MST ART | MYSTERY ARTHRITIS | | VB | <i>An unidentified form of arthritis that also affects thyroid and kidneys. Often used with ANK SPN.</i> |
| MSTOMA | MAST CELLOMA | | MVB | <i>Mast cells are constituents of connective tissue containing large basophilic granules that contain heparin, serotonin, bradykinin and histamine. The lumping may cause inappropriate release of the parts.</i> |
| MUC NER | MUCOSA NEUROMA | | MVF | <i>Skin tag or tumor, often seen inside the mouth. Also found in any mucous area and capable of being complication to other tumors.</i> |
| MUCOR | MUCORMYCOSIS | | F | <i>Fungus-mild to severe mucous and necrotizing conditions of sinus, nasal and lung areas. Often associated with Diabetes and/or long term debilitation</i> |
| MUL MYE | MULTIPLE MYELOMA | 10-12 | MVB | <i>Inherited bone marrow degeneration with increased blood thickness, kidney slowness, tumor in bone causing peripheral neuropathy</i> |
| MUS DYS | MUSCULAR DYSTROPHY | | MVB | <i>Turned out to involve a rare form of polio with inherited bone/muscle weaknesses. Commonly shows up in hearts of adults.</i> |
| MUS GRW | MUSCLE GROWTHS | | MVB | <i>Inherited trait that makes different muscles sore without showing lumps. Dull pain radiates from spot on muscle. Not lypoma</i> |
| MUS NRV | MUSCLE NERVE DEGENERATION | | VF | <i>Animal-based virus that locks on to the nerves of muscles and slowly withers them. Often accompanied by sore muscles after exertion.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---------------------------------------|-----|------------|---|
| MYA GRV | MYASTHENIA GRAVIS | | MVB | <i>A bone/blood adrenal condition with symptoms including fallen organs, muscle fatigue post exercise, limb weakness, double vision, voice alteration, difficulty swallowing, post nasal drip feeling, cardiorespiratory system. Connector series often needed. Take with CLS DIF and/or CLS PER.</i> |
| MYE MET | MYELOID METAPLASIA | | MVB | <i>A form of myelofibrosis from the development of bone marrow in unusual places (eg spleen). Causes anemia, pale skin, water accumulation in lower extremities. It may invite tuberculosis bacteria & spina bifida. See also MYE SCL, MYE LUK.</i> |
| MYE SCL | MYELOID SCLEROSIS | | MVB | <i>A form of myelofibrosis from the hardening of the bone marrow. Causes anemia, pale skin, water accumulation in lower extremities. It may invite tuberculosis bacteria & spina bifida. See also MYE MET, MYE LUK.</i> |
| MYELOG | MYELOGENOUS LEUKEMIA | | MVB | <i>A leukemia classification that is more like a spine disease than a bone-based blood disease. It needs the "basic four" plus other leukemia remedies to accompany it. Usually seen with TB SPN, TB BON, TB MRW.</i> |
| MYL DYS | MYELOYDYSPLASTIC LEUKEMIA | | MVB | <i>aka Myelodysplastic Syndrome. Anemia that defies all other treatment is the chief symptom, followed by possible weight loss, anorexia, abdominal fullness (swollen spleen). LYFB LK, MYL LUK often involved. Exposure to benzene and/or radiation can trigger.</i> |
| MYL LUK | MYELOCYTIC LEUKEMIA | | MVB | <i>Bone/Blood disease that renders personality rarely satisfied with most aspects of life. Tiring, slowly destructive to other organs.</i> |
| MYO CAR | MYOCARCINOMA | | MVB | <i>The highly irritated form of a muscle as a result of (usually) long term nutrient starvation. Most commonly found in prostates and voice boxes, although it could also be found on other muscles.</i> |
| MYS SCL | MYOSITO SCLEROSIS | | MVB | <i>In science, closest name is Polymyositis with Dermatomyositis. Bone-based hardening of the amino acid food for the muscles. Symptoms are muscle weakness/pain, skin rash, polyarthritis, Raynaud's phenomena, pulmonary disease and intestinal problems.</i> |
| MYX PSW | MYXO PICORNA SCHWANNOMA | | MVB | <i>Lump mixture of myxovirus, picorna virus and schwann cells.</i> |
| MYXNUM | MYXOVIRUSINUM | | M | <i>Miasm of such viruses that lodge in mucous membranes (includes paramyxovirus)</i> |
| MYXOMA | MYXOMA | | MVB | <i>A lump/bump of the connective tissue. Often in the genital, retroperitoneal or urinary area or heart (but not exclusively). In the heart it can act like a pendulum that swings into the heart valves causing intermittent restricted blood flow.</i> |
| MZL CEF | MEASLES ENCEPHALITIS | | R | <i>Especially settles in the nerves of the brain and spinal cord. May be the base issue behind true Multiple Sclerosis</i> |
| MZL END | MEASLES ENDOCRINE | | R | <i>Childhood disease settles into the adrenals especially as well as other endocrine glands</i> |
| NAK | NaK | 4-7 | R | <i>Sodium (Na)-Potassium (K) imbalances which cause strokes. Solution affects adrenals.</i> |
| NAS DRP | (POST) NASAL DRIP | | B | <i>One of the pesky nasal/pharynx infections that clogs breathing, adds to snoring and makes colds "lousier"</i> |
| NASELY | NASOPHARYNX INFECTION | | VBF | <i>Virus/bacteria/fungus combination causing clogging that promotes snoring (see SNOR) and "snort-up" in the morning</i> |
| NASID | NASID | | C | <i>The common ingredient in non-steroidal, anti-inflammatory drugs like aspirin. The cumulative deposits smother and kill nerves over a period of usage.</i> |
| NBC | NERVE BRAIN CONNECTION | | MVB | <i>Aimed at leukodystrophy, which is a condition that dismantles nerve food, leaving a lipid (fatty) clog in the white matter of the nerves. messages of the brain slowly cease, causing dementia, slowness/paralysis and general dysfunction of organs.</i> |
| NCD | NERVE CORE DISEASE | | MVF | <i>Based on a miasm of the Bubonic Plague, this scientifically unidentified disease may be at the base of ALS and some forms of MS. it may prove to be the grandfather of many nerve diseases.</i> |
| NDI | NEPHROGENIC DIABETES INSIPIDUS | | MVF | <i>An inability to concentrate urine due to lack of response of the renal tubules to ADH (with otherwise normal renal functions)</i> |
| NEPH EP | NEPHROPATHIA EPIDEMICA | | MVB | <i>Kidney disease, often subtle blockages. Signs include red spots of trunk, near arm pits, conjunctive hemorrhaging. High blood pressure may be involved, subtle to obvious back-ups in the blood. May come on suddenly with intense similar signs</i> |
| NER ART | NEUROGENIC ARTHROPATHY | | MVF | <i>Similar to osteoarthritis, but with joints easily going way out of place causing synovial fluid to leak and swell in the joint area. Joints break and deteriorate easily with lots of pieces collecting in joint area.</i> |
| NER CYT | NEUROCYTOMA | | MVF | <i>A tumor of "undifferentiated" nerve cells usually found on nerves in ganglia form.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--|------|------------|--|
| NER DRM | NEURODERMATITIS | | MBF | <i>Non-specific, itchy skin disorder that invites scratching to the point of skin breakout. Most concentrated in easily exposed areas. A form of eczema with a few extra twists.</i> |
| NER PFF | NEURO POLIO FIBRO FOLLICULAROMA | | MVB | <i>Lump combination on the nerves first found on the nerves of the right lobe of a thyroid.</i> |
| NERFIB | NEUROFIBROMA | | MB | <i>Nerve tumor liking sensory organs. Tinnitus, hearing loss, optic nerves, dizziness, staggering. Known as inherited and progressive.</i> |
| NES RIA | NEISSERIA | 3-7 | B | <i>This bacteria seems a major part of ALS (Lou Gehrig's Disease) plus a part of MS. See also Bechtrew's.</i> |
| NFSS | NOSEFUNG/STREP/ | 1-3 | FB | <i>Rhinospordosis with bacteria binders. The trio often hold parasites in the nose/ sinus area. Involved in nasal polyps.</i> |
| NGN DKG | NOGIN DEKLOGIN | 1-4 | FVP | <i>Amoeba parasite with accompanying Cryptococcosis, Phytomycosis, etc. that often appear in strongly beseiged brains</i> |
| NIT OWL | NIGHT OWL | | VF | <i>Somehow the person always finds something to do well past the hour they would like to get to bed, but just can't get to bed. Rota based formula</i> |
| NJD | NEUROPATHIC JOINT DISEASE | | MVB | <i>A chronic progressive degeneration joint disease of one or more joints, usually characterized by swelling and distortion of joints. May be the cause of pain after knee joint replacement.</i> |
| NO PAUS | NO PAUSE | | MVB | <i>Looking at menopause as a disease, this unblocks liver amino acids to "unsmother" adrenal hormones.</i> |
| NO SWET | NO SWEAT | | VB | <i>For the bacteria and retrovirus that makes perspiration very rare when others are perspiring easily.</i> |
| NOD NOD | NOD NOD | | VB | <i>Fungus, virus, bacteria combination that seems to shut down adrenals causing anywhere from narcolepsy to drowsiness.</i> |
| NOR NOC | NORDIC KNOCK 2002 | | VBC | <i>A wide/spread sickness hitting Norway in January 2002, resembling a deep flu with fever and prostrating malaise. Its contents include some radiation toxicity which suggests it is in the air because someone is making atomic weapons.</i> |
| NRFBSQ | NEURO FIBRO SQUAMOMA | | MVB | <i>A compound-content lump on the nerves usually high in the brain stem or cerebellum. May affect the function of organs as well as the central nervous system.</i> |
| NRFIBL | NEURO FIBRO BLASTOMA | | MVB | <i>A compound-content lump on the nerves usually high in the brain stem or cerebellum. May affect the function of organs as well as the central nervous system.</i> |
| NRM BLS | NORMOBLASTIC LEUKEMIA | | MVB | <i>A malformed new norm cell in the bones. Normoblastic cells are the nucleated precursor cells of erythrocytes whose major function is to carry oxygen in the blood. See also ERY LUK.</i> |
| NRM CYT | NORMOCYTIC LEUKEMIA | | MVB | <i>A malfunction in the bones of forming the ordinary red blood cell. See also ERY LUK.</i> |
| NRV BAC | NERVE BACTERIA | 2-4 | B | <i>An unnamed bacteria spread across the US about mid February contracting bronchi into deep, hollow persistent coughs.</i> |
| NRV BRG | NERVE BRIDGE | | MVB | <i>Blockage of the superior and inferior cerebral peduncle messages from brain to motor movements. Sometimes affects speech or vision or movement.</i> |
| NRV CHM | NERVE CHOMPER | 7-10 | V | <i>A necrotic nerve virus that may be at the heart of all nerve diseases. We have been unable to find a parallel in medical books.</i> |
| NRV CLR | NERVE CLEAR | | BF | <i>Some forms of ataxia, CNS dendrite connection, Sleep Apnea</i> |
| NRV CMP | NERVE COMPLETION | | MVB | <i>When you were born the nerves were not finished developing in the womb. This remedy is designed to finish the development. All other nerve remedies will work better after this remedy is taken (if needed).</i> |
| NRV CNC | NERVE CONNECT | | MVB | <i>A disease of the neuron medulla which interrupts nerve signal flow at a very deep level. Interruption affects muscles, hormones, organs and brain, especially short-term memory of what was said.</i> |
| NRV FNG | NERVE FUNGUS | 2-9 | F | <i>A bacteria-forming a fungus is infamous for getting on nerve endings in the brain and spinal column</i> |
| NRV FUL | NERVE FUEL | | MVF | <i>Removes blockage in Diencephalon so that brain makes acetecholine (the most important ingredient for thought processing over nerves). Major ingredient in Alzheimers (with Memory Nerve Virus and Oligodendrogloma.</i> |
| NRV GLD | NERVE GOLD | | MVF | <i>Allows adrenals to absorb gold chloride so that entire nervous system stays polarized in balanced way. Essential in ALS.</i> |
| NRV HRP | NERVE HERPES | 7-9 | MVB | <i>Concentrating on the nerve aspect of herpes may help to lessen the swelling in the brain stem that accompanies herpes.</i> |
| NRV JAM | NERVE JAM | | MVB | <i>A potassium/magnesium salt toxifies the nerves in a way that denies sodium-carried nutrients to enter. This blockage, via rennin and vasopressin, causes a blood vessel/capillary constriction. Circulation to the nerves shuts down, starting in the brain ventricles.</i> |
| NRV LIF | NERVE LIFE | | MVB | <i>Unbinds nerves to sensitivities past physical. Spiritual jumps, increased intuition. Take after healing basic issues, including nerves</i> |
| NRV NEW | NERVE NEW | 2-5 | VB | <i>Motor control problems of brain/Hypothalamus. Shaking issues.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|----------------------------------|-------|-----|--|
| NRV NUM | NERVE NUMB | | VF | <i>Numbness usually felt in the extremities (feet or arms/fingers), yet without the precipitating cold weather of Raynauds. Can eventually be deadly.</i> |
| NRV NUT | NERVE NUTRITION | | MVB | <i>Inherited blood diseases that gradually starves nerves - the finer the nerve, the greater and earlier the starvation. Precipitated faster by other blood diseases. Promotes infection of the gray and white matter of the nerves.</i> |
| NRV PLQ | NERVE PLAQUE | | MVB | <i>A product of blood and liver that stops the synthesis of acetylcholine in nerve activity which is highly associated with dementia and alzheimers</i> |
| NRV REL | NERVE RELEASE | | MVB | <i>Designed for the bacteria that strangles arteries causing high blood pressure and/or rapid heart beat. May affect lungs, liver, eyes, heart.</i> |
| NRV SRC | NERVE SOURCE | | MVB | <i>A thalamus-based remedy that helps complete the full formation of the mesencephalon, the pivot of thoughts to physical action. This is a completion of the birth process, not a repair. Symptoms are nerve difficulties and diseases.</i> |
| NRV STR | NERVE STRENGTH | | | <i>Phosphotidycholine and Acetylcholinesterase plus vitamins and a catalyst to make active neurotransmissions for memory and all nerve functions. Use with NRV FUL to restore body's natural ability to make these vital substances.</i> |
| NRV STU | NERVE STRUCTURE | | MVB | <i>Restores the cerebellum ability to make a nerve sugar (yet to be identified by science) which structurally connects and propels nerve impulses. Often with SF CL LP.</i> |
| NRV THK | NERVE THICK | | MVB | <i>A form of amyloidosis (thickening) in the bone with nerve cell formation. The nerves become thick and dense with decreasing ability to carry messages. This may link to muscle stiffness or strength, loss of organ function and dementia (especially).</i> |
| NRV TRD | NERVE TIRED | | MVB | <i>Combination of Measles and Mumps residues continually inflaming & tiring nerves that opens person to nerve diseases.</i> |
| NRV TYT | NERVE TIGHT | 2-5 | RVB | <i>Nerve connection of bone and spinal column. Bone diseases, incontinence, neurogenic arthritis, bunions (w/ TB Res).</i> |
| NS FGS | NOSE FUNGUS | 1-3 | F | <i>Rhinosporidiosis. Often hold parasites in place.</i> |
| NUT ALG | NUT ALLERGIES | | MVB | <i>A blood disease that makes people intolerant of many forms of nuts. Person may be able to eat nuts, but the intestines seem to protest the digestion in the form of trouble eliminations.(BC1)</i> |
| O PHOS O | ORGANOPHOSPHATES OXIDIZED | | C | <i>Dangerous bug/pest sprays that block brain dendrites, liver functions and life functions in general.</i> |
| OCC NRV | OCULAR NERVE DEGENERATION | | MV | <i>A growth on the ocular nerve with a nerve retrovirus that slowly deteriorates the nerve and vision. Not for diabetic nerve degeneration and separate from MAC DGN.</i> |
| OLIGO | OLIGO DENDRO GLIOMA | | MVB | <i>A tumor on the dendrites that stops production of myelin, the sheath of the nerves. Seen in nerve deterioration (like ALS).</i> |
| OPN HRT | OPEN HEART | | VBF | <i>Combination used to open arteries and capillaries from cholesterol deposits. Used successfully in Europe since 1996.</i> |
| ORG NRV | ORGAN NERVES | | FB | <i>A rare form of staph combined with a blue mold seem to attack the nerves of organs in a way that hardens them making them less functional</i> |
| ORG THK | ORGAN THICK | | MVB | <i>Inherited protein malabsorption (Amyloidosis). Organ swelling/hardening. Arrhythmia, peripheral neuropathy, goiter-like thyroid hardness/ problems</i> |
| OST ART | OSTEOARTHRITIS | 10-16 | MVB | <i>BON INF with Bone Papilloma (used with Retro virus remedies.) Follow with MEMDRB & TUBMED.</i> |
| OST CAR | OSTEOCARCINOMA | | MVB | <i>A form of cancer prompting a deteriorating condition of the bones.</i> |
| OST SRC | OSTEOSARCOMA | | MVB | <i>Bone deterioration condition that invites cancers (especially lymphomas) and triggers dormant blood diseases.</i> |
| OSTMAC | OSTEOMALACIA | | MVB | <i>Officially the term means lack of vitamin D absorption. It is a form of gall bladder sarcoidosis that destroys the synthesis of vitamin D. Lack of vitamin D cause a malabsorption of calcium in the bones and vertebrae discs. Take with ATR CC.</i> |
| OSTOMA | OSTEOBLASTOMA | | MVB | <i>Sometimes called Ostoid Osteoma. Found usually as a well-localized pain in the lower limb long bones, primarily in adolescents. First discovered as a pain when lying on the leg and progressing to a pain when standing. Similar to BON SKN</i> |
| OV TES | OVTES VIRUS | 2-5 | VF | <i>Ovarian/Testicle virus involving chlamydia, etc.</i> |
| OWW | OWW | 1 | | <i>Relieves many pains in 3 minutes</i> |
| OXY ASM | OXYGEN ASSIMILATION | | MVB | <i>Science currently identifies a cell substance called Gs in the process of transcription. We have found it to be the key to oxygen assimilation into the other cells and use this remedy to unlock its ability to act on oxygen.</i> |
| OXY BOO | OXYGEN BOOST | | B | <i>There seems to be a bacteria that blocks the pituitary's ability to permit oxygen absorption.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--|-------|------------|---|
| OXY LIF | OXYGEN LIFE | | MVB | <i>Reestablishes oxygen absorption in the blood and conversion to energy in the mitochondria. Stops hormonalase, a hormone-killing enzyme made in the blood by the bones as a result of too much carbon dioxide and too little oxygen.</i> |
| P GANGL | PARAGANGLIOMA | | MVB | <i>Pressures Cerebral Peduncle, which pressures hypothalamus into sleepiness and wakefulness.</i> |
| PAC | PULMONARY ARTERY CONstriction | | MVB | <i>An inherited form of constriction on the artery from heart to lung, much like Exercise Wind The lowered blood circulation makes lower oxygen in the blood, which cause low thyroid, low energy, etc..</i> |
| PAD | PINEAL AGING DISEASE | | M | <i>The pineal is often called our aging clock which would cause different functions to shut down from menopause to sexuality to mentality. If we take away the blocks, would we continue healthy, long life? Yes.</i> |
| PAGETS | PAGETS | 12-16 | MVB | <i>Inherited bone disease usually starting with hip joint pains. Also leads to ulcerations of breast, and/or hearing and/or vision loss.</i> |
| PAGLPN | PARTD/GB/PANCREAS | | BF | <i>A bacteria/fungus condition affecting simultaneously the Parathyroid, Gall Bladder and Pancreas along with the calcium absorption in the body.</i> |
| PAN CF | PANCREAS CYSTIC FIBROSIS | | MVB | <i>If such a term existed, this would be called adult onset Cystic Fibrosis. It is marked by ever re-occurring coughing, a decreased immune system allowing many different infections, hormonal ferris wheel, non-working lymph system and great anxiety. There a</i> |
| PAN HRP | PANCREAS HERPES | 3-7 | RVB | <i>Pancreatic cancer along with other pancreas problems involve stones and their binders. Often with Hodgkins or other bone cancers.</i> |
| PAN OCC | PANCREAS ARTERY OCCLUSION | | MVB | <i>Insufficient circulation to the pancreas because of artery partial constriction. The resulting underfunction of the pancreas may cause anything from an intolerance of fruit and sugar to diabetes.</i> |
| PAN PAM | PANCREAS PAMPER | | MVB | <i>Affects the way you don't digest certain sugars for the brain, digestion and cell development</i> |
| PAN PAN | PANCREAS PANACHE | | MVB | <i>An inherited form of pancreas swelling that seems to block pancreas function, causing the body to become big.</i> |
| PAN STN | PANCREAS STONE | 3-7 | | <i>These calculus stones usually form after long-tern pancreas problems.</i> |
| PANOMA | PANCREAS ADENOMA | | M | <i>Lump in the pancreas that may upset the sugar balance and desires plus especially upset a stage of the digestion of certain carbohydrates.</i> |
| PAPL | PAPILLOMA | 1-6 | V | <i>Wide spread virus, usually of the genitals. Leading cause of cervical cancer. Formula includes cervical polyps.</i> |
| PAPOOS | PAPOOSE | | MVB | <i>Liver-based remedy for mal-assimilation in small intestines. Causes bloating in mid to lower abdomen as if carrying a papoose</i> |
| PAR MYX | PARAMYXOVIRUS | 2-5 | V | <i>A missing link in some if not most of prostate cancer. Still also need X-40 Kit, Bon Inf +</i> |
| PAR PAR | PARATHYROID | 1-4 | P | <i>Protozoa form of parasite that loves to lodge in this tiny organ</i> |
| PAR POL | PARAPOLIO | | MVB | <i>Paralysis like numbing of the nerves to the thyroid, heart, liver and epithalamus. All organs afflicted have weakened function.</i> |
| PAR STP | PARASTOP | | MVB | <i>Under our stress, the adrenals makes an enzyme we will call "parastop" that paralyzes and stops the sodium in our bodies from carrying metabolites. Once initiated, this enzyme continues to flow causing weight gains, nerve problems, disposition to strokes, etc.. This formula reverses its release so that existing parastops will wear out and little to no parastops will be manufactured thereafter.</i> |
| PARK | PARK | 3-7 | MVF | <i>It appears that 1 to 3 funguses in the brain are the cause of Parkinson's</i> |
| PB STRV | PANCREAS BRAIN STARVE | | MVB | <i>Inherited condition that doesn't process sugar correctly to the brain. Subjects hear voices and risk seizures.</i> |
| PC LIV | POLYCYSTIC LIVER | | MVF | <i>Often makes waist line expand as a family trait, shows in poor digestion and liver complications. Often attracts TBLIV</i> |
| PC MAL | PLASMA CELL MALADY | | MVB | <i>Bone-based remedy for making plasma cells correctly in the bones. See also AEA PC, PC EZ UT.</i> |
| PC UTL | PLASMA CELL UTILIZATION | | MVB | <i>Liver-based remedy that breaks down protein out of food that can be utilized by an adrenal enzyme to make food for red blood cells and mitochondria. See also PC MAL, AEA PC.</i> |
| PEA 35A | PANCREAS ENZYME ACTIVATION 35A | | MVB | <i>Activates enzymes that dissolve calcium-bound glycogen, cellulose and polysaccharide combinations.</i> |
| PEA 35B | PANCREAS ENZYME ACTIVATION 35B | | MVB | <i>Activates enzymes that dissolve calcium-bound glycogens, celluloses, gums and polysaccharide combinations.</i> |
| PEA 82A | PITUITARY ENZYME ALTERATION 82A | | MVB | <i>Releases enzymes that clears genitals of hormone receptor blocks.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|---------|---------------------------------|-------|-----|--|
| PEA 82B | PITUITARY ENZYME ALTERATION 82B | | MVB | <i>Releases enzymes that clears adrenals of hormone receptor blocks.</i> |
| PEA 82C | PITUITARY ENZYME ALTERATION 82C | | MVB | <i>Releases enzymes that clears thyroid of hormone receptor blocks.</i> |
| PEA 82D | PITUITARY ENZYME ALTERATION 82D | | MVB | <i>Releases enzymes that clears parathyroid of hormone receptor blocks.</i> |
| PEA 83A | PITUITARY ENZYME ALTERATION 83A | | MVB | <i>Releases Human Growth Hormone (HGH) naturally by restoring the enzyme that creates a hemoglobin carrier. The side benefit decreases carbon dioxide and monoxide in a way that increases oxygen in the blood. Take with PIT COR.</i> |
| PEA 83B | PITUITARY ENZYME ALTERATION 83B | | MVB | <i>Releases dopamine B to the amygdala, increasing amorous expression.</i> |
| PEA 84A | PITUITARY ENZYME ALTERATION 84A | | MVB | <i>A "cancellation of activity" message sent back to the hypothalamus by the pituitary. Essentially this enzyme smothers or negates activating hypothalamus hormones or enzymes for functions that the pituitary is no longer able to perform.</i> |
| PEA 84B | PITUITARY ENZYME ALTERATION 84B | | MVB | <i>A "cancellation of activity" message sent back to the hypothalamus by the pituitary. Essentially this enzyme smothers or negates activating hypothalamus hormones or enzymes for functions that the pituitary is no longer able to perform.</i> |
| PEA 84C | PITUITARY ENZYME ALTERATION 84C | | MVB | <i>A "cancellation of activity" message sent back to the hypothalamus by the pituitary. Essentially this enzyme smothers or negates activating hypothalamus hormones or enzymes for functions that the pituitary is no longer able to perform.</i> |
| PEA 84D | PITUITARY ENZYME ALTERATION 84D | | MVB | <i>A "cancellation of activity" message sent back to the hypothalamus by the pituitary. Essentially this enzyme smothers or negates activating hypothalamus hormones or enzymes for functions that the pituitary is no longer able to perform.</i> |
| PEA 84E | PITUITARY ENZYME ALTERATION 84E | | MVB | <i>A "cancellation of activity" message sent back to the hypothalamus by the pituitary. Essentially this enzyme smothers or negates activating hypothalamus hormones or enzymes for functions that the pituitary is no longer able to perform.</i> |
| PEA 84F | PITUITARY ENZYME ALTERATION 84F | | MVB | <i>A "cancellation of activity" message sent back to the hypothalamus by the pituitary. Essentially this enzyme smothers or negates activating hypothalamus hormones or enzymes for functions that the pituitary is no longer able to perform.</i> |
| PEA 84G | PITUITARY ENZYME ALTERATION 84G | | MVB | <i>A "cancellation of activity" message sent back to the hypothalamus by the pituitary. Essentially this enzyme smothers or negates activating hypothalamus hormones or enzymes for functions that the pituitary is no longer able to perform.</i> |
| PELGRA | PELLAGRA | | D | <i>A Vitamin B3 (niacin) deficiency causing skin lesions including cracks at corners, mental disorientaion and peripheral blood constriction of mouth</i> |
| PEN ADR | PENICILLIN ADRENALS | | F | <i>Penicillin locked in adrenal glands attracting other issues, including allergies, and weakening the energy.</i> |
| PEN BTR | PENICILLIN BETRAYAL | | F | <i>Frequent feeling of betrayal, even to the point of attracting betrayal. There are also some digestion difficulties.</i> |
| PEN CHL | PENICILLIN CHOLINE | | F | <i>Penicillin binding choline and inositol which are two of the major ingredients in nerve sheath formation and in weight loss.</i> |
| PEN GB | PENICILLIN GB | | F | <i>Penicillin, a mold, can linger and clog any specific organ and will not be touched by a general remedy. Medium depth before residues and miasms</i> |
| PEN KID | PENICILLIN KIDNEYS | | F | <i>Three penicillins from house molds plus the kind you get medically. See also KID REL for a variation.</i> |
| PEN LIV | PENICILLIN LIVER | | F | <i>Penicillin, a mold, can linger and clog any specific organ and will not be touched by a general remedy. Medium depth before residues and miasms</i> |
| PEN LMF | PENICILLIN LYMPH | | F | <i>Penicillin, a mold, can linger and clog any specific organ and will not be touched by a general remedy. Medium depth before residues and miasms</i> |
| PEN LNG | PENICILLIN LUNG | | F | <i>Penicillin, a mold, can linger and clog any specific organ and will not be touched by a general remedy. Medium depth before residues and miasms</i> |
| PEN MCK | PENICILLIN MUCK | | FB | <i>A combination of pathogens with penicillin in the liver which blocks neurons to the brain, impairs memory, adds to ascites, erection difficulties, paranoia of conspiracy, increased mucous, etc. It shuts down signals of function to the pituitary, adrenals and thyroid.</i> |
| PEN PAN | PENICILLIN PANCREAS | | F | <i>Penicillin in its strange way of infecting an organ in a way that is specific to that organ.</i> |
| PET M | PETROCHEMICAL | 10-12 | M | <i>Not much known. Usually a grandparent history in oil or gasoline industry.</i> |
| PFL FEV | PHLEBOTOMUS FEVER | 3-7 | BT | <i>Sand Fly Fever that causes lymph and vascular system to swell almost shut, especially in legs.</i> |
| PG PARV | PIG PARVO | | V | <i>Pig-born parvo virus attacking brains of humans, usually through fish infected by Pfiesteria Piscicida</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|----------------------------------|-----|-----|--|
| PHN PPL | PHENYLPROP-ANOLAMINE | | C | <i>In 2001 the FDA declared this chemical as unsafe because (even in one dosage) it causes strokes (particularly in women). It was in many over-the-counter drugs including nasal sprays and many synthetic hormone replacement therapies.</i> |
| PHOTON | PHOTON ENERGY INTEGRATION | | ? | <i>Helps integrate with current photon energy affecting earth and the changes humans are going through</i> |
| PHS ADR | PHOSPHORUS DEFIC ADRENALS | | MBF | <i>Phosphorus is essential for the development of the brain, bone and especially the nerves. Weakness and ear "dandruff" are signs.</i> |
| PHS BAL | PHOSPHORUS BALANCE | | MVB | <i>Phosphorus imbalances are known to magnify renal failure, hypoparathyroidism, diabetic acidosis, hyperthyroidism vitamin D intoxication, leukemia, cell destruction, hyper bilirubinemia, hyperlipidemia, dysproteinemia, cirrhosis, osteomalacia, rickets, gout, respiratory alkalosis, Leydig Cell health, muscle weakness, peripheral neuropathy, galactose conversion to glucose (carbohydrates), decreased release of O2 from the cells.</i> |
| PHS BRN | PHOSPHORUS DEFIC BRAIN | | MVB | <i>Phosphorus is essential for the development of the brain, bone and especially the nerves. Weakness and ear "dandruff" are signs.</i> |
| PHS SPL | PHOSPHORUS DEFIC SPLEEN | | MB | <i>Phosphorus is essential for the development of the brain, bone and especially the nerves. Weakness and ear "dandruff" are signs.</i> |
| PHY INT | PHYTATE INTOLERANCE | | MVB | <i>The liver's inability to digest phytate (a phosphorus-containing compound sometimes referred to as phytic acid) most abundant in the outer hull of cereal grains. The intolerance reduces absorption of zinc, copper, iron and other minerals as well as vitamins.</i> |
| PIN BLS | PINEALBLASTOMA | | MVB | <i>A compound-content lump on the pineal gland that may effect reproductive glands, light reaction and impair the working of the epithalamus.</i> |
| PIN CYT | PINEALOCYTOMA | | MV | <i>Lumps/bumps on pinealocytos that interrupts messages from pineal to pituitary. Speeds aging, weakens pituitary causing problems in thyroid adrenals, reproductive glands, breasts and skin.</i> |
| PIN LIT | PINEAL LIGHT MASS | | MF | <i>Growth on the pineal gland depleting the ability to convert light into energy for the rest of the endocrine system, ie thyroid, adrenals, etc.</i> |
| PIN M | PINEAL MIASM | | M | <i>Autism, implants, psychosis. W/PSRTUB speeds dissolving of all miasms, multiple personality disorders</i> |
| PIN PIV | PINEAL PIVOT | | MVB | <i>Allows melatonin, serotonin and other pivotal hormones to function in their roles with the epithalamus, pituitary, thyroid, liver and reproductive glands. Often seen with people sensitive to light.</i> |
| PIN PRM | PINEAL PRIME | | MVF | <i>Seven miasms + that take pressure off the most spiritual of endocrine glands. Especially valuable with END UP & BER.</i> |
| PIT ADN | PITUITARY ADENOMA | | MVB | <i>A mass on the pituitary heading towards a tumor that will impair any number of functions, including weight</i> |
| PIT ANB | PITUITARY ANABOLITES | | MVB | <i>Helps to rebuild everything related to bones, including bones, cartilage, ligaments, tendons, teeth, collagen, arachnoid supports.</i> |
| PIT BGR | PITUITARY BONE GROWTH | | MVB | <i>A growth on the pituitary that destroys GH3, the growth hormone. Stops slow crumbling of all bones. Follow with Pituitary Bone Food.</i> |
| PIT BON | PITUITARY BONE FOOD | | MVF | <i>Pituitary-based remedy (take gradually). Unblocks the process of bone feeding pituitary and pituitary feeding bone. Basic to whole endocrine system and blood health.</i> |
| PIT CHR | PITUITARY CHARGE | | MV | <i>Charges adrenal to change hormones for mental acuity, expanded digestion, expanded perception, testosterone and estrogen making.</i> |
| PIT CLK | PITUITARY CLOAK | 2-5 | MVF | <i>Based on TB Miasm in Pituitary, this fungus combination slows mental and motor response</i> |
| PIT CMP | PITUITARY COMPLETION | | MVB | <i>At birth the growth of the pituitary was not complete, which leaves it weak until finished. This formula helps to finish the unfinished process. All pituitary remedies will work better after this is completed.</i> |
| PIT COR | PITUITARY CORE BUILD | | MVB | <i>An inherited weakness in the pituitary medulla that interferes with pituitary hormones and enzymes.</i> |
| PIT DBT | PITUITARY DIABETES | | MVB | <i>A special condition of the pituitary that does not produce the hormone that releases insulin in the pancreas. It looks like regular diabetes in the symptoms and tends to put weight on in a pear shape.</i> |
| PIT FIR | PITUITARY METABOLISM FIRE | | MV | <i>Unblocks the endocrine glands involved in metabolism (weight holding).</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|-------------------------------------|-------|------------|---|
| PIT FLM | PITUITARY FILM | | MVF | <i>The film muffles nerve activity, hormone emission (frigidity/impotence), brain coordination, forgetfulness. Take w/ L Iseleucine</i> |
| PIT MET | PITUITARY METABOLISM DISEASE | | MVB | <i>Similar to PIT FIR, this more specific remedy is designed to release insulin growth factor #2 and affects the thyroid, liver and pancreas. The result is designed for weight loss, increased energy and increased function of the three organs involved.</i> |
| PIT NPH | PITUITARY NEPHRITIS | | MVB | <i>A pituitary condition withholding kidney/adrenal hormones. The remedy is designed to release the hormones which may help with conditions like high blood pressure, water retention, weight and urine filtration. Usually other remedies for the kidneys are needed.</i> |
| PIT PIM | PITUITARY PIMPLE | 3-6 | RVB | <i>Bacterial small growths on pituitary that cause under functioning of pituitary and its hormones.</i> |
| PIT REP | PITUITARY REPLENISH | | MVF | <i>For brains that seem to run on fumes, after exhaustion of giving birth, emotional stress severe losses, etc.</i> |
| PIT RJV | PITUITARY REJUVENATION | | MVB | <i>Rejuvenation of the master hormone generator. The condition decreases all other hormones in what looks like aging.</i> |
| PIT ROS | PITYRIASIS ROSEA | | MRB | <i>Slightly scaling pink macular rash starts in one area and progresses as a diffuse rash along line of the folds of the skin. Often on face, but commonly on unexposed areas of skin.</i> |
| PIT SAD | PITUITARY SADDLE RESTORE | | MVB | <i>For a congenital "bend" in the cartilage "saddle" that the pituitary saddle sits in. The slight upset of the stalk of this peas sized, dynamo pituitary can cause considerable hormonal upset.</i> |
| PIT SPR | PITUITARY SPRUE | | MVB | <i>Reflects the pituitary drain caused by the intestinal disease, celiac sprue. Celiac sprue is found in almost all mothers of Down's Syndrome children. This could be a good adjunct to taking DOWN'S 1 & 2. It may also help in the repair of other brain-injured children.</i> |
| PIT WHT | PITUITARY CAUSED WEIGHT | | MVB | <i>People often form a rather pear shaped body when the pancreas is compromised this way.</i> |
| PKD | POLYCYSTIC KIDNEY DISEASE | | MVF | <i>Inherited kidney disease that will cause multiple other problems from backed up urine</i> |
| PKU | PHENYLKETONURIA | | MVB | <i>An inherited condition of an excess of the amino acid, phenylalanine. The subclinical form is marked by selective hyperactivity, usually slenderness, sporadic neurological insufficiencies making various injuries. Although the subjects are savvy about life in many ways, their minds don't put things together in a way that spells success in monetary endeavors or social patterns. They always struggle about their life path.</i> |
| PL CL SF | POLIO/CHLMYD/SYPHIL | 10-12 | M | <i>Spliced miasms of Polioinum/Chlamydinum/Syphillinum most affecting eyes and giving vision problems</i> |
| PL TB SF | POLIO/TUBERC/SYPHIL | 10-12 | M | <i>Spliced miasms of Polioinum/Tuberculinum/Syphillinum most affecting eyes and giving vision problems.</i> |
| PLA LUK | PLASMA CELL LEUKEMIA | | MVB | <i>Uncommon form of leukemia mostly seen with Plasmocytomas (See PLSCYT)</i> |
| PLA MLD | PLACENTA MOLD | | F | <i>Causes clogging in the brain (as in Autism-like behavior) and other organs. Can remain a factor of mental or non-mental consequence well into adulthood.</i> |
| PLAT | PLATINUM | 3-6 | C | <i>Some forms of excessive chemotherapy can leave a platinum toxicity in the liver that is more lethal than the disease that precipitated chemo.</i> |
| PLG CRR | PLAGUE CARRIERS | 2-6 | PB | <i>Includes the bacteria associated with the black plague and is applicable to the actual issue.</i> |
| PLQ PAC | PLAQUE PACKER | | MVB | <i>Mal conversion of calcium builds plaque, especially in kidneys and brain. The same condition blocks insulin and leaves potential for seizures (usually someone in the family has a history of one or more seizures).</i> |
| PLR | POLORES | 3-7 | R | <i>Polio Residue (of TB Miasm) Chronic cases of hiatal hernia. Most long-term eye problems.</i> |
| PLS CYT | PLASMACYTOMA | | MVB | <i>Lumps that often appear on the bone (inside of cranium) or upper air passages. Very much associated with Plasma Cell Leukemia and Multiple Myeloma (both remedies are probably needed concurrently) plus a retrovirus if lumps have progressed to tumor.</i> |
| PLT SRG | PLATELETS STRONG | | MRV | <i>Designed for ITP (Idiopathic Thrombocytopenic Purpura) A bone/liver disease causing platelets to break down and bleed through the skin looking like bruises (purpura).</i> |
| PLT SUL | PLATINUM SULFIDE | | C | <i>Some forms of chemo therapy use platinum bound with sulfide that frequently poisons the liver. See also PLAT (a non-bound platinum)</i> |
| PMDOMA | PITUITARY MEDULLA CYTOMA | | MVB | <i>A debilitating growth in the center of the pituitary decreasing function of the pituitary. Depending on the exact location this can decrease other endocrine glands yielding excess weight, decreased sexual growth or function, etc.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|---------|-------------------------------------|-------|-----|---|
| PNM CAR | PNEUMOCYSTIS CARINII | 3-7 | PF | Infamous in AIDS, this cross of fungus and parasite also causes nose polyps. Start at 1/3 dosage and slowly work up to avoid reactions. |
| PNM RES | PNEUMONIA RESIDUE | 2-7 | RB | Long-term lung/bronchial weakness carried for years explained by this residue. Involved in current lung issues also |
| PNMINM | PNEUMONINUM | | M | <i>Miasm of common lung phenomena that affects more than lungs</i> |
| POL ADN | POLIOADENOMA | | MVB | <i>A lump involving a virus on the grey matter of the nerves that has a polio miasm.</i> |
| POL CAR | POLIO CARCINOMA | | V | <i>Different form of carcinoma, yet to be medically identified, that suppresses organ function, especially thyroid.</i> |
| POL CCR | POLIO CYSTIC CARCINOMA | | MVB | <i>Loves enclosed, high enzymatic activity areas like adrenals, thyroid and prostate.</i> |
| POL CEF | POLIO ENCEPHALITIS | | RV | <i>A nerve virus that inflames the Central Nervous System, leaving a tired and duly sore spine. Mimics MS.</i> |
| POL CLM | POLIOINUM/ CHLAMYDINUM | 10-12 | M | Spliced miasms most affecting eyes and giving vision problems |
| POL CYT | POLIOCYTOMA | | MVB | <i>A lump combination led by the virus polio</i> |
| POL GCR | POLIO GANGLIO CARCINOMA | | MVB | <i>A lump on the grey matter of the nerves that will be eating the attached ganglia.</i> |
| POL GMN | POLIO GANGLIO MENINGIOMA | | MVB | <i>Lump based on the polio virus in the ganglia and meninges of nerves.</i> |
| POL MEN | POLIOMENINGITIS | | MVB | <i>A swelling of the grey matter of nerves that pressures neighboring nerves.</i> |
| POL NOS | POLYPS-NOSE | | VF | <i>The kind of polyps that block breathing and give nasally sound to voice. They seem to always grow back after removal operations.</i> |
| POL OLC | POLIO OSTEO LYMPHO CARCINOMA | | MVB | <i>A lump slowly eating at nerves, bones and lymph structure. Seen in conditions spreading from tissue to bones.</i> |
| POL OSR | POLIO OSTEO SARCOISIS | | MVB | <i>Gradual nerve/bone deterioration</i> |
| POL PNM | POLIO PNEUMONIA | | VB | <i>Another of the virus combinations that may be associated with Multiple Sclerosis and other Central Nervous System conditions</i> |
| POL SYF | POLIOINUM/ SYPHILINUM | 10-12 | M | Spliced miasms most affecting eyes and giving vision problems |
| POLIO M | POLIO MIASM | 14-18 | M | Miasm found highly involved in eyes and all the problems that involve eye glasses |
| POLORES | POLIO RESIDUE | 3-6 | R | Halfway between Poilo Miasms and an active poilo virus this condition likes to settle in the nerves to muscles. Most commonly found in the diaphragm and around eye muscles, this could appear anywhere there are nerves. |
| POLY CY | POLYCYTHEMIA | | MVB | <i>An inherited condition of the bones producing too many red blood cells slowing circulation, clogging organs. Common, but unapproached disease.</i> |
| POLYOM | POLYOMA VIRUS | | V | <i>A precursor to the papilloma virus, this virus creates a "halfway" status to cancer. Commonly found with hypothalamus remedies and sporadically seen in other compromised conditions.</i> |
| PON PRS | PONS PRESENT | | MVB | <i>An impediment to the function of the pons that impedes the ability to genuinely love. Release often produces more natural expression of love and compassion.</i> |
| POO PAN | POOED-OUT PANCREAS | | MR | <i>Based on Cholera Miasm, possibly behind Diabetes Insipidis (not the common Diabetes Mellitus) caused by too much stress in the life or to the body.</i> |
| POR AI | PORPHYRIA ACUTE INTERMITTENT | | MVB | <i>Blood Leukemia, decreases mineral absorption and blood enzymes. Most common of Porphyria. Affects nervous system</i> |
| POR ALA | PORPHYRIA-ALA DEHYDRATASE DEFICIENT | | MVF | <i>Blood Leukemia, decreases mineral absorption and blood enzymes. The condition breaks blood cells down causing anemia, possible intestinal blockages and motor nerve difficulties.</i> |
| POR COP | PORPHYRIA COPRO | | MVB | <i>Blood Leukemia. Decreases blood enzymes, oxygen carrying heme and mineral absorption. Increasing difficulty getting oxygen, headaches, hypoxia, tired after exercise.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--|--|------------|---|
| POR CT | PORPHYRIA CUTANEA TARDA | | MVB | <i>Blood Leukemia, decreases mineral absorption & blood enzymes. Breakouts on skin with chronic liver problems</i> |
| POR DUL | PORPHYRIA DUAL | | MVB | <i>Blood Leukemia. Decreases blood enzymes, oxygen carrying heme and mineral absorption. Increasing difficulty getting oxygen, headaches, hypoxia, tired after exercise.</i> |
| POR EC | PORPHYRIA ERYTHROPOIETIC CONGENITAL | | MVB | <i>Blood Leukemia, decreases mineral absorption and blood enzymes. Severe skin blistering, reddish brown teeth, photosensitivity.</i> |
| POR EZC | PORPHYRIA ERYTHROPOIETIC ZINC COMPROMISED | | MVB | <i>Blood Leukemia, decreases mineral absorption and blood enzymes. Affects eyes and prostate zinc needs</i> |
| POR EZF | PORPHYRIA ERYTHROPOIETIC ZINC FREE | | MVB | <i>Blood Leukemia, decreases mineral absorption and blood enzymes. Affects eyes and prostate zinc needs</i> |
| POR HAR | PORPHYRIA HARDERO | | MVB | <i>Blood Leukemia. Decreases blood enzymes, oxygen carrying heme and mineral absorption. Increasing difficulty getting oxygen, headaches, hypoxia, tired after exercise.</i> |
| POR HEP | PORPHYRIA HEPATO-ERYTHROPOIETIC | | MVB | <i>Blood Leukemia, decreases mineral absorption and blood enzymes. Liver sensitivities, collect carbon dioxide easily, some anemia.</i> |
| POR HRD | PORPHYRIA HEREDITARY | | MVB | <i>Blood Leukemia, decreases mineral absorption and blood enzymes. Neurological & abdominal problems.</i> |
| POR PYR | PORPHYRIA PYRROLO | | MVB | <i>Blood Leukemia, decreases mineral absorption and blood enzymes. Affects eyes & prostate needs for zinc.</i> |
| POR VAR | PORPHYRIA VARIEGATE | | MVB | <i>Blood Leukemia, decreases mineral absorption and blood enzymes. Photosensitivity, neurological & abdominal problems Prefer cold weather over hot</i> |
| POSO ML | POSOCYTE MALADY | | MVB | <i>Posocytes (an invented name) are made in the bones and divide into the potassium and sodium needed for all cell function in the body. They have a different subvalence than standard nature elements so that supplements are not viable substitutes. This remedy is designed to restore the production of the base elements needed for body cell life. Always shows with porphyrias, plus shows in many people with other blood issues.</i> |
| POT ADR | POTASSIUM DEFIC ADRENALS | | MV | <i>Potassium provides alkalinity, so that all acid and deteriorating conditions become possible symptoms.</i> |
| POT BRN | POTASSIUM DEFIC BRAIN | | MVB | <i>Potassium provides alkalinity, so that all acid and deteriorating conditions become possible symptoms.</i> |
| POT SRG | POTASSIUM STRENGTH | | MVB | <i>Among other issues, potassium is needed to hold cells closed for absorbing nutrition when sodium carries nutrition into the cell. Need to hold blood in the corpus cavernosum for erections.</i> |
| POUCH | POUCH | | MVF | <i>Small Intestine condition that causes lower abdomen and neck to pouch</i> |
| PR SLDG | PRESERVATIVE SLUDGE | | C | <i>Preservatives leave a sludge that combines hydrogen with phosphates and floats up to the brain, arteries of the brain and neurons of the brain.</i> |
| PRDEMA | PARATHYROIDEMIA | | MBF | <i>Based on bone marrow source of vital nutrient, helps gall bladder, synthesize hormones, add to metabolism,</i> |
| PRK UP | PERK UP | | CB | <i>Chlorine and Fluoride bind together to impair thyroid function.</i> |
| PRLVCN | PARATHYROID LIVER CONNECTION | | MVF | <i>Helps liver make cholesterol that thyroid can metabolize, thus helping metabolism and thyroid</i> |
| PRM AMY | PRIMARY AMYLOIDOSIS | | MVB | <i>Separate from specific, secondary amyloidosis (see THK series) this gathering of fibrous, waxy protein clogs many of the organs simultaneously. It is based on the liver/bone synergy. It may be the tying factor among simultaneous problems with the liver, heart, lungs and ascites, or other groups of organs. Causes increasing tiredness, stiffness and organs just functioning less. It is very necessary to take with THK AD and PRTNOS. Rushing the first 4 bottles may cause clogging (heavy blood).</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---|-------|------------|--|
| PRM AZN | PRIMARY AZOTINOIDES | | MVB | <i>An insufficient processing of nitrogen that blocks hormones (like insulin), follicles, etc.. Take with GOO CLN.</i> |
| PRM CCH | PRIMARY CARBOHYDRATE CALCILIPO HISTIOCYTOSIS | | MVB | <i>Takes the inflammation caused by histocytes out of the body's metabolization of carbohydrates, calcium and lipids. Without the enzymes reinstalled by this formula, the body treats energy material like body tissue and seals it with other tissue like plaster.</i> |
| PRM CLC | PRIMARY CALCIDOSIS | | MVB | <i>This disease involves almost all calcium salt deposits. It blends with and blocks lymph causing lymph swelling. Take with GOO CLN.</i> |
| PRM CPL | PRIMARY CALCIUM PHOSPHOLIPIDOSIS | | MVB | <i>May help Rett's Syndrome. An inherited mal-processing of calcium and phospholipids which robs the brain of calcium needed for coordination of mind and muscle. There are jerky muscle movements, atelectasis (dried lungs causing shallow breathing, sometimes coughing), little ability to coordinate the digestive tract from tongue to rectum making difficult speech, digestion and bowel control. Take with GOO CLN.</i> |
| PRM CRB | PRIMARY CARBOHYDROSIS | | MVB | <i>A liver/pancreas problem of tying carbohydrates into masses that do not process out of the body. In addition to other separate liver and pancreas issues revolving around carbohydrate digestion, this could help many weight issues, alcohol intolerances and sugar issues. Take with GOO CLN.</i> |
| PRM CTG | PRIMARY CALCITONIN TRIGLYCERIDOSIS | | MVB | <i>Designed for Basedow's Goiter Disease. A malfunction of the enzymes and hormones causing an over-active thyroid in blood calcium consumption and an underactive thyroid for fat digestion. Subjects have an overactive thyroid when the thymus has a tumor and a net underactive thyroid without a thymus affliction. Although not always, they commonly have dry skin and like creamy food.</i> |
| PRM FOL | PRIMARY FOLLICOIDES | | MVB | <i>A disease of follicles that may be the primary coagulating factor of tumors. It clogs carbohydrates, may be part of the cause of grey hair and may affect menopause. Take with GOO CLN.</i> |
| PRM LIP | PRIMARY LIPIDOSIS | | MVB | <i>A scientifically unclassified form of lipid (fat) massing that adds to some weight issues. As it aims at the functions of the liver and pancreas, this may relate to several known diseases involving lipids. Take with GOO CLN.</i> |
| PRM MPL | PRIMARY MAGNESIUM PHOSPHOLIPIDOSIS | | MVB | <i>An inherited mal processing of magnesium and phospholipids which strongly distorts control of muscles. Often there are intestinal control difficulties from tongue to rectum plus dystonia (contraction of muscles). Speech is often affected. For afflicted children, take with DRG RES and GOO CLN.</i> |
| PRM PLP | PRIMARY PHOSPHOLIPIDOSIS | | MVB | <i>An intestinal/pancreas misfunction. This scientifically unclassified disease may lead to the solution for many known diseases. For instance, this may be the answer to Atelectasis, a disease that provides insufficient phospholipids to coat the alveolar of the lungs. The result is a parched condition of the lungs and bronchi that makes a person unable to get their breath. The bronchi obstructs and the breathing becomes very shallow. Take with GOO CLN.</i> |
| PRMS | PARA MS | 2-5 | VP | <i>Combination of Giardia and Nerve Viruses commonly see as dark spots by MRIs and mistaken for Multiple Sclerosis.</i> |
| PRO DIG | PROTEIN DIGEST | | MRV | <i>Undigested proteins can block kidneys and multiple other organs causing weight and bloating.</i> |
| PRO PIZ | PROSTATE PIZZAZZ | | MVB | <i>Thyroid-based problem controlling liver in a way that starves the prostate.</i> |
| PRONIS | PEYRONIE'S DISEASE | | MVB | <i>Painful erection because of contracture of fibrous induration of the corpora cavernosa (like Dupuytren's contracture of the palm).</i> |
| PROT M | PROTEIN MIASM | 10-12 | M | <i>Protein digestion and absorption that decreases with age.</i> |
| PRS CAP | PROSTATE CAPSULE SWELLING | | VF | <i>Common viral/fungal combination that causes the prostate capsule (covering sheath) to swell and mimic the swelling of the whole prostate.</i> |
| PRS ITS | PROSTATITIS | | MVB | <i>Swelling of the prostate is like asthma of the lung. The conditions for both potentials are in the liver. This is a liver remedy and there may be feelings of contractions in the liver as it works. Works well w/PHS BAL.</i> |
| PRS REG | PROSTATE REGENERATION | | MVB | <i>A condition of the thalamus blocking the posterior pituitary from sending tissue-building hormones to the prostate. Often a prostate disease starts because of this starvation. Remedy is not designed to affect erection or sperm production.</i> |
| PRT BLD | PROTEIN BLOOD | | M | <i>IgA Immunoglobulin Deficiency related to respiratory (i.e. asthma), rheumatoid (i.e. lupus) and mal-processing of a number of proteins.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|---------------------------------------|-------|------------|---|
| PRTD AD | PARATHYROID ADENOMA | | MVF | <i>Growth on the parathyroid that may adversely affect energy, (see HASHIM), calcium conversion for teeth (see TRD CAL) and health of thyroid (see CAR TRD)</i> |
| PRTD TM | PARATHYROID TAMING | | MV | <i>When the potassium balance is off, the kidneys don't convert calcium in a way that blocks up the pancreas and causes weight.</i> |
| PRTNOS | PROTEINOSIS | | ENZ | <i>An enzyme group that dissolves unusable protein out of the blood stream. Commonly used with PRM AMY, THK AD, and all of the THK series. Excess and usually unusable (adulterated) protein makes a person lethargic and requires great effort to get started in the morning. Especially after eating, you may feel like a deflated balloon with unusable protein.</i> |
| PSM | PSORA/SYPH/MED | 10-12 | M | <i>Psora mixed with the most classical of other miasms</i> |
| PSORA | PSORA | 10-12 | M | <i>Psora is the classic homeopathic inherited condition of lacking</i> |
| PSORIS | PSORIASIS | | MVB | <i>Syphilinum-based remedy for the well-known crusty skin disease.</i> |
| PSR ART | PSORIC ARTHRITIS | | MVB | <i>Another name for Reiters, or transitory arthritis that often involves very scaly/flaky skin eruptions</i> |
| PSR COL | PSORA CHOLERA | | M | <i>Doubled miasm usually depleting adrenals. Look for a mineral malassimilation, depression of Hydrochloric acid and chronic tiredness</i> |
| PSR HRP | PSORIC HERPES | 10-12 | MV | <i>A combination of Psora (the deep base of Psoriasis with Syphilinum) and Shingles cause great, welty raw itching</i> |
| PSR MED | PSORAMEDORRHINUM | 10-12 | M | <i>Combination miasm that may work best with all Gonorrhea miasmic needs.</i> |
| PSR SYF | PSORASYPHILINUM | 10-12 | M | <i>Combination miasm that may work best with all Syphilis miasmic needs.</i> |
| PSR TUB | PSORATUBERCULINUM | 10-12 | M | <i>Combination miasm that may work best with all Tubercular miasmic needs.</i> |
| PT PAP A | PITUITARY PAPILLOMA ASTER | | V | <i>Growth inside the tiny pituitary that thwarts pituitary function and highly contributes to excess weight and other pituitary malfunctions</i> |
| PT SK CS | PITUITARY SACK CYST | | MVB | <i>Cyst growth on the enveloping sack of the pituitary that crowds the function of the pituitary. Hormonal difficulties (extending to thyroid and adrenals) are the result and for each person they differ, depending on what area is pressured.</i> |
| PTRD VR | PARATHYROID VIRUS | 1-4 | V | <i>Parathyroids control calcium distribution (Kidney Stones) and can drain Thyroid (hormones, energy)</i> |
| PUF ORG | PUFFED ORGANS | | MV | <i>Chronic Myelofibrosis makes abdominal organs expand. In corpus collosum, makes dizziness, imbalance</i> |
| PUFOMA | PUFFOMA | | MVF | <i>Brain blockage that traps waste in cells and makes them "puff" and coagulate with each other in weight.</i> |
| PULAP | PULMONARY AIVEOLAR PROTEINOSIS | | MVB | <i>Inherited combination of lung and liver issues. Subject usually has gas-producing digestion and gradually decreasing lung capacity</i> |
| PURGE | PURGE | | | <i>Thyroids need to be cleared and fed for some forms of healing.</i> |
| PYELIT | PYELITIS | | D | <i>Congenital chronic infection of kidneys causing destruction/atrophy. Often accompanied with urinary tract infection and bladder difficulties. Adds to high blood pressure and altitude sensitivity.</i> |
| R A G | RAGE | | E | <i>Most do not identify with the intensity of the word, but carry the consuming negativity in a way that shapes the whole life.</i> |
| R COR VR | RAT CORONA VIRUS | | V | <i>Acquired airborne virus from the stirring of rat droppings suppresses the pancreas via the parathyroid. Lipid (cellulite) weight is the result</i> |
| RAB CAR | RHABDO CARCINOMA | | MVB | <i>Like Rhabdo Sarcoma, this is a highly malignant, diffuse, rabies-related tumor spreading through striated muscle cells causing tissue and organ destruction. This seems to be spread to a wider variety of areas than RAB SRC.</i> |
| RAB MYS | RHABDO MYO SARCOMA | | MVB | <i>Compound lump led by the rhabdovirus. Most often found in muscles, connective tissue, genitals and intestines.</i> |
| RAB SRC | RHABDO SARCOMA | | MVB | <i>Highly malignant, diffuse rabies-related tumor spreading through striated muscle cells causing tissue and organ destruction. Occurs more frequently in head and neck plus commonly found in genitourinary tract, extremities, body wall and retroperitoneum.</i> |
| RABOMA | RHABDOMYOMA | | MVB | <i>Tumor usually of the striated muscle, commonly found in uterus, vagina, pharynx, tongue and heart. Usually related to dog or other animal bite often very long ago.</i> |
| RAD BRN | RADIATION BRAIN | 2-6 | C | <i>Radiation collecting in head causes sleeplessness, fuzzy thinking and headaches. Usually seen with RAD MIA, perhaps mobile phones</i> |
| RAD CAR | RADIATION CARCINOMA | | C | <i>Destruction of cells caused by radiation. Often used with RAD BON and other radiation remedies.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--------------------------------------|------|-----|---|
| RAD COG | RADIATION CONGESTION | 3-9 | MVC | May well be a brain tumor or tumor in the making. Usually seen with RAD MIA, probably mobile phones |
| RAD ENT | RADIATION ENTERIDITIS | 2-5 | CB | A form of cancer in organs from nuclear radiation, abundant x-rays and even computer screens for those who smoke. |
| RAD HRT | RADIATION HEART | | C | <i>Common in frequent flyers, so included in Flyers Heart. Could now come from many more sources than airplanes</i> |
| RAD MIA | RADIATION MIASM | 9-11 | M | Inherited bone weakness caused by sun radiation, nuclear or x-ray damage of the bone and marrow |
| RAD MIT | RADIATION MITOPLASMOMA | | MVB | <i>A swelling of mitoplasmas (thread-like blood plasma) that thickens blood in the radiation spectrum of light. It increases with radiation "therapy", causes the liver and spleen to swell like a papoose. When RV ISY is involved the condition is cancerous.</i> |
| RAD PIT | RADIATION PITUITARY | | C | <i>From proximity to nuclear power or waste. Causes darkening of teeth and decay of teeth nerves</i> |
| RAD RES | RADIATION RESIDUE | 2-7 | R | Often the saw dust around bones representing effect of radiation deterioration of bones. |
| RAD SKN | RADIATION SKIN | | C | <i>Leaving no marks this condition makes dry skin and sensitivity to tv, computer and electrical radiation.</i> |
| RAYON | RAYON | | C | <i>Allergies to rayon material</i> |
| RBF M | RAT BITE FEVER MIASM | | M | <i>Miasm attracts lymph blockage, other rat-borne diseases and generally is behind some issues of weight.</i> |
| RC CP | RUBCOXCHICK | 3-7 | RVB | Rubella, Coxsackie, Chicken pox - Usually found on weak adrenals and Addison's. |
| RDC | RDC | 3-7 | RBV | Rubella/ Diphtheria/ Coxsackie - The inherited predisposition to Breast Cancer |
| REC HAR | RECEDING HAIR LINE upgr | | MVB | <i>Hair regain formula w/added remedy for hair-eating bacteria. For loss including the U shape that forms on some heads.</i> |
| RED SPT | RED SPOTS | | MVC | <i>Chronic Myelomonocytic Leukemia (CMML) makes small red spots mostly on abdomen which shows spleen bleeding in leukemia</i> |
| REJOIN | REJOIN | | E | <i>For those who carry deep thoughts, usually buried, of ABANDONMENT and/or DESERTION</i> |
| REN OST | RENAL OSTEODYSTROPHY | | MVB | <i>A metabolic bone disease causing decreased Vit D3 conversion (vit D3 is a major prostate food) which causes or contributes to mineral malabsorption, low plasma calcium, electrolyte loss; bone hardening in sacral area, vertebrae and base of skull.</i> |
| REO | REO | 1-4 | V | A mysterious virus that seems to couple with Coccidioidomycosis (SAD) in the pineal. |
| RES ADR | RESTORE ADRENALS | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES BRC | RESTORE BRONCHI | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES BRS | RESTORE BREAST | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES CER | RESTORE CEREBELLUM | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES CLB | RESTORE CENTRAL LOBE | | MR | <i>Correction of a slowly deteriorating condition of the area, which forms the growing field for cancer.</i> |
| RES CRS | RESTORE CEREBRAL SHEATH | | MR | <i>Correction of a slowly deteriorating condition of the sheath, which forms the growing field for cancer. Can block thoughts from getting to motor nerves.</i> |
| RES CSF | RESTORE CEREBRAL SPINAL FLUID | | MR | <i>Correction of a slowly deteriorating condition of the fluid, which forms the growing field for cancer.</i> |
| RES ELS | RESTORE ELASTIN | | MR | <i>Correction of a slowly deteriorating condition of the skin/muscle substance, which forms the growing field for cancer.</i> |
| RES EPI | RESTORE EPITHALAMUS | | MR | <i>Correction of slowly deteriorating condition of the organ so vital to hormone production.</i> |
| RES EYE | RESTORE EYE | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer. Use with other eye remedies.</i> |
| RES FLB | RESTORE FRONTAL LOBE | | MR | <i>Correction of a slowly deteriorating condition of the area, which forms the growing field for cancer. Usually seen with obesity.</i> |
| RES GNG | RESTORE GANGLION | | MR | <i>Correction of a slowly deteriorating condition of the nerve intersection, which forms the growing field for cancer. Used with Shy-Drager Syndrome</i> |
| RES HRT | RESTORE HEART | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|--------------------|---------------------------------------|--|----|--|
| RES HYP | RESTORE HYPOTHALAMUS | | MR | <i>Correction of slowly deteriorating condition of the organ so vital to hormone production.</i> |
| RES INT | RESTORE INTESTINES | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES KID | RESTORE KIDNEYS | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES LGB | RESTORE LIVER AND GALL BLADDER | | MR | <i>Correction of a slowly deteriorating condition of the organs, which forms the growing field for cancer.</i> |
| RES LIV | RESTORE LIVER | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer. See also RES LGB</i> |
| RES LND | RESTORE LYMPH NODES | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES LNG | RESTORE LUNGS | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES MEM | RESTORE SHORT-TERM MEMORY | | MR | <i>Correction of a slowly deteriorating condition of the medulla oblongata, which forms the growing field for cancer.</i> |
| RES N&S | RESTORE NOSE & SINUS | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES NC | RESTORE NERVE CHANNELS | | MR | <i>Correction of a slowly deteriorating condition of the pathways of nerves, which forms the growing field for cancer.</i> |
| RES NOS | RESTORE NOSE | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer. See also RES N&S.</i> |
| RES NRV | RESTORE NERVES | | MR | <i>Correction of a slowly deteriorating condition of the nerves, which forms the growing field for cancer.</i> |
| RES NSN | RESTORE NERVE SYNAPSE | | MR | <i>Correction of a slowly deteriorating condition of the connection, which forms the growing field for cancer.</i> |
| RES OLB | RESTORE OCCIPITAL LOBE | | MR | <i>Correction of a slowly deteriorating condition of the area, which forms the growing field for cancer.</i> |
| RES OVR | RESTORE OVARIES | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES PAN | RESTORE PANCREAS | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES PIT | RESTORE PITUITARY | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer. Often seen with pear-shaped bodies.</i> |
| RES PLB | RESTORE PARIETAL LOBE | | MR | <i>Correction of a slowly deteriorating condition of the area, which forms the growing field for cancer.</i> |
| RES PON | RESTORE PONS | | MR | <i>Correction of a slowly deteriorating condition of the area, which forms the growing field for cancer. The pons has much to do with the ability to demonstrate love.</i> |
| RES PRS | RESTORE PROSTATE | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES SIN | RESTORE SINUS | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer. See also RES N&S</i> |
| RES STM | RESTORE STOMACH | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES TES | RESTORE TESTICLES | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES THL | RESTORE THALAMUS | | MR | <i>Correction of slowly deteriorating condition of the organ so vital to hormone production.</i> |
| RES TLB | RESTORE TEMPORAL LOBE | | MR | <i>Correction of a slowly deteriorating condition of the area, which forms the growing field for cancer.</i> |
| RES TRD | RESTORE THYROID | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RES UTR | RESTORE UTERUS | | MR | <i>Correction of a slowly deteriorating condition of the organ, which forms the growing field for cancer.</i> |
| RESLES | RESTLESS | | | <i>A combination of the vibrations of licorice root (for adrenals) and wild cherry bark (for pituitary). Intended for the times when you burn the candle at both ends and are exhausted (because the activity drained the adrenals and pituitary). A large help for hot flashes.</i> |
| RESTOR | RESTORE | | E | <i>VIOLATION antidote to restore the dignity that is felt damaged (often sexually) or by authority figure.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---|-------|------------|--|
| RET CAR | RETICULOCYTE CARCINOMA | | MVB | <i>A carcinoma of reticulocytes that may show up in numerous glands.</i> |
| RET COF | RETICULAR CYLINDRO OSTEO FOLLICULAROMA | | MVB | <i>A lump of reticular cells, bone cells and follicular cells bundled with cylinder cells usually only seen in the jaw area. Feels like a contraction in the jaw, teeth and parts of the throat.</i> |
| RET MAL | RETICULOCYTE MALADY | | MVB | <i>A malformation of the reticulocyte cells in the bones.</i> |
| RET NOT | RETINAL KNOT | | MVF | <i>Retinal Hemangiomas- Stoppage in the blood flow to the retina that balls up like a tumor of blood with little tissue</i> |
| RET PEN | RETICULOPENIA | | MVB | <i>A miasmatic condition of producing insufficient reticulocytes (one of the forms of red blood cells). Reticulocytes are needed especially for combating infection, for full nutrition and oxygen carriage (high altitudes). See also RET MAL, RET CAR, RET SRC, RETOMA, ERY LUK, ESN LUK.,</i> |
| RET PIG | RETINOSA PIGMENTOSA i | | MV | <i>Improved version of eye condition involving Cytomegalovirus in the eye. The same condition in the adrenals causes mononucleosis.</i> |
| RET RAD | RETROVIRUS | 1-3 | CV | <i>A double bind of Retrovirus and radiation makes everyone tired and foster other diseases. Wide-spread</i> |
| RET SRC | RETICULOCYTE SARCOMA | | MVB | <i>Sarcoma of reticulocytes, often with RET PEN, RET MAL, RETOMA.</i> |
| RETOMA | RETICULOCYTOMA | | MVB | <i>A lump of reticulocytes that may show up in many organs.</i> |
| RETROM | RETROVIRUS MIASM | | M | <i>Attracts retroviruses that bind issues into tumors and lumps</i> |
| REV | REVIVE | 1-4 | VB | <i>Very serious liver and liver-related diseases need to revive. Very powerful.</i> |
| REVENG | REVENGE | 4-12 | E | <i>Usually a deeply buried, previous existence motivation for anger and actions that possessor does not trace to revenge.</i> |
| REYES | REYES | 4-9 | RVB | <i>Familiar weakness in the heart from early pneumonia and aspirin combination, often undiagnosed</i> |
| RICKO | RICKO VIRUS | 3-5 | V | <i>A virus lodges in the gall bladder thwarting its ability to assimilate vitamin D and feed the bones (and prostate)</i> |
| RMDC | RUBMEADIPC | | RV | <i>Rubella/Measles/Diphtheria/Coxsackie</i> |
| RMTC | RHEUMATIC FEVER | 3-12 | R | <i>Sickness or residue that causes later heart/lung weaknesses.</i> |
| ROOTIN | ROOTIN TOOTIN | | MVF | <i>Adrenal-based remedy for Aldosterone Synthesis unblocking. (aldosterone is the substance from which all endocrine hormones are made from. Designed for people to be rooting for root chakra activities and tooting their horn about their new-found energy.</i> |
| ROSAC | ROSACEA | 3-7 | RB | <i>Red rash in cheeks, chin and other parts of face, usually around mid life. "Adult acne".</i> |
| ROTA | ROTA VIRUS | 1-4 | V | <i>Frequent cold/flu like debilitator world wide that prefers to attack in late summer/early fall.</i> |
| RP PLUG | RENAL/PITUITARY PLUG | | M | <i>Brain part of cause for clogging of kidneys and weight/water retention.</i> |
| RSV | RESPSYN VIRGO | 3-7 | V | <i>Respiratory Syncytial Virus commonly caught by babies in pediatrics wards, carrying into adult respiratory problems.</i> |
| RTC ABC | ROOT CANAL ABCESS | | MFC | <i>The major elements of root canal rot, including some of the antidotes for drugs involved in the process</i> |
| RUB CER | RUBELLA CEREBELLUM | | RB | <i>A variation on a well-known brain disrupter. Look for this in dementia and Alzheimers (with other brain remedies)</i> |
| RUM ART | RHEUMATOID | 10-12 | MVB | <i>BON INF with Klebsiella Pasturella (used with Retro virus remedies.) Follow with MEMDRB & TUBMED.</i> |
| RUM BON | RHEUMATIC BONE | 4-11 | RV | <i>Inherited issues in bone joints. See also Rheumatic Arthritis</i> |
| RUM HRT | RHEUMATIC HEART | | MB | <i>Inherited weakness in heart muscle and valves</i> |
| RUM NUM | RHEUMATIC FEVERINUM | | M | <i>Miasm that may be involved in bone, heart, brain, liver, kidneys and endocrine organs</i> |
| RUN NOS | RUNNY NOSE | | VBF | <i>Includes NS FNG and several viruses that effect the nasal area.</i> |
| RV ANDY | RETROVIRUS ANDROGENS | | V | <i>A retrovirus often seen with lumps on endocrine glands.</i> |
| RV BACT | RETROVIRUS BACTY | | V | <i>Rare retrovirus that combines with bacteria, instead of viruses, to turn your good cells into bad.</i> |
| RV BLDY | RETROVIRUS BLOODY | | V | <i>Initially seen with reticulocyte sarcoma and reticulocyte carcinoma.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--------------------------------|-----|------------|---|
| RV BONY | RETROVIRUS BONY | | MVB | <i>A retrovirus that seems to favor OST CAR, OST SRC, OSTOMA.</i> |
| RV BUMP | RETROVIRUS BUMPY | | V | <i>Retrovirus most known to get in nodules on bone joints causing pain to the touch.</i> |
| RV CLOG | RETROVIRUS CLOGGY | | V | <i>Undiscovered retrovirus in medicine connected to snoring, sleep apnea, metabolizing and low blood pressure (w/MAAD, MEN __)</i> |
| RV CRNK | RETROVIRUS CRANKY | | V | <i>Often involved in massing/tumor issues of brain and heart - but not exclusively to these organs</i> |
| RV DENY | RETROVIRUS DIENCEPHALON | | V | <i>Rare retrovirus found only in diencephalon (hypothalamus. thalamus. epithalamus)</i> |
| RV ENZY | RETROVIRUS ENZYMES | | V | <i>An unusual retrovirus that acts like any other retrovirus and may especially be drawn to situations that highly involve enzyme production.</i> |
| RV FOAM | RETROVIRUS FOAMY | | V | <i>Spumavirinae Retro -Often involved in massing/tumor issues with little specifics known</i> |
| RV GLIA | RETROVIRUS GLIA | | V | <i>A specialized retrovirus applying to lumps on nerves. The virus causes burning in the nerves like nickel causes a burning feeling in the blood stream.</i> |
| RV HOMY | RETROVIRUS HOMY | | V | <i>A retrovirus usually seen in the head, in the home of the nerve and hormonal area.</i> |
| RV ISY | RETROVIRUS ISOTOPE | | V | <i>A retrovirus usually seen with radiation diseases or conditions, such as Radiation Mitoplasmoma.</i> |
| RV LENT | RETROVIRUS LENTI | | V | <i>Well known, slow acting retrovirus suspected in lymphatic issues with inconclusive scientific proof</i> |
| RV LMF | RETROVIRUS LYMPHY | | V | <i>Supposed uncommon retrovirus of a supposed bird origin and known to be in bird lymph systems.</i> |
| RV LUMP | RETROVIRUS LUMPY | | V | <i>Retrovirus known to complicate inner tumors of the adrenals and thyroid. Included in the MEN remedies</i> |
| RV NERV | RETROVIRUS NERVY | | V | <i>May have strong implications with some nerve diseases</i> |
| RV NEW | RETROVIRUS NOUVEAUX | | V | <i>Unclassified retrovirus that is associated with antibiotic shots</i> |
| RV POLO | RETROVIRUS POLIO | | V | <i>Since polio means "gray matter of nerves", this is a very specific nerve retrovirus</i> |
| RV PUSH | RETROVIRUS PUSHY | | V | <i>Often involved in massing/tumor issues of brain and thyroid - but not exclusively to these organs</i> |
| RV ROUS | RETROVIRUS ROUSY | | V | <i>The first retrovirus demonstrated to cause a malignant tumor</i> |
| RV SCRN | RETROVIRUS SCRUNCHY | | V | <i>An unclassified retrovirus first found holding papilloma in reproductive organs</i> |
| RV SHIF | RETROVIRUS SHIFTY | | V | <i>Retrovirus that seems to move around taking its problems from one organ to another</i> |
| RV SQEL | RETROVIRUS SQUELCHY | | V | <i>Undiscovered retrovirus that seems to squelch otherwise good hormones. First used with HW Suppressor relevant to adrenals</i> |
| RV STEM | RETROVIRUS STEAMY | | V | <i>Retrovirus involved in weight holding. Steams up the people who want to lose weight</i> |
| RVEB | RETROVIRUS EPSTEIN BARR | | V | <i>Common combination seen with bones, AIDS and some forms of cancer</i> |
| S EYES | STRONG EYES i | | MVF | <i>Improved version of condition of eye deficiency related to age.</i> |
| SAD | S.A.D. | 1-5 | F | <i>Seasonal Affected Disorder. Fungus that causes depression. People call themselves "solar powered".</i> |
| SAFE | SAFE | | E | <i>For those who deeply do not feel safe in the earth plane or safe to be alive in human form. Sometimes may accompany with SCHIZ</i> |
| SARCOI | SARCOIDOSIS | | MVF | <i>A medically ill-defined irritation of multiple possible organs that never quite lets that organ heal, especially liver, lungs, intestines.</i> |
| SBMOMA | SPONGIOBLASTO MELANOMA | | MVF | <i>On the visible skin it appears as a mole-like swelling, although often larger in circumference and raised area more than "regular" moles. Can also be found internally.</i> |
| SCHWAN | SCHWANNOMA | | MVB | <i>Encapsulated lump in the neurilemma (Schwann's sheath) of peripheral, cranial and autonomic nerves. One of most common lumps in nerve problems. Can look like a beeb under the skin when on nerve close to skin.</i> |
| SCL DWN | SCALE DOWN | | MVF | <i>Quasi cancer of the adrenal medulla affecting skin/tissue weight.</i> |
| SCOLI | SCOLIOSIS | | MV | <i>Tuberculinum-based improvement of previous success</i> |
| SCR FEV | SCARLET FEVER | 7-9 | R | <i>A residue (or actual case) Missing link in lupus and some cases of herpes. Check also CPCD,SWT VIR, CAN PAN, PAN BLD, TOXO, PAN FLK.</i> |
| SCR HRP | SCARLET FEVER | 3-7 | RB | <i>When all the teeth/gums seem to go bad. Also often involved in hearing loss with age.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|---|-------|-----|--|
| SE | SALMONELLA ENTERITIDIS | 1-3 | B | Reputedly widespread throughout, but rarely shows up alone - usually in combination with something else |
| SE FULL | SE FULL | 1-3 | BV | Salmonella Enteritidis/Hepatitis A/Hepatitis B/Coxsackie - Needs either ChemX and/or Liv Dtx (liver flukes?) to accompany. |
| SE HALF | SE HALF | 1-3 | BV | Salmonella Enteritidis/Hepatitis A/Coxsackie - Needs either ChemX and/or Liv Dtx (liver flukes?) to accompany. |
| SE REAL | SE REAL | 1-3 | BV | Salmonella Enteritidis/Hepatitis B/Coxsackie - Needs Either Chem X and/or Liv Dtx (liver flukes?) to accompany |
| SEA SC | SPLEEN ENZYME ALTERATION - SERUM CLEANSE | | MVB | <i>Releases an enzyme the cleans the immunity/vaccination medium of the serum. The result increases the immune response to colds, flus and more serious issues. Regulates high and low blood pressure.</i> |
| SEE ASG | SEE ASTIGMATISM | | MVB | <i>For the cause of astigmatism</i> |
| SEE CLS | SEE CLOSE | | MVB | <i>For those who are far sighted and want to see up close (without glasses).</i> |
| SEE FAR | SEE FAR | | MVB | <i>For those who are near-sighted and want to see far into the distance (without glasses).</i> |
| SEN ADR | SENSITIVE ADRENALS | 7-12 | MVB | Miasmatic condition making people emotionally overly sensitive to comments, possible slights,etc. - like an emotional hypochondriac |
| SEN LIV | SENSITIVE LIVER | | MVB | <i>Liver irritation that makes person very sensitive to abrupt sounds, yelling kids, spicy foods and messy environments.</i> |
| SEN OVR | SENSORY OVERLOAD | | MVB | <i>An inherited nerve condition where neurons move slower than the input. Too many things to do, too many demands, too many activities can make you occasionally forgetful, panicky and even numb.</i> |
| SEN SEN | SENSIBLE SENSUALITY | | MVB | <i>Adrenal Medulla, bilateral, hormone (yet to be discovered by science) for feeling the enjoyment of being your gender.</i> |
| SEP | SEIZURE ENZYME PANCREAS | | MVB | <i>The remedy for the blocked ability of the an enzyme synthesized in the pancreas that feeds the brain (mostly the pituitary). The lack of the enzyme creates a genetic disposition to seizures often starting in childhood and resuming with pancreas affliction</i> |
| SER REP | SERUM REPLENISH | | MT | <i>Helps conversion and assimilation of Oxygen and Nitrogen into all cell tissue</i> |
| SF CL AL | SYPHILINUM/ALCOHOLINUM | | M | <i>Miasmatic Liver condition that will seriously affect liver function and intestinal digestion</i> |
| SF CL CO | SYPHILINUM/CHLAMYDINUM/ CHOLERINUM | | M | <i>Miasmatic condition affecting liver and its ability to process specific amino acids</i> |
| SF CL EC | SYPHILINUM/CHLAMYDINUM/ ESCHERICHINUM | | MVB | <i>Liver miasms that are used in combination with other remedies to restore the ability to break protein into usable amino acids.</i> |
| SF CL ER | SYPHILINUM/CHLAMYDINUM/ERGOTULINUM | | M | <i>One of possible miasmatic liver conditions at the base of Crohn's and/or Sprue. Attracts ergot and may make unhappy personality prone to anger</i> |
| SF CL LP | SYPHILINUM/CHLAMYDINUM/ LEPROSINUM | | MVB | <i>Liver miasms that are used in combination with other remedies to restore the ability to break protein into usable amino acids.</i> |
| SF CL MD | SYPHILINUM/CHLAMYDINUM/ MEDORRHINUM | 10-12 | M | <i>Spliced miasms of Syphilinum/Chlamydinum/Medorrhinum affecting eyes and giving vision problems and probably Cystic Fibrosis in its many locations</i> |
| SF CL MX | SYPHILINUM/CHLAMYDINUM/MYXINUM | | M | <i>Mal-digestion based in liver. Could combine with any of digestive disorders and liver conditions.</i> |
| SF CL PN | SYPHILINUM/CHLAMYDINUM/ PENICILLINUM | | MVB | <i>Liver miasms that are used in combination with other remedies to restore the ability to break protein into usable amino acids.</i> |
| SF CL TB | SYPHILINUM/CHLAMYDINUM/ TUBERCULINUM | 10-12 | M | <i>Spliced miasms of Syphilinum/Chlamydinum/Tuberculinum affecting eyes and giving vision problems and probably Cystic Fibrosis in its many locations</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|---|------|-----|---|
| SF D C | SCARLET FEVER/ DIPHTHERIA/COXSACKI | 3-9 | RBV | Infection often in head from Strep that bound to hearing, visual or taste apparatus. |
| SHD LOT | SHED LOTS | | MVB | <i>For weight that looks like cellulite upon cellulite and enough to pose a health hazard to the heart and make walking very difficult.</i> |
| SHEATH | SHEATH BUILD | 9-12 | MVB | Inherited decrease in lecithin assimilation so that the myelin sheath of nerves dissolves leaving person open to MS, ALS and other nerve diseases. Person is frequently sensitive to loud sounds |
| SHIG | SHIGELLA | 1-3 | B | Bacteria most known for intestines. Binds Staph and/or Strep anywhere. Binds kidney stone and metals in kidneys. |
| SHK FRE | SHAKE FREE | 4-9 | MB | Involvement in some Palsy, Senility, Epilepsy, Sugar Imbalance, Convulsions, Protein craving and Adrenal/Pancreas connection |
| SHP | SPIROCHETE/HANTA/P ARVO | 1-4 | PV | Parasite-born virus that love to be in kidneys, (especially of young women). |
| SIC CEL | SICKLE CELL | | MR | <i>A form of Thalassemia most known from Africa. Also shows up in other races. Deadly when a person also has leukemia.</i> |
| SILC | SILICONE X | 3-9 | C | Silicone breast implants and general silicone picked up in the air of factories, etc. |
| SIN ATR | SINOATRIAL DISEASE | | MVB | <i>Also called the sinus nodes, this bundle of nerves in the heart forms an intrinsic pacemaker. Disturbances here cause irregular heart beat with varying degrees of low blood pressure (even when High Blood Pressure is the norm). See also AVN NOD, NIT.</i> |
| SIN FNG | SINUS FUNGUS | | F | <i>Blocks sinus and spreads to whole head, feeling your head is your sinus and suffers accordingly</i> |
| SINO #1 | SINUS INFECTION | | VB | <i>One of several common infections of the sinus. This one involves Respiratory Syncytial Virus along with Serratia +</i> |
| SKN BLD | SKIN BLOOD | | MV | <i>IgE Immunoglobulin Deficiency. No resistance to staph infections, particularly of the skin</i> |
| SKN BMP | SKIN BUMPS | | MRV | <i>An unidentified disease of the epithelium - one of the layers of the skin. The disease forms the basis of most warts, corns, moles and lymphomas.</i> |
| SKN CTC | SKIN CONTRACT | 8-11 | BV | Along with, Bone Hard, this forms the basis of strategy for Scleroderma . . . and other skin conditions. |
| SKN NRV | SKIN NERVE VIRUS | | V | <i>Contributes to some skin conditions that are not solely bacterial or fungal.</i> |
| SKN PCH | SKIN PATCH | 9-10 | MBF | Dry patches of skin that can turn into carcinomas have long alluded easy cure |
| SKN RNW | SKIN RENEW | | MVB | <i>For keratinocyte recycling. Keratinocytes are epidermal cells that synthesize keratin, other proteins and sterols. They constitute 95% of the epidermis and are made in the bone. When these cells diminish in ability, skin ages; moles, warts etc grow and pigment changes. This formula is to restore the recycling. Take with other skin remedies, eye remedies.</i> |
| SKN TAGi | SKIN TAGS IMPROVED 5/02 | | VF | <i>Straggly, small fleshy growths from the skin, often but not always without color. Commonly they appear in clusters on the neck, but can easily appear anywhere on the body.</i> |
| SLF | SHEEP LIVER FLUKES | 3-7 | PV | Often in allergy cases that hang on and in liver weaknesses. |
| SLF DES | SELF DESTRUCTION | | E | <i>A judgment on our selves that impels us to sabotage our own successes and even try to kill us physically and/or emotionally</i> |
| SLIMR | SLIMMER | | RB | <i>Quasi cancer of adrenals affecting weight and energy. Generally good for approximately 20 lb if it tests for you.</i> |
| SLMST | SLIMMEST | | MVB | <i>Activates the digesting mechanism, releases a pituitary papilloma (which has previously suppressed the adrenals). Essentially releases elements in the bones, blood, pituitary and adrenals.</i> |
| SLP APNi | SLEEP APNEA i | | MVB | <i>Stronger, deeper version of current remedy. Includes the elements of improved SNOR</i> |
| SLP SPR | SLEEP SPURTS | | VB | <i>Catches sleep in bits and pieces. Rota based formula</i> |
| SLP WEL | SLEEP WELL | | MFB | <i>Shrinks a swollen epiglottis and helps sleep without snoring. May stop sleep apnea</i> |
| SMARTS | SMARTS | | MVF | <i>Unblocks the hippocampus role of producing new brain cells. Use in dementia and alzheimers</i> |
| SMK DES | SMOKING DESIRE | | VF | <i>Aimed at the binder of the smoke fungus that binds endorphines, which is the cause of the desire to smoke.</i> |
| SMK FNG | SMOKING FUNGUS | | F | <i>Fungus formed by cigarettes that blocks endorphines in the brain until the fungus is fed by more cigarette smoke. Do you hear addiction?</i> |
| SML CEL | SMALL CELL LEUKEMIA | | MVF | <i>Causes small cell carcinomas that spread to many organs swiftly</i> |
| SML POX | SMALL POX RES | 6-9 | R | Small Pox is involved in many chronic conditions including herpes (built into HG formula) and diverticulitis (with CRPSPO & HEL ATR) |
| SMNOMA | SEMINOMA | | MVB | <i>A lump in the seminole gland of males. Tel-tale symptom is a change in color of semen from clear/white to darker color.</i> |
| SNORi | SNORE VIRUSi | | RV | <i>The former elements plus new discoveries that make the remedy more effective.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|------------------|--|-----|-----|--|
| SNW VIR | SNOW VIRUS | | V | <i>Calcvirus (like Norwalk) causing gastrointestinal problems, shallow breathing when in the nerves of the diaphragm, kidney weakness, mimics arthritis in hips and ankles. Active in cold weather, carried by moisture, although not dependent on snow.</i> |
| SOD CRB | SODIUM CARBONATE | | MVF | <i>Miasmatic brain formula that helps body retain sodium for energy, gall bladder salt exchange, heart, lungs, energy. See SOD REP.</i> |
| SOD FCF | SODIUM FLUORIDE CHLORIDE FORMALDEHYDE | | C | <i>Lethal municipally treated water and food combination that can impair brains.</i> |
| SOD REP | SODIUM REPLENISH | | MBF | <i>Miasmatic brain formula that helps body retain sodium for energy, gall bladder salt exchange, heart, lungs, energy. See SOD CRB</i> |
| SOD SAV | SODIUM SAVE u | | MVF | <i>Sodium depletion causes vascular constriction, reduces Vit D absorption, nullifies sexual hormones and imbalances electrolytes. Adrenals/Kidneys</i> |
| SOUP RT | SOUP'S RIGHT | | MVB | <i>When all the ingredients are in the right proportions, the "soup's right". This formula is aimed at removing the standard blocks to getting the right mixture of elements, including acetylcholine, for nerve function.</i> |
| SP C P | SMALLPOX/COXSACKI E/ PHOSPHITE | | R | <i>Combination found in the pancreas that prevents the pancreas from distributing calcium in the correct form for metabolization</i> |
| SPARKY | SPARKY | | MBF | <i>Aimed at Pick's Disease, which could be called a base issue of dementia from which additions could equal Alzheimers</i> |
| SPGOMA | SPONGIOBLASTOMA | | MVB | <i>Similar to a glioblastoma, a lump composed of spongioblasts, embryonic epithelial cells that develop around the neural tube and transform into cells supporting connective tissue of the nerve cells.</i> |
| SPIR MN | SPIRILLUM MINUS | | P | <i>Spirochete variation more often seen in Asia, except it doesn't let geography limit it.</i> |
| SPL LMF | SPLEEN LYMPH | | MVF | <i>Disease of the spleen that disallows lymph movement, often marked by very reduced sweating</i> |
| SPN BFI | SPINA BIFIDA INTERNAL | | MVB | <i>A bulge in the spinal column that does not quite break out like full fledged spina bifida. Causes back strain and pain at slightest provocation</i> |
| SPN CLN | SPINE CLEAN | 2-6 | VB | <i>Spine Clean - Homeopathic of successful herbal combination to clear MS, MD, Huntington's, Parkinson's, Epilepsy.</i> |
| SPN FEV | SPINAL CORD FEVER | 2-7 | RV | <i>Blockages to full flow in the spine (which attract serious spinal diseases).</i> |
| SPN FGS | SPINE FUNGUS | 2-5 | F | <i>Phycomycosis - A subcutaneous fungus often around spine but also seen in nose, face or lung areas as lumps. Especially in memory loss.</i> |
| SPR CEF | SPIROCHETE ENCEPHALITIS | | BT | <i>A nerve/toxin from ticks makes a person achy, irritable, tired and somewhat paralyzes all functions from the central nervous system</i> |
| SPR DEL | 2001 SPRING DELIGHT | | VB | <i>"Flu" (not) courtesy of contrails. Starts as intestinal flu that travels to brain and settles in liver for sleeplessness. Mild sweats/chills. Mild to searing bronchial cough. Composed of Rota, G. Meningitis, Clostridium, Swine Pneumomegalovirus. Often wit</i> |
| SPR HAR | SPARSE HAIR upgraded | | MVF | <i>EXPERIMENTAL Hair regain formula w/added remedy for hair-eating bacteria. For thinning hair, male & female (like all remedies for hair)</i> |
| SPRUE | SPRUE | 7-9 | MVB | <i>A liver condition causing wheat intolerance. Accompany 1st of 3 to 6 bottles with Strep. See also SCR HRP & YEL HRP.</i> |
| SQA CEL | SQUAMOUS CELL CARCINOMA | | MVB | <i>Scab-like deterioration of skin usually in contained spots. See also TUB SCR</i> |
| SQUISH | SQUISHY SKIN LUMPS | 3-8 | F | <i>Benign, flexible, squishy lumps just under the skin that seem to multiply if surgically removed.</i> |
| SQUISH #2 | SQUISHY SKIN LUMPS#2 | | MBF | <i>This formula works best with ADENO D for yellow cysts that collect around the eyes.</i> |
| SQUISH #3 | SQUISHY SKIN LUMPS#3 | | MVF | <i>The first formula did not work as broadly as expected. This formula based on Cancer Miasm.</i> |
| SQUISH #4 | SQUISHY SKIN LUMPS#4 | | MVF | <i>The first formula did not work as broadly as expected. This formula based on Cancer Miasm.</i> |
| SRC CAR | SARCOCARCINOMA | | MVB | <i>Combination of quasi cancers that follow long term irritation of any part of the body.</i> |
| SRCOMA | SARCOMA | | MVB | <i>A quasi cancer that follows long term irritation of any part of body, especially liver/gb after parasites, kidneys that block up after medicines. Could be most anywhere. Check with different retroviruses</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|--------------------|-----------------------------------|-------|-------------|---|
| SRG TSU | STRONG TISSUE | | MRV | <i>Aimed at Ehlers Danlow Syndrome. Subjects often have hyperflexibility in different joints and unusual ability to pull folds of skin from body. When they sprain an ankle or other joint, pain is deeper and recovery time is longer than others by 3x+.</i> |
| SRG V&A | STRONG VEINS AND ARTERIES | | MVB | <i>Miasmic group including Diphtheria that may be behind a number of artery/vein narrowings attributed to age.</i> |
| SSP | SLEEPING SICKNESS PARASITE | 4-7 | P | <i>Trypanasoma or Chagas Disease. In areas of good nutrition people fight the tiredness from this thyroid disease and exhaust their adrenals.</i> |
| SSS | STAPH/STREP/SHIGELL A | 1-3 | B | <i>Common bacteria trio that bind each other in place. Involved with wide variety of infections like fungus and virus, especially in intestines.</i> |
| STEN VR | STENOSIS VIRUS | | V | <i>There is a virus that contracts heart valves, pulmonary arteries, parts of the pituitary channels and more.</i> |
| STF A#1 | STAPH AUREUS #1 | 2-6 | B | <i>Commonly found staph infection in heart valves and heart walls</i> |
| STF A#2 | STAPH AUREUS #2 | 2-6 | B | <i>Commonly found staph infection in heart valves and heart walls</i> |
| STF A#3 | STAPH AUREUS #3 | | B | <i>Causes considerable catarrh (fluid) in nose causing crusting and throat drainage when head is cold.</i> |
| STF ALB | STAPH ALBUS | 1-4 | B | <i>Well-known form of Staph infecting wounds, causing scars to stay pink and irritated. Usually "post operative".</i> |
| STF MUS | STIFF MUSCLE DISEASE | | MV | <i>Designed for Myotonia Congenita (Thompson's Disease). Painless muscle stiffness mostly in hands, legs and eyelids. Handgrip releases slowly. Improves with exercise. Leads to always tight muscles.</i> |
| STF/STR | STAPH/STREP | 1-3 | B | <i>Two common bacteria that can appear together.</i> |
| STK ADN | STUCK ADRENALS | 10-12 | MVF | <i>A group of miasms with residues for Addison-like long-term adrenal weakness. Includes Syphmed, RCCP and Blood Deprivation Virus</i> |
| STKADR2 | STUCK ADRENALS #2 | | MVF | <i>Based on Cholera Miasm, this improvement on the previous version may do more for slow adrenals</i> |
| STM HOR | STIMULATION HORMONES | | MRV | <i>This could be called a mesoderm glioma in the hypothalamus which blocks the infundibular stem between the hypothalamus and pituitary. It is also part of Arginine Vassopressin Secretion. In short, this can block in varying degrees the hormonal activation of the pituitary and adrenals</i> |
| STR | STREP | 1-3 | B | <i>Multiple kinds of strep together.</i> |
| STR BN | STREP IN BONE | 3-7 | B | <i>Involved in most cases of bone cancer and osteoporosis. See BON INF.</i> |
| STR DIG | STRESS DIGESTION | | MVB | <i>For the production of a liver-made enzyme for digestion that can be exhausted by thyroid and/or adrenals (stress).</i> |
| STR DIS | STEROID DISSOLVE | | | <i>Enzymes needed to dissolve steroids stuck in body from steroid injections</i> |
| STR FG A | STREP FUNGUS A | 2-5 | F | <i>Maduromycosis activated by Actinomycosis (the most common form of Maduromycosis).</i> |
| STR FG N | STREP FUNGUS N | 2-5 | F | <i>Maduromycosis activated by Nocardiosis. See IEL and IEV.</i> |
| STR PNM | STREP PNEUMONIA | 1-4 | B | <i>Combination of two bacteria that love lungs and bones</i> |
| STRON | STRONTIUM 90 | 1-4 | C | <i>Strontium 90 is a form of radiation fallout or contaminate of nuclear explosions or bombs (usually).</i> |
| STRS WT | STRESS WEIGHT | | VB | <i>Weight caused by a drain on the pituitary and adrenals that gathers pathogens of depletion.</i> |
| STUD | STUD | | MVB | <i>Combination of blockages aimed at restoring sperm strength. Not designed for erection issues.</i> |
| SUG BUG | SUGAR BUGAR | 10-12 | MRF | <i>Pancreas based miasm involving starch digestive problems</i> |
| SUG STO | SUGAR STORE | | MVB | <i>Glucose Malabsorption Disease - Insufficient digestion of sugar so that it stores as fat and blocks kidneys to cause edema. See also SUG BUG</i> |
| SUL SEN | SULFUR SENSITIVITY | | VBFB | <i>A common variety of pathogens in the liver that helps with the digestion of sulfur-rich food and helps with some skin issues involving sulfur</i> |
| SURV SS | SURVIVOR STRESS SYNDROME | | E | <i>This issue is usually deep in the subconscious, at the base of complex, interwoven life strategies. It is like a king pin remedy for difficult emotional problems. It spawns from fetal experiences when abortion was considered or attempted and there were conditions around gestation that made fetal survival questionable. The subjects are chameleon-like in their ability to do whatever it takes to (1) survive and (2) prosper. However prosperity is always only for survival and the person never seems to be happy about prosperity. Inner conflicts are usually as well-hidden as the stark fear of not surviving so that fear/stress is the only way of life known, until the issue is resolved. Diseases develop out of long-term stress.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|--------------------|--------------------------------|-------|------------|--|
| SVELTE | SVELTE | | <i>MVB</i> | <i>Unblocks the synthesis of thyroxine (T4) in the thyroid, which is thought to be responsible for best metabolizing. If nothing else is blocking metabolism, the T4 could help your body become svelte (slender or slim).</i> |
| SWL FGN | SWELLING FUNGUS | 1-6 | F | Actinomycosis found in many cases where the tissue is swelling or cancerous. |
| SWL KEY | SWELLING KEY | | <i>MVB</i> | <i>Eliminates the body's propensity to make more papillherpes, which may be the family of virus that create lumps in the body. It will still be necessary to clean out all the lumps that have already formed.</i> |
| SWL PN | SWELLING PAIN | 4-9 | RV | Includes all the residues that make bones,(hands) swell - Measles, Mumps, Rubella, Coxsackie, CMV. |
| SWL SKN | SWELLING SKIN | | <i>MVB</i> | <i>In addition to the standard skin diseases that make the skin swell (Psoriasis, Hives, Eczema), this condition exists more in the epidermal layers of the skin than the roots. Externally the skin is easily affected by sun and attracts black fly bites. Internally the epidermal layers of organs will swell with acidity, carbohydrates and many infections.</i> |
| SWT H&F | SWEATY HANDS & FEET | | <i>MV</i> | <i>Central nervous system issue often magnified by adrenal/emotional issues. See also SWT LES</i> |
| SWT LES | SWEAT LESS | | <i>MBF</i> | <i>Hyperhidrosis (Profuse Perspiration) antidote. Miasmatic and adrenal based. See al;so SWT NIC, SWT H&F</i> |
| SWT NIC | SWEAT NICE | | <i>MBF</i> | <i>Bromhidrosis-Antidote to adrenal blockage with lymph bacteria that produces odorous perspiration, no matter how well we clean.</i> |
| SWT VIR | SWEETNESS VIRUS | 2-3 | V | Herpes # 4 with coxsackie,usually found in the pancreas, adrenals. One of 2 remedies to shorten miasm remedy time. See also DRG VIR. |
| SYF | SYPHILIS | | <i>B</i> | <i>Well known venereal disease, often with genital herpes. This is the chief neurological disease of all times. It often depletes the body so much that nothing seems to heal easily. It deteriorates the brain sooner or later, like the miasmatic version.</i> |
| SYF MED | SYPHIMEDORRHINUM | 8-10 | M | Spliced Miasm of Syphilis and Gonorrhea. Behind Dupuytren's Contracture, etc. |
| SYF PIN | SYPHILINUM PINTA | | <i>M</i> | <i>Whereas Syphilinum is the remedy for Jekyll/Hyde Syndrome, SYF PTA is for the same with destructive tendencies</i> |
| SYF YST | SYPHILINUM YEAST | 7-9 | F | Somewhat the final ingredient in the design to eradicate genital herpes (used with SYF CLM, NRV HRP) (and sometimes with GEN BRN). |
| SYFCLM | SYPHILINUM/ CHLAMYDINUM | 11-12 | M | Part of basis of Crohn's, Sprue, chronic IBS, Diverticulitis, Genital Herpes. Lodges in liver giving liver problems. Part of cystic fibrosis. |
| SYFLUM | SYPHILINUM | 10-12 | M | One of the most destructive miasms that combines with so many other miasms in destructive diseases. Very active in mind, skin, intestines |
| SYN 1A | SYNTHESIZER 1A | | <i>MVB</i> | <i>Synthesizes enzohormones and connectors shared by the pituitary, adrenals and thyroid for skin, scant sweat, scant eyebrows, dehydrating nerves and pancreas.</i> |
| SYRNX B | SYRINGOBULBIA | | <i>MVF</i> | <i>Fluid filled cavity within the brain stem. Often with several of: vertigo, stuttering, unilateral or bilateral facial sensory impairment, horseness, inarticulate speech, difficulty swallowing and peripheral neuropathy</i> |
| SYRNX M | SYRINGOMYELIA | | <i>MVF</i> | <i>Fluid filled cavity within the spinal cord that pressures the nerves into numbness (peripheral neuropathy). Pain dissemination starting at fingers. Later stages lead to mild spacity. Often with spinal tumor.</i> |
| SYS SCL | SYSTEMIC SCLEROSIS | | <i>MVF</i> | <i>Hardening of organs like esophagus, lungs, kidneys,heart. Major symptoms of thinning lips,mask-like face,difficulty swallowing</i> |
| T & E | THYROID & EYES | | <i>MVB</i> | <i>Presbyopia - Especially effects the flexibility of eye lens and the ability to focus.</i> |
| T & H | THYROID & HEARING | | <i>MVB</i> | <i>A way of strengthening hearing for some issues of the ears that also affect the thyroid</i> |
| T ACTIN | TEETH ACTINOMYCOSIS | | <i>F</i> | <i>An infection in the nerves of the teeth by the fungus, actinomycosis, aka Swelling Fungus</i> |
| T BOT | TEETH BOTULISM | | <i>B</i> | <i>A well-known form of clostridium in the nerves of the teeth</i> |
| T CL MAL | T CELL MALADY | | <i>MVB</i> | <i>Thymus-based insufficiency for making effective T Cells (not making receptor/effector/catalystic proteins). See also Jump Start. For B Cell insufficiency see BAC DIS.</i> |
| T CLM | TEETH CHLAMYDIA | | <i>B</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T CLOS | TEETH CLOSTRIDIUM | | <i>B</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T CMV | TEETH CMV | | <i>V</i> | <i>A ubiquitous virus of mononucleosis fame that also affects teeth nerves.</i> |
| T COX A | TEETH COXSACKIE A | | <i>B</i> | <i>Unusual infection usually centering around Bucosal Mucosa mouth/jaw infections</i> |
| T E COLI | TEETH E. COLI | | <i>B</i> | <i>Special form of this bacteria in teeth nerves.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|--|------|------------|--|
| T ENTRO | TEETH ENTERO | | <i>B</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T KLEB | TEETH KLEBSIELLA | | <i>B</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T MDRA | TEETH MADURA | | <i>F</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T MUCOR | TEETH MUCOR | | <i>F</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen</i> |
| T NESRA | TEETH NEISSERIA | | <i>B</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen</i> |
| T POLIO | TEETH POLIO | | <i>V</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T SAL | TEETH SALMONELLA | | <i>B</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T SML PX | TEETH SMALL POX | | <i>V</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T SPIRO | TEETH SPIROCHETAL | | <i>B</i> | <i>Infection in teeth nerves often relating to lingering Lymes Disease and degenerative diseases, since Spirochete is also related to syphilis.</i> |
| T STAPH | TEETH STAPH | | <i>B</i> | <i>Special form of this bacteria in teeth nerves.</i> |
| T STR FN | TEETH STREP FUNGUS N | | <i>B</i> | <i>Infection in teeth nerves that often affects heart.</i> |
| T STREP | TEETH STREP | | <i>B</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T TUB | TEETH TUBERCULOSIS | | <i>B</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T TYPHD | TEETH TYPHOID | | <i>B</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen</i> |
| T VIBRO | TEETH VIBRIO | | <i>B</i> | <i>Tooth nerve infection that weakens the organ that it connects to, especially to this pathogen.</i> |
| T4 DIS | T4 DISEASE | | <i>MVB</i> | <i>Stops or substantially alters the primary thyroid hormone which decreases digestion, energy, drive and sexual hormone production in the adrenals.</i> |
| TAP | TEMP ADRENAL PARALYSIS | 3-12 | <i>VB</i> | <i>Paralyzed emotional shock (often very old) that instigates so many latent diseases.</i> |
| TAP WRM | TAPE WORM | | <i>P</i> | <i>General formula for tapeworm including cloves and black walnut hull (green stage)</i> |
| TB ADR | TUBERCULOSIS ADRENALS | | <i>B</i> | <i>Bacteria that rides on red blood cells and will often land in a weakened organ.</i> |
| TB ALBU | TUBERCULOSIS ALBUMIN | | <i>B</i> | <i>Often present when there are blood diseases, especially leukemias.</i> |
| TB ASCT | TUBERCULOSIS ASCITES | | <i>B</i> | <i>Bacterial infection indicating low oxygen and high risk of depletion. Often with leukemias and several lymphomas. (LM IMBD)</i> |
| TB BLAD | TUBERCULOSIS BLADDER | | <i>B</i> | <i>Bacterial infection indicating low oxygen and high risk of depletion.</i> |
| TB BLOD | TUBERCULOSIS | | <i>B</i> | <i>TB in different aspects of the blood, muffling its function. Included in CDC</i> |
| TB BLVS | TUBERCULOSIS BLOOD VESSELS | | <i>B</i> | <i>Bacterial infection indicating low oxygen and high risk of depletion. Often w/ TB BLVS in dementia cases.</i> |
| TB BN SK | TUBERCULOSIS BONE SKIN | | <i>B</i> | <i>Tuberculosis of the periosteum, the (skin) covering of the bones</i> |
| TB BONE | TUBERCULOSIS BONE | | <i>B</i> | <i>Causes deterioration of spinal bones with stiffness, tiredness and lower back soreness. (Which is usually from adrenals or ANK SPN)</i> |
| TB BRES | TUBERCULOSIS BREASTS | | <i>B</i> | <i>Common bacteria that rides red blood cells and often instigated by TEETH TB.</i> |
| TB BRN | TUBERCULOSIS BRAIN | | <i>B</i> | <i>Bacterial infection indicating low oxygen and high risk of depletion. Often w/ TB TNSL and lumps.</i> |
| TB CART | TUBERCULOSIS CARTILAGE | | <i>B</i> | <i>Bacterial infection indicating low oxygen and high risk of depletion.</i> |
| TB CCH | TUBERCULOSIS CALCIUM/ CARBON/ HISTAMINE | | <i>B</i> | <i>The combination that spells weight collection can attract TB in a way that seals the combination from dissolution.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|-----------------|---|-------|---|---|
| TB CL PL | TUBERCULINUM/ CHLAMYDINUM/ POL | 10-12 | M | Spliced miasms OF Tuberculinum/Chlamydinum/Polioinum most affecting eyes and giving vision problems |
| TB COLL | TUBERCULOSIS COLLAGEN | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion.</i> |
| TB CPIL | TUBERCULOSIS CAPILLARIES | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. Often w/ TB BRN in dementia cases.</i> |
| TB CRBF | TUBERCULOSIS CEREBRAL FLUID | | B | <i>Tuberculosis that sets into the fluid and the choroid plexi that filters the fluid. See also TB Brain for bacterial infection of the brain tissue.</i> |
| TB CRBN | TUBERCULOSIS CARBON | | B | <i>TB on the many forms of carbon in the body.</i> |
| TB CRFT | TUBERCULOSIS CARBOHYDRATES/ FATS | | B | <i>TB on a form of fat combined to carbohydrates.</i> |
| TB DFRM | TUBERCULOSIS DIAPHRAGM | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion.</i> |
| TB DISK | TUBERCULOSIS DISK | | B | <i>The disks between vertebrae can attract TB and easily deteriorate with the bacteria. Usually there is an accompanying TB infection in the tendons or ligaments or spine or bones or any grouping of these.</i> |
| TB EDYM | TUBERCULOSIS EPIDIDYMIS | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion.</i> |
| TB ENZ | TUBERCULOSIS ENZYMES | | B | <i>Enzymes that are weakened or mis-made attract tuberculosis bacteria</i> |
| TB EYES | TUBERCULOSIS EYES | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion.</i> |
| TB FAT | TUBERCULOSIS FAT | | B | <i>TB on a form of fat</i> |
| TB GB | TUBERCULOSIS GALL BLADDER | | B | <i>A bacterial infection that usually follows a deeper infection in the liver. May develop independently.</i> |
| TB GLIA | TUBERCULOSIS GLIA CELLS | | B | <i>TB in the cells that transport neurons.</i> |
| TB HPTH | TUBERCULOSIS HYPOTHALAMUS | | B | <i>TB in this major portion of the diencephalon distorts, disturbs and muffles function. It is important when we see the organs of the diecephalon as part of the control tower of the body function.</i> |
| TB INST | TUBERCULOSIS INTERSTITIAL CELLS | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. Seen in hormone depletion cases.</i> |
| TB KID | TUBERCULOSIS KIDNEYS | | B | <i>Familiar bacteria that makes a specific mutation for many organs</i> |
| TB LFE | TUBERCULOSIS LIPID/ FATS/ ENZYMES | | B | <i>TB on a combination of fats and mis-made enzymes.</i> |
| TB LIGM | TUBERCULOSIS LIGAMENTS | | B | <i>Bacterial infection in the ligaments. often corresponds to gall bladder infections and bone infections.</i> |
| TB LIPD | TUBERCULOSIS LIPID | | B | <i>TB on a form of fat</i> |
| TB LIV | TUBERCULOSIS LIVER | | B | <i>Often a complication of Polycystic Liver and other deep liver issues.</i> |
| TB LMCH | TUBERCULOSIS LYMPH CHANNELS | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. Often w/ leukemias</i> |
| TB LPCR | TUBERCULOSIS LIPID/ CARBOHYDRATES | | B | <i>TB on a combination of lipids and carbohydrates.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|------------------------------------|--|---|--|
| TB LPFT | TUBERCULOSIS LIPID FATS | | B | <i>TB binding a combination of lipids and fats in the blood and tissue.</i> |
| TB LYMF | TUBERCULOSIS LYMPH | | B | <i>Causes black spots to gather usually around ankles /feet and usually accompanies FUS FES. Miliary TB often is associated to the issue.</i> |
| TB MCLN | TUBERCULOSIS MUCOSAL LINING | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. Most any internal organ.</i> |
| TB MENG | TUBERCULOSIS MENINGS | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. See also TB NRV</i> |
| TB MITO | TUBERCULOSIS MITOCHONDRIA | | B | <i>TB on what is often considered the "power house" of the body's energy. Included in CDC.</i> |
| TB MRW | TUBERCULOSIS BONE MARROW | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. Often w/TB BON and "Big Four"</i> |
| TB MUSC | TUBERCULOSIS MUSCLES | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion.</i> |
| TB NRV | TUBERCULOSIS NERVES | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. See also TB MENG</i> |
| TB OVAR | TUBERCULOSIS OVARIES | | B | <i>Common bacteria that rides red blood cells and often instigated by TEETH TB.</i> |
| TB PANC | TUBERCULOSIS PANCREAS | | B | <i>Widespread bacteria that usually follows Teeth Tuberculosis.</i> |
| TB PIN | TUBERCULOSIS PINEAL | | B | <i>TB in this major portion of the diencephalon distorts, disturbs and muffles function. It is important when we see the organs of the diencephalon as part of the control tower of the body function.</i> |
| TB PIT | TUBERCULOSIS PITUITARY | | B | <i>TB in this major director of hormonal activity runs the risk of muffling all activity in the endocrine glands.</i> |
| TB PLSM | TUBERCULOSIS PLASMA | | B | <i>Often present when there are blood diseases.</i> |
| TB PRCR | TUBERCULOSIS PERICARDIUM | | B | <i>Bacteria in the sack around the heart that impairs the function of heart. When in the TB time cycle, it is known as one of the major causes of heart attacks. TB is starting to cycle again.</i> |
| TB PRNM | TUBERCULOSIS PERITONEUM | | B | <i>It is common to attract TB in the sack that holds gut organs when there is TB in the organs or when there is a blood disease that causes fluid to collect in the peritoneum.</i> |
| TB PROS | TUBERCULOSIS PROSTATE | | B | <i>Familiar bacteria that makes a specific mutation for many organs</i> |
| TB SERM | TUBERCULOSIS SERUM | | B | <i>Often present when there are blood diseases.</i> |
| TB SKIN | TUBERCULOSIS SKIN | | B | <i>Skin can be dry or itch when showering. If taken too rapidly, causes lots of initial itching and coughing/sniffing as detoxification.</i> |
| TB SNFL | TUBERCULOSIS SINOVIAL FLUID | | B | <i>The fluid in the joints can attract TB if stagnant and/or diseased.</i> |
| TB SNUS | TUBERCULOSIS SINUS | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion.</i> |
| TB SPIN | TUBERCULOSIS SPINE | | B | <i>Makes stiffness around central nervous system, stiff legs-easier to walk backwards than forwards. Easily misdiagnosed as MS.</i> |
| TB SPLN | TUBERCULOSIS SPLEEN | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion.</i> |
| TB STMK | TUBERCULOSIS STOMACH | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. See also TB MCLN.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---|--|-----|--|
| TB TEND | TUBERCULOSIS TENDONS | | B | <i>Very similar to TB Ligaments, this is a connection of bones and muscles.</i> |
| TB THLM | TUBERCULOSIS THALAMUS | | B | <i>TB in this major portion of the diencephalon distorts, disturbs and muffles function. It is important when we see the organs of the diecephalon as part of the control tower of the body function.</i> |
| TB TNSL | TUBERCULOSIS TONSILS | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. Often w/ TB BRN.</i> |
| TB TRD | TUBERCULOSIS THYROID | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. Often w/ TB of lymph based tumors.</i> |
| TB UTER | TUBERCULOSIS UTERUS | | B | <i>Bacterial infection indicating low oxygen and high risk of depletion. See also CLM TRA.</i> |
| TBR BCT | TUBER BLASTO CYTOMA | | MVB | <i>A compound lump lead by tuberculosis, mixing with insufficiently made new cells and forming a cyst on top of the lump. Likes brains</i> |
| TBR CAD | TUBER CYST ADENOMA | | MVB | <i>A lump lead by the bacteria, tuberculosis, with cystic and adeno virus cells joined in.</i> |
| TBR CAR | TUBER CARCINOMA | | MVB | <i>A carcinoma forced by the bacteria, tuberculosis. Included in CDC</i> |
| TBR CC | TUBER CHORIO CARCINOMA | | MVB | <i>Usually starting with fetal tissue and usually starting in the uterus, it may deteriorate the uterine wall and predispose the fetus to infection of the choroid tissue. With TB this is more commonly seen in adults with long developing problems in the lymph, lymph nodes, blood vessels, lungs, liver and brain.</i> |
| TBR CS | TUBER CHORIO SARCOMA | | MVB | <i>Usually starting with fetal tissue and usually starting in the uterus, it may deteriorate the uterine wall and predispose the fetus to infection of the choroid tissue. With TB this is more commonly seen in adults with long developing problems in the lymph, lymph nodes, blood vessels, lungs, liver and brain. Considered somewhat milder than TBR CC</i> |
| TBR CSC | TUBER COLLAGEN SARCO CARCINOMA | | MVB | <i>A tuberculosis-led lump with collagen cells and sarcoma/ carcinoma destruction. Often with RV Enzy. Associated with tinnitus and hearing loss.</i> |
| TBR ESQ | TUBER EPITHELI SQUAMOMA | | MVB | <i>A lump lead by tuberculosis mixed into epithelial and squamous cells</i> |
| TBR FAD | TUBER FIBRO ADENOMA | | MVB | <i>A lump lead by the bacteria, tuberculosis with fibro and adeno virus joined in.</i> |
| TBR FBS | TUBER FIBRO BLASTOMA | | MVB | <i>Complex lump led by tuberculosis and mixed with fibroadenoma and blast cells. Commonly found in thyroid, adrenals, ovaries and uterus.</i> |
| TBR FCT | TUBER FIBRO CYTOMA | | MVB | <i>A lump lead by the bacteria, tuberculosis with fibro and cyto cells joined in.</i> |
| TBR FLD | TUBER FOLLICULAR ADENOMA | | MVB | <i>Most commonly seen in the thyroid</i> |
| TBR FLE | TUBER FOLLICULAR EPITHELIOMA | | MVB | <i>Most commonly seen in the thyroid</i> |
| TBR FML | TUBER FIBRO MELANOMA | | MVB | <i>A compound-content lump often found in the lungs and spine. Usually the bacteria tuberculosis will also be found widespread, along with T TUB.</i> |
| TBR FMS | TUBER FIBRO MASTOMA | | MVB | <i>A lump lead by the bacteria, tuberculosis, with fibro and mast cells joined in.</i> |
| TBR FPC | TUBER FOLLICULAR PICORNA CARCINOMA | | MVB | <i>A lump based on tuberculosis involving follicular cells, picorna virus and wrapped in carcinoma. Found mostly on endocrine glands like adrenals, thyroid and pancreas.</i> |
| TBR INS | TUBER INSULINOMA | | MVB | <i>Tuberculosis complication of an insulinoma which causes the pancreas to emit too much of the hormone, insulin.</i> |
| TBR LAD | TUBER LYMPHO ADENOMA | | MVB | <i>A lump led by tubercular cells mixed with lymph cells that could be on any tissue. Commonly seen in thyroids, adrenals, reproductive glands, liver, etc.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---|--|------------|---|
| TBR LBG | TUBER LYMPHO BLASTO GIOMA | | <i>MVB</i> | <i>A lump lead by tuberculosis with lymph/blast cell combinations joined in. Generally accompanies lymphoblastic leukemia and loves liver, thyroid and pancreas.</i> |
| TBR LBL | TUBER LYMPHO BLASTOMA | | <i>MVB</i> | <i>A lump led by tuberculosis involving lymph and new cells.</i> |
| TBR LCT | TUBER LYMPHO CYTOMA | | <i>MVB</i> | <i>A compound lump led by tuberculosis with lymph invasion. Common in thyroid.</i> |
| TBR LFG | TUBER LYMPHAN GIOMA | | <i>MVB</i> | <i>A lump lead by tuberculosis with lymph blobs joined in. Generally accompanies lymphoblastic leukemia and loves liver, thyroid and pancreas.</i> |
| TBR LFM | TUBER LYMPHO FOLLICULAR MYXOMA | | <i>MVB</i> | <i>A compound lump lead by tuberculosis bound to lymph into glomular cells by the myxo virus. Commonly found in thyroid nodules.</i> |
| TBR LGM | TUBER LYMPHO GLOMERULAR MYXOMA | | <i>MVB</i> | <i>A compound lump lead by tuberculosis, bound to lymph into glomerular cells by the myxo virus. This is a good candidate for reproductive glands, kidneys and areas of the cranial nerves inside the central nervous system.</i> |
| TBR LPA | TUBER LYMPHO POLIO ADENOMA | | <i>MVB</i> | <i>A compound lump led by tuberculosis with lymph, polio virus and adeno virus components. Common in thyroids, liver and eye areas.</i> |
| TBR LPB | TUBER LYMPHO POLIO BLASTOMA | | <i>MVB</i> | <i>Impaired nerve lump on new cells by tuberculosis bacteria and polio virus also involving lymph.</i> |
| TBR LSF | TUBER LYMPHO SEMIOVALE FOLLICULAROMA | | <i>MVB</i> | <i>Compound lump led by tuberculosis involving lymph, brain and follicular cells.</i> |
| TBR MEL | TUBERMELANOMA | | <i>MVB</i> | <i>Lump of tuberculosis and melanoma. Loves lungs, brain and adrenals.</i> |
| TBR NCC | TUBER NEURO CHORIO CARCINOMA | | <i>MVB</i> | <i>Considered a rare form of combination lump that involves TB mixed into both the choroid layer of tissue and into the nerves. Usually in the brain.</i> |
| TBR OSR | TUBER OSTEO SARCOSIS | | <i>MVB</i> | <i>Gradual bone deterioration</i> |
| TBR PBM | TUBER POLIO BASAL MENINGIOMA | | <i>MVB</i> | <i>A lump based on tuberculosis combined with polio virus, basal cell carcinoma and meninges cells. Good candidate for the mesencephalon for those with walking difficulties.</i> |
| TBR PCC | TUBER POLIO CYSTIC CARCINOMA | | <i>MVB</i> | <i>Lump lead by tuberculosis and polio found on nerves.</i> |
| TBR PCR | TUBER POLIO CARCINOMA | | <i>MVB</i> | <i>Destruction of nerves by tuberculosis bacteria and polio virus.</i> |
| TBR PFM | TUBER POLIO FIBRO MYXOMA | | <i>MVB</i> | <i>A lump lead by tuberculosis in a very familiar combination with polio and including fibro and myxo virus.</i> |
| TBR PFN | TUBER POLIO FOLLICULAR NEUROMA | | <i>MVB</i> | <i>Commonly found in the frontal lobe of the brain and the thyroid.</i> |
| TBR PML | TUBER POLIO MELANOMA | | <i>MVB</i> | <i>A compound lump lead by tuberculosis tied in with polio virus and melanoma. May often be found in thyroid and eyes, but could be anywhere</i> |
| TBR PMN | TUBER POLIO MENINGIOMA | | <i>MVB</i> | <i>Destruction of nerve menings lead by tuberculosis bacteria and polio virus.</i> |
| TBR PNR | TUBER POLIO FOLLICULAR GLUCOMA | | <i>MVB</i> | <i>Lump in pancreas or liver led by tuberculosis in the folicular and glucogen cells.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--------------------------------------|-----|------------|---|
| TBR POC | TUBER POLIO OSTEO CARCINOMA | | MVB | <i>A lump led by tuberculosis affecting nerves and bones. Often seen in cartilage and often with TB Cartilage.</i> |
| TBR PSH | TUBER POLIO SCHWANNOMA | | MVB | <i>A lump based on tuberculosis bound to nerves with the polio virus and the schwann cells.</i> |
| TBR PSQ | TUBER POLIO SQUAMOMA | | MVB | <i>A lump lead by the bacteria, tuberculosis with the polio virus and sqamous cells joined in. A very good candidate for nerves involving eyes, but not limited to such.</i> |
| TBR SMX | TUBER SPONGIO MYXOMA | | MVB | <i>A compound lump lead by tuberculosis bound with spongy cells and mixed with myxovirus. First found on gall bladders and in prostates and ovaries.</i> |
| TBROMA | TUBERCULOMA | | MVF | <i>Lump anywhere in body based on several Tuberculinum miasms</i> |
| TBS | TO BE SAFE | 2-7 | B | <i>A mild form of active TB is beginning to come through the air systems of large buildings (not yet contagious).</i> |
| TEA 50B | THYROID ENZYME ACTIVATION 50B | | MVB | <i>A thyroid enzyme that dissolves ascites (lymph/albumin) and activates the liver to break down subsequent albumin for digestion.</i> |
| TEM IMU | TEMPERATURE & IMMUNITY | | MVF | <i>Pituitary-based remedy. Brings internal temperature back up comfortably in way that will move coagulated lymph, prevent infection, digest better and control fluids. People who have condition hardly sweat.</i> |
| TES BLK | TESTOSTERONE BLOCK | | MVB | <i>Adrenal-based effort to free a basic hormone</i> |
| TESTOS | TESTOSTERONE RESTORE | | MVB | <i>Brain based- suppression of adrenal function to make testosterone.</i> |
| TET CEF | TETANUS ENCEPHALITIS | 2-5 | B | <i>Mimics carpel tunnel and trichinosis together. Weaken wrists, makes forearm rotation painful and can even put arms to sleep.</i> |
| THAL | THALLIUM ANTIDOTE | 2-7 | C | <i>A major nerve poison player in MS cases from dental work.</i> |
| THAL A | THALASSEMIA A | | M | <i>Thalassemias are the most common blood diseases in the world and in 80% of the population. Usually used with a kidney remedy</i> |
| THAL B | THALASSEMIA B | | M | <i>Thalassemias are the most common blood diseases in the world and in 80% of the population. Usually used with a kidney remedy</i> |
| THAL C | THALASSEMIA C | | M | <i>Thalassemias are the most common blood diseases in the world and in 80% of the population. Usually used with a kidney remedy</i> |
| THAL E | THALASSEMIA E | | MVB | <i>A blood disease that causes subjects to be generally tense, restless and manifest physical problems because of the lowered immunity. (undiscovered by science in 2000)</i> |
| THIN | THIN | | MVF | <i>Thyroid/Parathyroid joint miasmatic condition that causes liver to form heparin. Heparin binds mucous, carbohydrates, insufficiently digested amino acids, and calcium to cause weight. Take with THINNER.</i> |
| THINER | THINNER | | MF | <i>Joint action of pituitary and adrenals to take heparin (half formed prostaglandin) to full prostaglandin which will convert the elements that Heparin holds (mucous/carbohydrates/insufficiently digested amino acids/calcium) into energy. Take with THIN.</i> |
| THK AD | THICK AMYLOIDOSIS DISSOLVE | | ENZ | <i>An enzyme group that dissolves general amyloid tissue deposits.</i> |
| THK AML | THICK AMYLOIDOSIS DISEASE | | MVB | <i>A bone/liver disease that insufficiently converts glycoprotein (mucous), leaving a waxy, thick substance that binds and clogs whatever area it is in. The material attracts and holds a wide assembly of chemicals, metals and other toxins. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THK BDC | THICK BRAIN DROSS CLEANER | | ENZ | <i>A group of enzymes that eat amyloid deposits in brain. Best taken with THK BRN.</i> |
| THK BRN | THICK BRAIN | | MVB | <i>A deposit of amyloid tissue (tapioca-like protein mixed with carbohydrates) that fills in around the cell area and reduces function. Also affects heart, nerves and liver. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THK COL | THICK COLLAGEN | | MVB | <i>A deposit of amyloid tissue in the collagen (protein of reticular fibrils that forms the elastic fibers of the tendons, ligaments and connective tissue). Related to translocation chromosome structure). Use with BON HRD for stria. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THK FUL | THICK & FULL | | MVB | <i>Hair regain formula w/added remedy for hair-eating bacteria. Thick was already working. Now we want more of the full.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|---------------------------------|-----|-----|---|
| THK HRT | THICK HEART | | MVB | <i>A secondary amyloidosis that deposits amyloid tissue (waxy, starch-like, mucousy protein, mixed with carbohydrates) in the heart. It is related to the "isochromosome" structure. Congests the heart and valves in the heart septum, causing the heart to work harder. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THK LPD | THICK LIPID | | MVB | <i>A deposit of amyloid tissue encasing lipid cells, involving "isochromosome" chromosome structure. The tapioca-like substance forms a waxy fat with lipid cells. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THK LYM | THICK LYMPH | | MVB | <i>A deposit of amyloid tissue in the lymph related to the "inversion" chromosome structure. It thickens lymph, impairs perspiration and adds to some weight conditions. Sometimes involves blood, kidneys, spleen. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THK NRV | THICK NERVES | | MVB | <i>A secondary amyloidosis that deposits amyloid tissue (waxy, starch-like, mucousy protein, mixed with carbohydrates) in the nerves. It is related to the "duplication" structure. It causes nerves to underfunction, strangling many organs of the essential neurological stimulation. In a different way from THK BRN and its relationship to Alzheimer's, this relates strongly to memory loss. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THK PLS | THICK PLASMA | | MVB | <i>A deposit of amyloid tissue (tapioca-like protein mixed with carbohydrates) that fills in around the cell area and reduces function. In the plasma, it may play multiple clogging roles in addition to making the most fundamental aspects of the cell unavailable. Also affects heart, nerves and liver. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THK SKN | THICK SKIN | | MVB | <i>An amyloid condition causing a whitening of the skin. Usually this is with a skin fungus like one of the tineas, trichophytions or lichens. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THK TIS | THICK TISSUE | | MVB | <i>A combined hereditary and secondary megaloblastic amyloidosis. Commonly found in people who develop a "fleshiness" with weight. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THK TMR | THICK TUMOR | | MVB | <i>Spotty deposits of amyloidosis that encourages tumors to form. Take with equal or more bottles of THK AD and PRTNOS.</i> |
| THL ROS | THALAMUS ROSE | | MVF | <i>A lump on the thalamus that causes a wide-spread diffuse block of many hormone receptor sites. Subjects manifest compound endocrine problems.</i> |
| THLOMA | THALOMA | | MVB | <i>Lump in the thalamus</i> |
| THROMB | THROMBUS | | MVF | <i>Lump in (not on) the wall of the artery impeding blood flow. It is one of the causes of thrombosis, a term which officially includes the blockage of arteries by loose particles as well as this kind of growing lump.</i> |
| THY MIM | THYROID MIASM | | M | <i>A Typhoid-based carryover from our ancestors</i> |
| THYG CS | THYROGLOSSAL CYSTITIS | | MVB | <i>An infection of the pyramidal extension of most thyroids into the glossal duct. The thyroid tissue in this duct extends from the thyroid, past the Adam's apple to the tongue. There seems to be some special relationship of this area to double chins and production of thyroxin. Take with a little dulse 1 tab/morn or 7drops/morn).</i> |
| THYMOM | THYMOMA | | MVB | <i>Specific mass/tumor found on the thymus which controls lots of your immunity and strongly interfaces with the health of the heart.</i> |
| THYROX | THYROXINE RESTORE | | MVB | <i>Based on the hypothalamus/pituitary connection, this builds and stimulates the thyroid from a location outside the thyroid.</i> |
| TIC HER | TICK HERITAGE | | MP | <i>Inherited sensitivity and affect of what is today called tick Lyme disease. Tiredness, swelling, especially around tick bites.</i> |
| TIC POI | TICK POISON | | T | <i>Venom of tick lodging in thymus to cause tiredness.</i> |
| TIC TOX | TICK TOXINS | 2-4 | B | <i>Ticks involved in Spirochete leave residual bacteria and viruses, most of which this covers.</i> |
| TINNUM | TINEAINUM | | M | <i>Miasm of common hair fungus. Used in Sparse Hair, Monk Hair and Receding Hair Line</i> |
| TINu | TINNITUS u | | VF | <i>Improvement on previous remedy for ringing in the ear.</i> |
| TIR CRN | TIRED & CRANKY | | MVB | <i>A miasm based insufficiency of adrenals. Long term pattern of getting so tired that the person is uncontrollably cranky. (Especially in menopause)</i> |
| TIS TON | TISSUE TONER | | T | <i>Removal of unattached calcium and carbon dross</i> |
| TLC | THYROID LIVER CONNECTION | | MVF | <i>Prepares cholesterol for the thyroid to use in the synthesis of thyroid hormones</i> |
| TMS FEV | THYMUS FEVER | 2-7 | V | <i>Thymus and thyroid are both affected by thymus fever. Often seen with long history of illnesses.</i> |
| TMS OPN | THYMUS OPEN | 3-5 | VF | <i>Fever/fungus (actinomycosis) blocking immune system</i> |
| TMS SRG | THYMUS STRONG | 1-4 | VP | <i>One of the strongest boosts to immunity we've discovered yet, especially when the immune system is compromised.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|-------------------------------------|------|------------|---|
| TOLO | TORULOSIS | | F | <i>A form of candida known to often simultaneously attack intestines and lungs. I believe it is different from the form of blastomycosis claimed by medicine</i> |
| TON TON | TONSIL TONING | | RVF | <i>Brain is slowed by remnants of mumps, chicken pox and a few funguses</i> |
| TONIT | TONIGHT | | MV | <i>Combination of brain, adrenal, prostate and nervous system releases for some men with erectile difficulties.</i> |
| TOO BLD | TOOTH BUILD | | MVB | <i>Aimed at helping a tooth fill back in after an infection is gone.</i> |
| TOR BAS | TOURETTE'S BASE | | MVB | <i>The inherited foundation with common bacteria that allows Tourette's. Add the animal bacteria or toxin that constitutes the form of the jerking and mental reaction</i> |
| TORO | TORO | 3-7 | RV | <i>The most common residues that cause T esticles OR O varies to swell. Also check MDC.</i> |
| TOXO | TOXOPLASMOSIS | 1-5 | P | <i>A more direct approach to the parasite when it is in other organs than the pancreas (kidneys, adrenals). Uplift/Sassafras oil still good for pancreas-location</i> |
| TRD ARK | THYROID SPARK | | MVB | <i>A lump in the median preoptic nucleus of the hypothalamus that prevents the release of Thyroid Stimulating Hormones (TSH) and Gonadotropic Hormones from pituitary. Reduces the production of vital T3 & T4 hormones in the thyroid needed for metabolization.</i> |
| TRD BLD | THYROID BUILDER | | MVB | <i>A pituitary/pineal/bone/seminovale remedy to bring many elements together to build the thyroid.</i> |
| TRD BLZ | THYROID BLAZE | | MVF | <i>Aimed at helping free the raw ingredient in the bone for T-3 (Thyroid hormone) development. T-3 is missing in most thyroid medication.</i> |
| TRD BSC | THYROID BASIC | | MV | <i>Releases Thyroxine-binding globulins (TBG) which, among other functions, are needed for the absorption of iodine (main food of thyroid) and the thyroid hormone T4.</i> |
| TRD CAL | THYROID CALCIUM | | RVB | <i>Thyroid affecting parathyroid in a way that does not allow the calcium to be converted to usable form. Related to KID CAL and AST CYT.</i> |
| TRD CLG | THYROID CLOG | | MVB | <i>Causes phlegm in throat and some foods to "catch" in throat. Affects heart (sometimes causing myxoma and lumps). Can cause lumps in kidney which cause edemic weight.</i> |
| TRD CLR | THYROID CLEAR | | VC | <i>Antidote to a little-known virus and the aluminum, flouride and chlorine that it traps in the thyroid. Hypofunctioning thyroid lead to tiredness and weight.</i> |
| TRD EAR | THYROID EAR | | VB | <i>Adeno/Diphtheria/SAD a combination of thyroid pathogens. Involves ears plus depression, especially in absence of sun.</i> |
| TRD FLK | THYROID FLUKES | 2-6 | P | <i>Deterioration of Thyroid.</i> |
| TRD HIT | THYROID HEIGHTS | | MVF | <i>Altitude causes malfunction of all thyroid tasks.</i> |
| TRD HOR | THYROID HORMONES | | BF | <i>Fungi and candidi that depress the thyroid hormones and drain the adrenal hormones</i> |
| TRD MET | THYROID METABOLISM DISEASE | | MVB | <i>The condition prevents the thyroid from metabolizing oxygen and performing one of its major roles in metabolization. See also Lungthyroid Toxicosis.</i> |
| TRD MM | THYROID METABOLIZING MACHINE | | MVB | <i>This formula helps the thyroid use iodine to prepare sodium for the transportation of metabolites (responsible for metabolization) throughout the body. Take with LIV MET; sometimes with HYP MET.</i> |
| TRD NRV | THYROID NERVES | | MRB | <i>Infections in the teeth nerves and and bacteria from bone infections can interfere with the nerves to the thyroid and stop stimulation that helps it work. Often good for appx 20% improvement in thyroid function.</i> |
| TRD OPN | THYROID OPEN | 3-12 | VF | <i>Fever/fungus (actinomycosis) of thyroid removal (and this subsequently feeds thyroid). Dulse needed when rebuilding thyroid.</i> |
| TRD OX | THYROID OXYGEN CONVERSION | | MVB | <i>Pathogenic combination blocking thyroid from using oxygen for metabolizing. Involves carbon blockages.</i> |
| TRD OXY | THYROID OXYGEN | | MRB | <i>A hypothalamus-based remedy that unbocks the thyroid function in the absorption of oxygen.</i> |
| TRD PLS | THYROID PARALYSIS | | VB | <i>Nerve bacteria (a form of clostridium) surpressing thyroid. Possible adjunct to cellulitis issues. Also long-term, thyroid-related depression.</i> |
| TRD REL | THYROID RELEASE | | VF | <i>Unleashes thyroid hormones and activities that were blocked by pathogens from carbohydrates.</i> |
| TRD SHE | THYROID SHEATH INFECTION | | MVB | <i>The usual cause of iodine non-absorption in the thyroid and the starting factor for goiters. Iodine is considered the chief food of the thyroid. Take with a little dulse 1 tab/morn or 7drops/morn).</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmic-based remedies generally take from 10-16 bottles

| | | | | |
|---------|------------------------------------|-------|-----|---|
| TRD SPC | THYROID SPICE | | MVB | Common thyroid disease as evidenced by double chins. Remedy spices up your digestion,spices up libido, spices up hormones,regulates kidney cause of low blood pressure, spices up blood strength. |
| TRD SQA | THYROID SQUASH | | B | A little known bacteroid can cause a long-term, unnamed disease of the thyroid. Typical cold hands, cold feet, never-warm-enough symptoms. |
| TRD SRG | THYROID STRONG | 2-6 | V | A high potency thyroid triple virus. Appx 50% of the population tests for it. |
| TRD SRK | THYROID SHRUNK | | VB | As implied, the organ literally shrinks and doesn't work well. Area of skin around thyroid appears wrinkled. |
| TRD STN | THYROID STONES | 3-7 | | Formed from a strange mixture of blood and thyroid substances. |
| TRD TRD | THYROID TIRED | | MVB | A form of inherited thyroid insufficiency based on family teeth problems |
| TRD TUM | THYROID TUMOR | | VB | Non-inherited infection of thyroid from mycobacteria and virus |
| TRD VIR | THYROID VIRUS | 3-5 | V | Weakened Thyroids have this like a cold. Check before going to Low Thyroid. |
| TRDOMA | THYROIDOMA | | MVB | A lump/bump on the thyroid decreasing its ability to function. See also TRD TUM and GOITER. |
| TRIR | THYROID RADIOACTIVE IODINE REVERSE | | CB | Iodine 131 is used to kill diseased thyroids. The remainder of iodine continues problems and needs to be REVERSED. |
| TRKM | TRICHIMONIS | 1-4 | P | A parasite most known for vaginal discomfort that often accompanies Chlamydia and Gardnerella. |
| TRN TRD | TRENCH THYROID | 10-12 | MB | A miasm involving both Trench Fever and Malaria |
| TRN VLV | TRUNCUS VALVE DEFECT | | MVB | Blood flow to lungs is shunted from right ventricle of heart to aorta before entering pulmonary arteries. Causes shortness of breath, pain on side of legs and enlarged nose |
| TROXEM | THYROXEMIA | | MVB | Bone-based approach for freeing all elements in the bones that make thyroid hormones ready for thyroid distribution. |
| TRTOMA | TERATOMA | | MVF | A lump composed of different kinds of tissue, none of which normally occur together or at the site of the lump. Most commonly seen in the ovaries or the testes. |
| TTM | THE THREE MIASMS | 10-12 | M | Triple splice of Tuberculosis, Syphilis, Gonorrhea. Few have this - usually splices are of 2 miasms. |
| TUB CAR | TUBERCARCINOMA | | MVB | A carcinoma based on the bacteria, tuberculosis. Included in CDC. |
| TUB CLM | TUBERCULINUM/ CHLAMYDINUM | 10-12 | M | Spliced miasms most affecting eyes and giving vision problems |
| TUB FLU | TUBERCULINUM FLU | 10-12 | M | A double miasm that causes or is involved in kidney-related water weight (edema). |
| TUB MED | TUBERMEDORRHINUM | 10-12 | M | Spliced Miasm of Tuberculosis and Gonorrhea. Behind most cases of gnarly hands, lots of alopecia cases, etc. |
| TUB POL | TUBERCULINUM POLIO MIASM | | M | A missing link, as an alternative to Polio Miasm, for the eye muscles to let the eyes regain their shape (and vision) |
| TUB RIK | TUBERSCULINUM RICKETS | | MR | Miasm base of skin rashes and "pimples" that break out with exposure to the sun. See TUB SCR for sun-generated skin cancer |
| TUB SCL | TUBEROUS SCLEROSIS | | MVF | A neurocutaneous disease with adenoma sebaceum, nodules and sclerotic patches in the cerebral cortex, retinal tumors, depigmented leaf-shaped macules on the skin, tumors of the heart and kidneys, pitting or deterioration of teeth enamel. |
| TUB SCR | TUBERCULINUM SCURVY | 10-12 | MR | Miasmic weakness of skin to sun that may turn into skin cancer. Redheads, most Irish and others are likely candidates |
| TUB SYF | TUBERSYPHILINUM | 7-10 | M | Spliced Miasm of Tuberculosis and Syphilis. Behind Sprue, Lupus, Cystic Fibrosis etc. etc. |
| TUBNUM | TUBERCULINUM | 12-18 | M | One of the classic, early miasms concerning mostly bones, skin and eyes and involved in kidneys, blood |
| TWO POL | TWO POLES | 3-7 | MFB | Tuberculosis miasm in brain attracts pituitary funguses and CLM GRN for bipolar depression. LMF GRN also needed sometimes. |
| TXOLS | TOXIC OIL SCLERADERMA | | MVB | An inherited gall bladder condition that causes contraction of tendons usually by displacing fingers and toes in a contorted manner |
| TYFD | TYPHOID | 2-5 | B | Typhoid may play a role as a disease, part of lymes, bone spurs and as a residue. |
| TYFD M | TYPHOID MIASM | 10-12 | M | Settles in Peyer's patches and decreases HCL for digestion. Causes dark 1/3 circles under eyes when in G.B.. |
| TYFS | TYPHUS | 2-5 | B | Rickettsial fever of bleeding poxes, vascular constriction, kidney stoppage & spinal encephalitis. Residue may be similar.. |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|--------------------|--|------|------------|---|
| UP & GO | UP & GO | | F | <i>A flesh-deteriorating slime of a fungus that gets into all parts of the body, especially the brain. May clog many an organ in a mucous ++ way.</i> |
| URC HRP | URIC HERPES | 5-7 | MVB | <i>A typhoid-based impairment of the gall bladder's ability to break down uric crystals. They deposit in kidneys causing gout, etc</i> |
| URT STN | URETHRAL TRACT STENOSIS | | MVB | <i>A narrowing of the urethral tract from the bladder that may allow scant voiding despite strong urge. The backed-up urine may cause bladder and urinary tract infections.</i> |
| UVITIS | UVEITIS | | MVB | <i>Causes swelling/redness of whole eye, often to the point of near blindness.</i> |
| UYL FEV | URBAN YELLOW FEVER | 6-9 | R | <i>Residue variation of familiar Yellow Fever. Used with some Diabetics. Chief symptom is craving (presently or formerly) for sodas (soft drinks)</i> |
| VAC BRN | VACCINATION BRAIN PARALYSIS | | VBC | <i>Media of the vaccination plus bacteria gained in the process infects the brain. With autism, add REGRET; with flailing of arms & body, add DISTEMPER; with hyperventilation-like cough, add Bordetella Pertussis.</i> |
| VAC FNG | VACCINATION FUNGUS | 2-5 | FC | <i>The infamous maduramycosis together with elements used to clean monkey kidneys and make vaccinations</i> |
| VAC NW | VACCINATION NERVES & WEIGHT | | MVF | <i>Aimed at Histidinemia, an inherited disease often activated by vaccinations that deteriorates nerves, causes a "pudgy" weight and can impair mentality.</i> |
| VAR ULC | VARICOSE ULCER | 7-10 | VB | <i>Often in leg ulcers and can also be in eyes, heart, pancreas, etc.</i> |
| VAR VEN | VARICOSE VEIN | | MVB | <i>Vein Weak has worked well for most cases of Varicose Veins, but a wider version works better for other cases</i> |
| VAR VEN2 | VARICOSE VEIN2 | | MVB | <i>An improvement on a previous remedy for varicose veins.</i> |
| VEG FNG | VEGETABLE FUNGUS | | F | <i>On red, yellow or orange vegetables. Blocks carotenes, lycopenes and xanthophylls. Robs vitamin A and contracts mucous muscles.</i> |
| VEN TEN | VEIN TENSION | | MVF | <i>Anterior pituitary emits hormone which pushes lymph out of veins so that it deposits toxic weight in body. Also check BON LMF</i> |
| VEN VLV | VEIN VALVES | | MVB | <i>Hardening of the valves in the veins that prevents strong return of blood to heart. Low pulse, low blood pressure, impotence.</i> |
| VEN VOL | VEIN VOLUME | | MVB | <i>Aimed at Arterioembolic Kidney Disease. Slowly contracting veins cut down lymph drainage causing low blood pressure, decrease blood volume to heart/lungs for oxygenation. Subjects are winded easily, sweat little, have decreased thirst (dehydrate easily).</i> |
| VEN WEK | VEIN WEAK | 7-10 | RF | <i>Diphtheria with fungus. Test on spider veins, varicose veins, bursting veins in eyes and head.</i> |
| VEN WEP | VEIN WEEP | | MVB | <i>Corrects an inherited issue which makes the veins strength too weak to hold blood contents at high altitudes. A leakage of plasma, platelets, salts and hormones causes ascites and joint toxicity.</i> |
| VEN WRM | VEIN WORM | 3-5 | P | <i>An ignored round worm in science gets into the veins especially around varicose veins and some brain issues</i> |
| VES DGN | VESSEL DEGENERATION | | MVB | <i>Highly associated with Wegener's Granulomatosis. May appear simultaneously with nasal, lung and kidney conditions in a deteriorating fashion.</i> |
| VIB PAR | VIBRIO PARAHAEMOLITICUS | | B | <i>Bacteria that is major part of hair loss. Now included in other hair formulas. Can be taken alone.</i> |
| VIBE UP | VIBE UP | | | <i>An ambitious attempt to attune the body automatically as the earth changes its Hertz vibratory rate</i> |
| VIPOMA | VIPOMA | | MBF | <i>Tumor of non Beta pancreatic islet cells causing watery diarrhea, insufficient calcium in blood and insufficient hydrochloric acid for digestion. Often with parathyroid problems and insufficient iron in blood.</i> |
| VITIL | VITILIGO | | MVB | <i>A depigmentation of the skin based on inherited factors and triggered by other factors related to red blood cells</i> |
| VLV STG | VALVE STRENGTH | | MBF | <i>For organ valve tissue and nerves of ileocecal valve, bladder valves, gall bladder valves, heart valves (see also HVD) and lymphatic valves.</i> |
| VN BDMA | VEIN BODYOMA | | MVF | <i>Vein body tumor. Slows drain of deoxygenated blood which causes oxygen deprivation of whole body. Slowness invites infection when blood gathers/stagnates.</i> |
| VOC REL | VOICE RELEASE | | MVB | <i>The strained or crackly or husky voice that often comes with miasms/age.</i> |
| VPV | VISCERAL POLYPS VIRUS | 3-5 | V | <i>Ubiquitous virus that binds with other viruses, bacteria, fungi, residues, miasms.</i> |
| VRL ENC | VIRAL ENCEPHALITIS | 3-9 | VB | <i>A spinal issue that strongly resembles Polio.</i> |
| VRL MEN | VIRAL MENINGITIS | | V | <i>Virus attacking the covering of the nerves mostly in the central nervous system.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|--------------------------------|-------|-----|--|
| VRL PNM | VIRAL PNEUMONIA | | V | <i>Deep respiratory virus that feels like a combination of a cold and a flu. Coughing, sometimes fever and spinal achiness (which are also symptoms for other kinds of pneumonia) See CLM PNM, KLB PNM, PNM RES.</i> |
| VSD | VENTRICAL SEPTAL DEFECT | | MVB | <i>Unclosed hole in lower mid wall of heart which doesn't allow blood from lungs to bring enough oxygen. Shortness of breath, easy sweating.</i> |
| VTNUM A | VITAMINUM A | | M | <i>Miasmatic Deficiency of Vitamin A causes dry eyes, liver dysfunction and nerve withering</i> |
| VYN COG | VINYL CONGESTION | | C | <i>Some people are allergic to plastic or vinyl, even to sit on (while clothed).</i> |
| WARTS | WARTS | | VF | <i>Skin lesion virus that often is rough in appearance. Sometimes they appear as flesh-colored and smooth in clusters on the face, neck, wrists, hands and knees. Sometimes they are flat, almost not raised in varying shades of flesh.</i> |
| WAT COL | WATER COLLECT | | MVB | <i>An inherited kidney condition that causes water to leak from the kidneys into the body.</i> |
| WBC FNG | WHITE BLOOD CELL FUNGUS | | F | <i>When the white blood cells have gorged themselves with partially dead red blood cells, a fungus emerges in liver (w/liver)</i> |
| WELD WF | WELDERS WHIFFS | | C | <i>Designed for the arsenic based fumes that welders are primarily exposed to. See also IG</i> |
| WHOO M | WHOOPIING COUGH MIASM | | M | <i>May partially explain brain damage from shots including Pertussis (the most dangerous part of a DPT shot)</i> |
| WHOP FD | WHOOPIING FEDS | | VB | <i>Heavy, hacking cough especially when lying down. Phlegm, fever/chills, weakness, stiffness, different aches for different people. Sometimes needs Fusiform Nasopharynx for lingering phlegm. Courtesy of government contrails.</i> |
| WHT BRN | WEIGHT BORN | | MBF | <i>For those who were born as heavy children and remained so into adulthood. May be linked with Weight Miasm</i> |
| WHT BST | WEIGHT BUSTER | | VB | <i>Parathyroid based viruses cause water retention</i> |
| WHT LOS | WEIGHT LOSE | | MVB | <i>Adrenal-based, hormone suppression that helps prevent metabolism and adds to weight holding. For lipedema add SLP WEL, LIP LOS CRB BLK & FOD BLK</i> |
| WHT M | WEIGHT MIASM | | M | <i>Combination of miasms that may be a family issue of weight for some</i> |
| WHT REL | WEIGHT RELEASE | | MVF | <i>The weight held by adrenal clogging and hormonal thwarting may yield to this formula</i> |
| WHT VIR | WEIGHT VIRUS | 10-12 | MVB | <i>Inherited weight (only) that runs in the family. Candida program and LMF WHT/CLM TRA for current weight issues.</i> |
| WILL M | WILL MIASM | 10-12 | M | <i>People report gain of solid sense of self and mission. Permanent removal of implants and basis of mistaken ET contract.</i> |
| WILSON | WILSON'S DISEASE | | MF | <i>Copper Surplus inherited condition marked by mild drooling, headaches, tremors, inability to speak, gold-greenish rings in the cornea.</i> |
| WK LVBL | WEAK LIVER/BLOOD | | MB | <i>Blood disease (PCDUS) associated with Inherited hypercholesterolemia, liver diseases, biliary tree, liver spots, hemorrhages, neurological</i> |
| WLDWLM | WILD WILMA'S | 10-16 | MVB | <i>Marie Strummel's Disease is a form of arthritis that curls the hands outward and contracts them.</i> |
| WOW CEL | WOW CELLS | | MBF | <i>Condition of brain (Thalamus) that causes adrenals to produce a prostaglandin that creates histamine receptors/binders with calcium which makes carbohydrates less assimilatable. the condition converts stress to weight. We're open to a better name.</i> |
| WOZ ADN | WOOZIE ADRENALS | 6-10 | MF | <i>Inherited slowness of adrenal causing perpetual tiredness and drained thyroid, increasing to weight problems and depression.</i> |
| WRINKL | WRINKLES | | MVB | <i>Gall Bladder-based, miasmatic remedy to rectify weakness in absorbing oils and producing collagen which are so necessary for preventing wrinkles</i> |
| WTC AFT | WTC AFTERMATH | | BC | <i>Chemtrail. Symptoms are queasy after eating, headaches (sometimes), exhaustion, coughing (sometimes). Worse with dairy products. Sounds like the western world way of life these days.</i> |
| XOTROP | EXOTROPIA | | VB | <i>Nicknamed "Wall Eye" because at least one of the eyes aims outwards towards the wall.</i> |
| YEL FEV | YELLOW FEVER | 7-9 | R | <i>A residue (or actual case) Missing link in diabetes. With diabetes, also check CPCD, SWT VIR, Can Pan., PANFLK.</i> |
| YEL HRP | YELLOW FEVER HERPES | 3-6 | RVB | <i>Especially prevalent in Liver/Pancreas connection with symptom of complete intolerance to alcohol.</i> |
| YES SIR | YES SIR | | MV | <i>Combination of brain, adrenal, prostate and nervous system releases for some men with erectile difficulties.</i> |
| YF D C | YF D C | 3-5 | RVB | <i>Yellow Fever/Diphtheria/Coxsackie - Liver/Pancreas problems. See also BD Flukes, YEL HRP.</i> |
| ZNC CLD | ZINC CHLORIDE | | C | <i>Imbalances electrolytes for digestive and adrenal distress and locks in respiratory distress. Part of contrail spraying in 99</i> |
| ZNCNUM | ZINCINUM | | M | <i>Zinc Deficiency Miasm affects prostates, eyes, livers and shows up in stretch marks in the skin.</i> |

HEALERS WHO SHARE TESTINGS

JUNE 30, 2002

B=Bacteria; C=Chemical; D=Disease; E=Emotional; ENZ=Enzymes; F=Fungus; M=Miasm; P=Parasite; T=Toxins; V= Virus

Miasmatic-based remedies generally take from 10-16 bottles

| | | | | |
|----------------|------------------|---|------------|--|
| ZNG ZNG | ZING ZING | | <i>MVF</i> | <i>A scientifically unidentified parathyroid disease. Unblocking it allows the transformation of calcium in adrenals/kidneys, multiple hormones, bones, lymph and weight channels.</i> |
| ZZZ | ZZZ | 1 | | Sleep aid |